

APPENDIX C PROCESSING FACILITIES and COMMITMENTS

Instructions: In Table 1, Bidder must add an entry for each Processing Facility that will process PaintCare Products and paint containers collected in the Program. Bidder may add additional lines to the table, as necessary. Before completing Tables 3-5, Bidder is advised to review all other Appendices and especially Appendix E (Template Contract).

Any failure by the Contractor to meet the commitments set forth in Tables 3-5 below may result in the termination of the Contract for cause. Please refer to Section 3.15 of the Template Contract for further details. PaintCare expects that qualified Bidders can commit to achieving at least a fifty percent (50%) minimum rate of Direct Reuse/Recycling for latex PaintCare Products. PaintCare expects that a qualified Bidder can commit to achieving a maximum disposal rate of twenty percent (20%) or lower for latex PaintCare Products.

Table 1. Processing Facilities for PaintCare Products and Paint Containers

Facility Name	Facility Address	Material	Processing Method
		Latex paint	
		Latex paint	
		Oil-based paint	
		Oil-based paint	
		Metal paint containers	
		Plastic paint containers	

Table 2. Processing Facilities for Non-PaintCare Products

Instructions: In Table 2, Bidder proposing to provide services to retail, transfer stations, and/or HHW must add an entry for each Processing Facility that will process Non-PaintCare Products collected in the Program. Bidder may add additional lines to the table, as necessary.

Facility Name	Facility Address	Material	Processing Method
		Aerosols	
		Pesticides/Toxic Solids	
		Pesticides/Toxic Liquids	
		Corrosives (Acids/Bases)	
		Non-RCRA	
		Oxidizers	
		Reactive (4.2, 4.3, 5.2)	
		Flammable Liquids/Solids	

Table 3 Rates for Latex Paint Processing

Although other processing methods are acceptable, Direct Reuse and Recycling are preferred processing methods. Bidders must indicate in the table below the percentage of the overall latex PaintCare Products that the Bidder can guarantee will be managed via some combination of Direct Reuse and Recycling in each PaintCare Reporting Year during the term of the Contract. The Bidder must also indicate in the table below the maximum percentage of the overall latex PaintCare Products that the Bidder can guarantee may be managed via disposal in a landfill in each PaintCare Reporting Year during the term of the Contract.

Paint Type	Processing Method	Guaranteed Rate, %
Latex	Direct Reuse and Recycling	At least ____%
Latex	Landfill	No more than ____%

Table 4. Rate for Oil Based Paint Processing

Although other processing methods are acceptable, Direct Reuse and Recycling are preferred processing methods. Bidders must specify below the percentage of the overall oil-based PaintCare Products that the Bidder can guarantee will be managed via some combination of Direct Reuse and Recycling in each PaintCare Reporting Year during the Term of the Contract.

Paint Type	Processing Method	Guaranteed Rate, %
Oil-Based	Direct Reuse and Recycling	At least _____%

Table 5. Rates for In-State Processing

Bidders must specify below the percentage of the overall latex and oil-based PaintCare Products that the Bidder can guarantee will be processed entirely by in-state Processing Facilities in each PaintCare Reporting Year during the Term of the Contract.

Paint Type	In-State%	Not In-State%	Total
Latex			100%
Oil-Based			100%