



Oregon Architectural Paint Stewardship Program Plan



Prepared by:

PaintCare Oregon LLC
(855) 724-6809
www.paintcare.org

Submitted to:

Oregon Department of Environmental Quality
700 NE Multnomah St #600
Portland, OR 97232

Contents

1. Introduction	5
SECTION OVERVIEW	5
A. INTRODUCTION	5
B. PAINT STEWARDSHIP IN THE UNITED STATES	5
C. PAINT STEWARDSHIP PROGRAM PLAN	6
D. CITATIONS	6
2. Stewardship Organization & Program Contacts	7
SECTION OVERVIEW	7
A. PAINTCARE OREGON LLC	7
B. PROGRAM CONTACTS	7
3. Registered Manufacturers and Brands	8
STATUTORY CITATION	8
SECTION OVERVIEW	8
A. MANUFACTURER AND BRAND REGISTRATION	8
B. PRIVATE LABEL AGREEMENTS	9
C. USE OF REGISTRATION LISTS	9
D. PROGRAM PRODUCTS	9
4. Collection Infrastructure	10
STATUTORY CITATION	10
SECTION OVERVIEW	10
A. PROGRAM AUDIENCE	10
A1. Residential Generators (Renters and Homeowners)	10
A2. Very Small Quantity Generators (VSQGs)	11
A3. Small Quantity Generators (SQGs) and Large Quantity Generators (LQGs)	11
B. COLLECTION INFRASTRUCTURE	11
B1. Household Hazardous Waste Programs	12
B2. Solid Waste Facilities (Transfer Stations, Recycling Facilities, Landfills)	12
B3. Retailers	12
B4. Paint-Only Drop-off Events	13
B5. Direct Pick-Up of Large Volumes	13
B6. Additional Activities	13
C. CONVENIENCE CRITERIA	14
D. DROP-OFF SITE OPERATIONS	16
D1. Drop-Off Site Training	16
D2. Collection Volumes	16
D3. Paint Storage Bins	16
D4. Non-Program Products	16
D5. Site Visits and Monitoring	17
D6. Contracts	17

5. Materials Management	18
STATUTORY CITATION	18
SECTION OVERVIEW	18
A. ENVIRONMENTAL REGULATORY REQUIREMENTS	19
B. PAINT TRANSPORTATION	19
B1. Current Transporters	19
B2. Tracking and Documentation	20
C. PAINT PROCESSING	20
C1. Processing Hierarchy	20
C2. Latex Paint Management	21
C3. Oil-Based Paint Management	21
C4. Current Processors	22
C5. Tracking and Documentation	23
D. NON-PROGRAM PRODUCTS AND EMPTY CONTAINERS	23
D1. Non-Program Products	23
D2. Empty Paint Containers	23
E. TRANSPORTATION AND PROCESSING COMPLIANCE MONITORING PROGRAM	23
F. INSURANCE AND FINANCIAL ASSURANCE	24
G. LATEX PAINT RECYCLING RATE GOAL	25
6. Education and Outreach	26
STATUTORY CITATION	26
SECTION OVERVIEW	26
A. METHODS	27
B. MESSAGES	27
B1. Reduce, Reuse, Recycle	27
B2. Program Awareness	28
C. TARGET AUDIENCES	28
C1. Households	28
C2. Businesses that Generate Paint	29
C3. Real Estate Agents	29
C4. Retailers	29
C5. HHW Programs and Solid Waste Facilities	30
C6. Non-English Speakers	30
D. PAINTCARE HOTLINE	30
E. SITE LOCATOR TOOL	30
F. EXAMPLES OF OUTREACH MATERIALS	31
G. POSTCONSUMER PAINT REDUCTION GOAL	31
H. PUBLIC AWARENESS GOAL	33
7. Budget and PaintCare Fee	35
STATUTORY CITATION	35
SECTION OVERVIEW	35
A. FUNDING MECHANISM	36
B. PAINT SALES AND FEE REVENUE	36

C.	PAINT COLLECTION VOLUME	36
D.	BUDGET DISCUSSION	37
	D1. Revenue	37
	D2. Expenses	37
	D3. Unallocated Reserve Funds	37
	D4. Anticipated Program Budget	38
	D5. Budgeting Practices	38
E.	PAINTCARE FEE	39
F.	PAINTCARE FEE COLLECTION PROCESS	39
G.	PROGRAM COST EFFECTIVENESS	39
8.	Annual Reports and Financial Audit	40
	STATUTORY CITATION	40
	SECTION OVERVIEW	40
A.	ANNUAL REPORT	40
B.	FINANCIAL AUDIT	40
C.	OREGON'S MATERIAL RECOVERY AND WASTE GENERATION SURVEY	41

Appendices

A.	REGISTERED MANUFACTURERS AND BRANDS
B.	DEFINITION OF PROGRAM PRODUCTS AND SAMPLE PRODUCT NOTICE
C.	PAINTCARE BOARD OF DIRECTORS
D.	PAINTCARE DROP-OFF SITES
E.	PAINTCARE SITE GUIDELINES
F.	EXAMPLES OF EDUCATION AND OUTREACH MATERIALS
G.	ENVIRONMENTAL REGULATORY REQUIREMENTS
H.	SERVICE PROVIDERS AND PAINTCARE INSURANCE COVERAGE

1. Introduction

SECTION OVERVIEW

This section discusses:

- ◆ Introduction
- ◆ Paint stewardship in the United States
- ◆ Paint stewardship program plan
- ◆ Citations

A. INTRODUCTION

Oregon passed the nation's first state-level paint product stewardship law in 2009. The resulting Oregon Architectural Paint Stewardship Program ("program") has collected more than 10 million gallons of postconsumer architectural paint since the program launched in July 2010 and makes paint recycling simple and convenient for Oregonians through its extensive network of paint drop-off sites and other paint management services around the state. Originally conceived as pilot legislation, the Oregon law became permanent in 2013.

The broad goals of the Oregon Paint Stewardship Law ("law") are for paint manufacturers to:

- 1) Establish an environmentally sound and cost-effective architectural paint stewardship program;
- 2) Undertake responsibility for the development and implementation of strategies to reduce the generation of postconsumer architectural paint;
- 3) Promote the reuse of postconsumer architectural paint; and
- 4) Collect, transport, and process postconsumer architectural paint for end-of-product-life management.

B. PAINT STEWARDSHIP IN THE UNITED STATES

At the urging of state environmental agencies and municipal household hazardous waste programs across the country, the Paint Product Stewardship Initiative (PPSI) began in 2002 to bring about an industry-managed paint stewardship system in the U.S. Facilitated by the Product Stewardship Institute (PSI), the initiative involved several years of stakeholder dialogue and industry and public sector research on paint use habits and recycling opportunities. Participants included the American Coatings Association, paint manufacturers, paint recyclers, federal EPA, and state and local governments across the country.

The PPSI resulted in the development of a model state law to establish an economically and environmentally sustainable, industry-designed and implemented postconsumer paint management system. Oregon passed legislation in 2009, followed by California in 2010; Connecticut in 2011; Rhode Island in 2012; Maine, Minnesota, and Vermont in 2013; Colorado in 2014; the District of Columbia in 2015; Washington and New York in 2019; Illinois in 2023; and Maryland in 2024.

C. PAINT STEWARDSHIP PROGRAM PLAN

The Oregon Paint Stewardship Law requires a stewardship organization (or individual producers) to submit to the Oregon Department of Environmental Quality (DEQ) a Paint Stewardship Program Plan ("plan") that includes the following:

- 1) Specify educational and outreach activities and materials that promote the architectural paint stewardship program;
- 2) Specify activities related to the establishment and maintenance of a convenient system for the collection of postconsumer architectural paint;
- 3) Establish and provide for the development and implementation of goals to reduce the generation of postconsumer architectural paint;
- 4) Promote the reuse of postconsumer architectural paint;
- 5) Undertake the responsibility of negotiating and executing contracts to collect, transport, recycle and process postconsumer architectural paint for end-of-product-life management that includes recycling, energy recovery, and disposal;
- 6) Describe how the end-of-product-life management of postconsumer architectural paint that is collected under the program will use environmentally sound management practices that are consistent with ORS 459.015(2);
- 7) Identify each producer participating in the program and participating brands of architectural paint sold in the state;
- 8) Identify the processors and transporters that manage the postconsumer architectural paint that is collected under the program;
- 9) Include an anticipated annual operating budget for 2026-2030; and
- 10) Include a funding mechanism whereby each manufacturer remits to PaintCare payment of a uniform architectural paint stewardship assessment for each container of architectural paint the manufacturer sells in Oregon.

D. CITATIONS

To aid the reader, each section of this plan is preceded with the relevant text of the law.

2. Stewardship Organization & Program Contacts

SECTION OVERVIEW

This section discusses:

- ◆ PaintCare Oregon LLC
- ◆ Program contacts

A. PAINTCARE OREGON LLC

On behalf of participating paint manufacturers, PaintCare Oregon LLC (“PaintCare”) is pleased to submit to DEQ the Oregon paint stewardship program plan.

PaintCare Inc. was formed in 2009 by the American Coatings Association, the primary trade association for the paint and coatings industry. PaintCare Inc. now organizes a separate single-member limited liability company (LLC) as a subsidiary to serve as the representative stewardship organization for architectural paint manufacturers (also referred to as producers) in each new state that passes a paint stewardship law. PaintCare Oregon LLC was formed in 2015. Both organizations are 501(c)(3) non-profit entities.

PaintCare representation is open to all architectural paint manufacturers and they may register with PaintCare at any time. PaintCare currently represents 213 paint manufacturers across its paint stewardship programs.

PaintCare’s corporate office is in Washington, DC. State program staff work in the states in which PaintCare programs operate.

PaintCare Inc. and its subsidiaries are overseen by an 11-member unpaid Board of Directors representing architectural paint manufacturing companies. The names and companies of PaintCare’s Board of Directors at the time this plan was submitted are provided in Appendix C.

B. PROGRAM CONTACTS

The following staff are responsible for ensuring compliance with the Oregon law:

Primary Contact
Lauren Scher
Oregon Program Manager
(503) 410-1648
lscher@paint.org

PaintCare will notify DEQ within 30 days of changes to any key personnel that are relevant to the Oregon program.

3. Registered Manufacturers and Brands

STATUTORY CITATION

Oregon Law, 2017 Edition, Chapter 459A – Architectural Paint Stewardship Program

Section 459A.825(1) A producer or retailer may not sell or offer for sale architectural paint to any person in this state unless the producer is participating in an approved statewide architectural paint stewardship program organized by a stewardship organization.

Section 459A.827(4)(a) Identify each producer participating in the program.

Section 459A.827(4)(b) Identify the participating brands of architectural paint sold in the state.

SECTION OVERVIEW

This section discusses:

- ◆ Manufacturer and brand registration
- ◆ Private label agreements
- ◆ Use of registration lists
- ◆ Program products

A. MANUFACTURER AND BRAND REGISTRATION

Representation by PaintCare is open to all architectural paint manufacturers who are obligated to take part in the Oregon Paint Stewardship Program. Manufacturers register their company and brands of architectural paint products through PaintCare’s website dedicated to registrations and reporting sales.

The identification and notification of potential manufacturers is an on-going process. PaintCare identifies potential participants through a variety of sources, including the following:

- ◆ Prior registrations with PaintCare for other PaintCare programs
- ◆ American Coatings Association
- ◆ Internet research

When PaintCare identifies or learns of an unregistered manufacturer or architectural paint brand being sold in Oregon, PaintCare contacts the manufacturer, informs them of their statutory obligation and asks them to register with PaintCare. PaintCare strives to maintain a level playing field for paint manufacturers in Oregon. To advance that goal, if PaintCare determines that a manufacturer is unwilling to be represented by PaintCare and is not participating under another DEQ-approved paint stewardship program, PaintCare will inform DEQ. Notification of registration obligations and ongoing oversight by PaintCare, as described above, applies equally to manufacturers selling paint into Oregon via the Internet.

B. PRIVATE LABEL AGREEMENTS

Private label agreements (or services) represent products manufactured or distributed by one company for use under another company's label. The products are also referred to as store brands or generic brands, and the agreements are also known as tolling agreements. These agreements are often kept confidential to protect the arrangements from competitive interests. Therefore, PaintCare will not specify which brands are produced by which manufacturer, unless the name of the manufacturer is included in the brand name. Instead, registered manufacturers and their registered brands will always be presented in separate lists to assure the confidentiality of private labeling and other agreements.

C. USE OF REGISTRATION LISTS

PaintCare posts the lists of registered manufacturers and brands on the PaintCare website. The purpose of posting the lists is to make them available for retailers, distributors and DEQ. Retailers and distributors may use the brand lists to identify which brands may be legally sold in Oregon as part of the ongoing operation of the program.

PaintCare has a dedicated staff person who maintains registration relations with manufacturers and tracks changes monthly to companies and brands for all PaintCare states. Manufacturers registered with PaintCare are required to keep their list of brands current. DEQ will receive a list monthly of additions, changes and removals. In addition, DEQ can contact PaintCare at any time to find out if a manufacturer or brand was recently registered.

The current lists of registered manufacturers and brands for Oregon are included in Appendix A and available on PaintCare's website. Both lists will be updated on PaintCare's website and provided to DEQ monthly.

D. PROGRAM PRODUCTS

The terms program products, PaintCare products, architectural paint, and paint are used interchangeably in this plan. In addition, this plan uses the common term latex paint to mean non-combustible or water-based program products, and oil-based paint to mean combustible or petroleum solvent-based program products.

Program products are architectural paints in containers no larger than 5 gallons in size. They do not include Industrial Maintenance (IM) coatings, Original Equipment Manufacturing (OEM) coatings, and other specialty coatings. The full definition and examples of both program and non-program products are provided in Appendix B. This definition is used to determine the products on which manufacturers are to apply the paint stewardship assessment ("PaintCare fee"), as well as to determine which postconsumer products are accepted by the program's paint drop-off sites.

As needed, PaintCare issues product notices to explain or clarify whether and why certain types of products are a part of the program or not. An example of these notices is also included in Appendix B.

4. Collection Infrastructure

STATUTORY CITATION

Oregon Law, 2017 Edition, Chapter 459A – Architectural Paint Stewardship Program

Section 459A.827(2)(b) Specify activities related to the establishment and maintenance of a convenient system for the collection of postconsumer architectural paint as described in ORS 459A.830.

Section 459A.830(1) The convenient system for the collection of postconsumer architectural paint required under ORS 459A.827(2) must ensure that:

(a) One permanent collection site exists for every 30,000 residents in this state.

(b) Ninety-five percent of the residents in this state are within 15 miles of a permanent collection site.

(c) For those geographically underserved areas where the population is not within 15 miles of a permanent collection site, at least one but no more than two collection events are held per year in each geographically underserved area.

Section 459A.830(3) A stewardship organization shall make a good faith effort to coordinate with the appropriate local government, collection service franchise holder or person who provides collection service for the promotion of and payment for a collection event under subsection (1)(c) of this section. If, after a good faith effort, the stewardship organization is unable to coordinate with the appropriate local government, collection service franchise holder or person who provides collection service, the stewardship organization shall promote and pay for the collection event.

Section 459A.830(4) A stewardship organization is not required to comply with subsection (1)(c) of this section for a given geographic area if the Director of the Department of Environmental Quality agrees with the stewardship organization that holding a collection event in that area will not be practicable or effective.

SECTION OVERVIEW

This section discusses:

- ◆ Program audience
- ◆ Collection infrastructure
- ◆ Convenience criteria
- ◆ Drop-off site operations

A. PROGRAM AUDIENCE

The Oregon PaintCare program will serve the state’s residents, businesses, schools, government agencies and other entities that have leftover, unwanted paint, as described below.

A1. Residential Generators (Renters and Homeowners)

The program will accept any quantity of postconsumer latex or oil-based paint from this group.

A2. Very Small Quantity Generators (VSQGs)

Painting contractors, small businesses, and other small to medium-sized organizations are typical VSQGs (as described in federal rules in 40 CFR 262.14 and referred to as Conditionally Exempt Small Quantity Generators [CESQGs] in Oregon). The program will accept any quantity of postconsumer latex paint from VSQGs and will accept postconsumer oil-based paint at or below the limits applied to hazardous waste generation for VSQGs. To qualify as a VSQG, among other criteria, a business/organization must (1) generate no more than 100 kilograms (about 25 gallons or 220 pounds) of hazardous waste per calendar month, (2) generate no more than 1 kilogram (about 2.2 pounds) of acute hazardous waste per calendar month, and (3) accumulate no more than 1,000 kilograms (2,200 pounds) of hazardous waste at any given time.

A3. Small Quantity Generators (SQGs) and Large Quantity Generators (LQGs)

The program will accept any quantity of postconsumer latex paint from SQGs and LQGs (as defined in federal rules in 40 CFR 260.10). An organization is an SQG or LQG if it exceeds the generation or accumulation limits stated above for VSQGs. As of the date of this plan, the program does not provide for acceptance of postconsumer oil-based paint from SQGs or LQGs, as oil-based paint from industrial generators is regulated as hazardous waste under federal law. If the program accepts oil-based paint from SQGs or LQGs in the future, such acceptance will be in accordance with all applicable law.

B. COLLECTION INFRASTRUCTURE

PaintCare collection infrastructure and services include the following:

- ◆ Household hazardous waste collection facilities and events
- ◆ Solid waste facilities (solid waste transfer stations, recycling facilities and landfills)
- ◆ Paint retailers and Material reuse stores
- ◆ Paint-only drop-off events
- ◆ Direct pick-up of large volumes

In an effort to maximize convenience for participants, the program strives to partner with locations that are centrally located and open multiple days per week.¹ All eligible locations are invited to participate as PaintCare drop-off sites provided they have adequate space for at least two paint collection bins. The space must be secure, inaccessible to the public, have an impermeable surface, and be protected from the elements.

If an eligible location agrees to be a paint drop-off site, they must comply with PaintCare's operational requirements: they must accept all program products, have staff available to accept paint during operating hours, accept paint from households and businesses, and accept paint free of charge from participants who drop off paint. In addition, sites must be willing to be listed on the site locator on PaintCare's website and post and distribute PaintCare point-of-sale outreach materials, including a window poster advertising their site as a paint drop-off site.

¹ To provide consistency and allow for comparison with all other PaintCare programs, PaintCare will use the term year-round in place of permanent when evaluating program convenience. While permanent refers to a physical structure with regular collection, it does not distinguish between year-round and seasonal service, both of which are provided by HHW programs in Oregon. PaintCare's term year-round makes a distinction. To be classified as a year-round site, a site must be open at least one day per month, every month of the year.

Some exceptions may be allowed in recognition of pre-existing restrictions on HHW facilities and other non-retail sites. For example, if an HHW facility is not permitted to accept waste from businesses, they will not be required to do so. Other examples include:

- ◆ Non-retail sites that accept oil-based paint but do not currently accept latex paint will not be required to change their operations to accept latex paint.
- ◆ Non-retail sites that already charge a fixed amount to businesses and VSQGs to schedule an appointment for paint collection may continue this practice as long as it is clear to the customers that the charges do not relate to services funded by the PaintCare program, including paint collection bins, transportation and processing.

For all sites and events, PaintCare provides and covers the cost for paint collection bins, paint transportation and paint processing (end-of-life management). In addition, most sites are provided spill kits, signage, and training materials. To ensure environmentally sound management, paint collected at all sites and events will be managed as described in the Materials Management section.

B1. Household Hazardous Waste Programs

Household hazardous waste (HHW) facilities and events provide their customers the convenience of recycling/disposing of other products at the same time as paint, and they often have repeat customers that have used their programs for many years.

Permanent HHW Facilities

There are ten permanent HHW facilities in the program at the time of submission of this program plan. Six of the facilities are open year-round, four are seasonal. These facilities are listed in Appendix D.

Temporary HHW Events

One-day/temporary events are a valuable service provided across the state. Both in number and geographical scope, these events will continue to play an important role in supplementing the permanent HHW collection infrastructure. The location and timing of these events are at the discretion of each HHW program.

Notification of the event by the HHW program to PaintCare occurs through either the sponsoring agency or its event operator depending on the structure of the agreement.

B2. Solid Waste Facilities (Transfer Stations, Recycling Facilities, Landfills)

Solid waste facilities, transfer stations in particular, can be important program partners because like HHW programs, they provide their customers the convenience of dropping off other products at the same time as paint, and they may also have regular customers that have used their facilities for many years. Solid waste facilities are also beneficial, particularly in rural areas, where there might not be HHW facilities or paint retailers to serve as drop-off sites.

B3. Retailers

Paint retailers are valuable program partners because they are located throughout the state, are often centrally located in cities and towns, are open five or more days per week, and have staff familiar with paint products and their safe handling. In addition, their customers are likely to have some leftover paint and often ask store staff for advice on what to do with it. Retailer participation as a paint drop-off site is voluntary.

Material Reuse Stores

Material reuse stores, such as Habitat for Humanity ReStores, are a subset of retailers that can augment their drop-off site offering with a paint reuse program. At these sites, paint is screened for possible reuse and then donated or sold back to the local community. Paint that is not screened out or cannot be resold is placed in PaintCare bins, as with other site types.

PaintCare currently has 26 material reuse store drop-off sites in Oregon at the time of submission of this program plan, more than any other program state. They are a core component of PaintCare's effort to direct paint toward reuse. PaintCare will continue to seek new partnerships that increase reuse. PaintCare offers a financial incentive to material reuse stores if they offer paint for reuse.

B4. Paint-Only Drop-off Events

PaintCare will provide paint-only drop-off events for the primary purpose of offering paint collection services to populations of the state that are considered underserved because they lack a drop-off site within 15 miles. PaintCare's paint-only collection events will not be restricted by county or other boundaries; participants from anywhere in Oregon will be allowed to use the events.

B5. Direct Pick-Up of Large Volumes

To encourage source reduction, all large volume pick-up participants described below will be asked to consider if their paint is usable and, if so, to consider donating their paint to their nearest reuse location prior to arranging a pick-up appointment.

Large Volume Pick-Up (LVP) Service

The LVP service is a free service offered to painting contractors, other businesses, organizations, and households with large volumes of paint with a minimum quantity, currently 100 gallons in Oregon. This service allows approved users to have paint picked up at their business or home. Approval for use of the LVP service is determined by PaintCare.

Users of the LVP service will be asked to provide specific information about their volume of leftover paint, paint type (latex or oil-based), and container sizes. Once approved for pick-up, they will be put in direct contact with PaintCare's transporter to arrange an appointment.

Recurring Large Volume Pick-Up (RLVP) Service

The RLVP service is a free service offered to painting contractors and other businesses and organizations that generate large volumes of paint on an on-going basis. These sites will be set up and trained by PaintCare staff on operational requirements similar to public drop-off sites, but they will only use the program for paint from their own operations.

Users of the RLVP service are asked to provide information about the volume and type of paint they generate on a regular basis, and they must sign an agreement for service with PaintCare.

B6. Additional Activities

Paint drop-off sites permitted to conduct specific additional activities that are beneficial to the program can be compensated for their work. These activities include operating a reuse program, reprocessing latex paint, bulking oil-based paint, and providing local transportation services.

Reuse

Sites may operate reuse areas in which they place leftover paint brought to their site in good condition to be given away or sold “as-is” to their customers and local community. This paint management method represents the highest, best use of paint and typically reduces program costs and environmental impacts of transportation and processing. To support existing paint reuse programs and to provide incentives for reuse, PaintCare provides compensation based on the number of gallons given away or sold.

Latex Paint Reprocessing

Latex paint reprocessing involves color sorting, combining, and mixing leftover latex paint together to make recycled-content paint. The paint is usually mixed in batches, poured off into 5-gallon containers, and given away or sold to facility customers and the local community. As with reuse, local reprocessing typically reduces program costs and environmental impacts of transportation and processing. To support existing paint reprocessing programs and to provide an incentive for additional sites to reprocess paint, PaintCare negotiates a per-gallon rate to compensate the site for reprocessed paint that is given away or sold.

Oil-Based Paint Bulking

PaintCare makes paint management simple for paint drop-off sites by allowing them to place program products directly into paint collection bins. However, if a site chooses to bulk oil-based paint, it results in lower transportation costs for PaintCare. To support these sites, PaintCare negotiates compensation based on a per-drum rate.

Transportation

Sometimes it is more cost-effective for a paint drop-off site to transport paint from one of its locations to another, or to transport paint from an event back to its facility, rather than using PaintCare’s contracted transporter. This is most commonly done by HHW programs. In these cases, PaintCare negotiates compensation for the service (e.g., on a per-event or per-bin basis).

C. CONVENIENCE CRITERIA

The law requires that the program provide:

- ◆ **One permanent site per every 30,000 residents of the state.** As of the submission of this plan, PaintCare has approximately one year-round site for every 22,398 residents (based on a 2025 population estimate published by Portland State University). PaintCare will continue to meet this criterion by continuing to support its existing program partners to ensure site retention.
- ◆ **95% of residents a permanent site within 15 miles.** PaintCare will annually conduct a geographic information analysis (“GIS”) to ensure 95% of residents live within 15 miles of a year-round site. GIS analysis conducted in 2025 with the program’s year-round sites shows that 97% of Oregon residents live within 15 miles of a year-round drop-off site, exceeding the 95% requirement. As of the submission of this plan, PaintCare uses US Census Bureau data that shows how population is distributed geographically to evaluate the distance of residents from the nearest year-round drop-off site.
- ◆ **For underserved areas – where the population is not within 15 miles of a permanent site – one or two paint drop-off events per year.** On an annual basis, PaintCare contacts each county to determine local paint collection needs for underserved areas. In sparsely populated areas where drop-off events may not be cost-effective due to participation, PaintCare will work closely with local contacts to determine alternate means of access for those seeking to use the program. PaintCare will seek concurrence from DEQ annually (typically,

late winter into early spring) on the results of the good faith efforts to work with regional contacts, events planned for the current program year, and alternate means offered. This may include promoting awareness at the community level, such as a tailored direct mailing to advise of drop-off sites located in the nearest urban center where rural residents are likely to travel for shopping and other needs.

Program Maintenance and Growth

PaintCare will provide DEQ with an update to any changes in either year-round sites or changes to HHW and paint-only events within 30 days. Changes to information about sites will also be updated on PaintCare's site locator tool in a timely manner following the change. In addition to maintaining the current infrastructure, PaintCare will continue to recruit and encourage additional year-round sites in underserved areas of the state. PaintCare will evaluate potential new sites against program needs for site distribution and density. If the site is desired based on location, PaintCare will work with the site to determine if it is able to meet PaintCare's operational requirements.

Convenience criteria compliance is formally evaluated annually in conjunction with the annual report, as of the date of this plan, using data from the US Census Bureau and Portland State University's Population Research Center. The departure of any individual site is unlikely to impact coverage as there is typically overlap amongst sites. For example, the program exceeded the 95% of residents are within 15 miles of a year-round site criterion with only 120 sites in 2013. At the time of this submission, there were 192 sites. To maintain persistent awareness of compliance status, PaintCare's GIS database includes the unique population served by each site, providing advance understanding of the potential effect of site departures.

D. DROP-OFF SITE OPERATIONS

All PaintCare drop-off sites must have an agreement in place with PaintCare, follow PaintCare’s operational requirements, and operate in accordance with applicable federal, state and local environmental laws, regulations and permits. PaintCare’s core operational requirements are set forth in the site guidelines. Site guidelines are provided in Appendix E.

D1. Drop-Off Site Training

All drop-off sites and RLVP sites receive an in-person, on-site training and are provided a training binder that is reviewed during the training and includes a training log to be signed by all employees at the site who handle paint for the program. Training topics include:

- ◆ History and goals of paint stewardship programs
- ◆ Identification of program products
- ◆ Safe handling and storage of program products
- ◆ Spill clean-up and reporting
- ◆ Procedures for scheduling a paint pick-up
- ◆ Screening for generator status to determine if a business qualifies to use the program for oil-based paint
- ◆ Recordkeeping



D2. Collection Volumes

Drop-off sites may set their own limit for the amount of paint they will accept, as long as the limit is no less than five gallons per customer per day.

D3. Paint Storage Bins

Drop-off sites and RLVPs are provided with collection bins to store postconsumer paint received through the program. Collection bins include US DOT approved reusable or lined single-use cubic yard boxes, 55-gallon drums, and other approved bins.

All sites (including RLVPs) are required to keep collection bins in a secure location that does not have public access, has an impermeable surface, and is protected from the elements.



D4. Non-Program Products

Minimization of non-program products entering the program is critical and will be achieved through public education, signage at drop-off sites, and drop-off site training on product identifications. Sites are instructed to not accept any non-program products presented for drop-off. If a non-program product is discovered in the bin by drop-off site staff, they are instructed to leave the product in the bin.

PaintCare’s transporters and downstream processors will appropriately manage any incidental non-program products that they receive according to environmental management practices described in the Materials Management section. They will notify PaintCare of any incident and identify the specific drop-off site from where the non-program products

originated and the quantity and type that were found. Depending on the severity of the contamination, PaintCare may do one or more of the following: (1) contact the site to let them know about the incident, (2) provide additional/refresher site training on identification of program and non-program products, or (3) in extreme cases, remove the site from the program.

D5. Site Visits and Monitoring

Retail and reuse sites will receive site visits a minimum of twice per year. HHW facilities, solid waste facilities and RLVP sites will be visited a minimum of once per year. The purpose of these visits is to ensure compliance with site guidelines, address any needs or concerns the sites may have, check their supplies of outreach materials, and solicit their feedback on how to improve the program. PaintCare staff typically will offer retraining on site guidelines as a first step to correcting unwanted behaviors. At PaintCare's discretion, non-compliance with site guidelines may result in termination of the site's agreement and removal from the program.

D6. Contracts

As of the submission of this plan, retail, material reuse stores, and RLVPs each have one standard contract type. For municipal sites – whether HHW facilities, HHW events, or solid waste facilities – two main contracting approaches are used. If municipal employees operate the collection site or event, a contract is put in place directly between PaintCare and the municipality. If, however, the municipality has hired outside contractors to operate the collection site or event, PaintCare offers an indirect contract approach, whereby PaintCare contracts with the municipality's operator upon authorization from the municipality.

5. Materials Management

STATUTORY CITATION

Section 459A.827(2)(e) Undertake the responsibility of negotiating and executing contracts to collect, transport, recycle and process postconsumer architectural paint for end-of-product-life management that includes recycling, energy recovery and disposal; and

Section 459A.827(2)(f) Describe how the end-of-product-life management of postconsumer architectural paint that is collected under this program will use environmentally sound management practices that are consistent with ORS 459.015(2).

Section 459A.822 defines environmentally sound management practices as: policies and practices that are to be implemented by a stewardship organization, or by contractors working for a stewardship organization, to ensure compliance with all applicable laws related to the collection, storage, transportation, reuse, recycling and disposal of postconsumer architectural paint and that address:

- (a) Adequate record keeping;
- (b) The tracking and documentation of the fate of postconsumer architectural paint within this state and outside this state; and
- (c) Adequate environmental liability coverage for professional services and for the operations of contractors working for a stewardship organization.

Section 459A.827(4)(c) Identify the processors that manage the postconsumer architectural paint that is collected under the program.

Section 459A.827(4)(d) Identify the transporters of postconsumer architectural paint that is collected under the program.

Section 459A.827(2)(c) Establish and provide for the development and implementation of goals to reduce the generation of post-consumer architectural paint, including goals for:

- (B) Increasing the recycling rate for latex paint

SECTION OVERVIEW

This section discusses:

- ◆ Environmental regulatory requirements
- ◆ Paint transportation and current transporters
- ◆ Paint processing and current processors
- ◆ Transportation and processing audit program
- ◆ Non-program products and empty containers
- ◆ Insurance and financial assurance
- ◆ Latex paint recycling rate

All descriptions in this section refer to current or typical activities as of the submission of this program plan. Any changes in PaintCare transporters, processors or processing methods described in this section will be shared with DEQ within 30 days of the change. A full definition and examples of both program and non-program products are provided in Appendix B.

A. ENVIRONMENTAL REGULATORY REQUIREMENTS

PaintCare contracts for all transportation, processing and proper end-of-life management of postconsumer paint collected in the program. All contracted transporters, processors and their subcontractors are required by PaintCare as part of their contract to have processes in place to ensure compliance with applicable federal, state, and local environmental laws, regulations, and permits. Transporters and processors must immediately notify PaintCare of any violations or circumstance and occurrences that would require reporting to any government authority under applicable permits or laws. Under the contract terms, violations of law constitute a breach and can be grounds for immediate termination. Transporters and processors must require any subcontractors they use also comply with all applicable environmental regulations and other laws relating to the services provided by those subcontractors. The principal environmental regulatory requirements applicable to the program and its service providers are summarized in Appendix G.

B. PAINT TRANSPORTATION

An effective transportation system is required to ensure that the program's collection infrastructure operates efficiently. Transporters may include both private and public entities. To ensure accurate tracking of materials and recordkeeping, PaintCare has access to executed/signed shipping documents mandated by contract with all program service providers.

As needed, transporters drop off empty bins and supplies (e.g., spill kits) at PaintCare drop-off sites, events, and RLVPs and transport bins away from the locations when they are full. Transporters service drop-off sites in two ways – on-call or on a set schedule. For those sites with on-call pick-ups, PaintCare advises sites to call the transporter when they are nearing their storage capacity. For those sites with a set schedule, the transporter calls the drop-off sites prior to the next scheduled pickup to check on current storage capacity and to inquire if a pick-up is needed. RLVPs call when their bins are full, and events are coordinated in advance for pick-up at the end of the event.

B1. Current Transporters

Clean Earth (formerly Stericycle Environmental Solutions)

Clean Earth staff sort the contents of all bins after initial transport to their facility in Washougal, WA. Following sorting, Clean Earth transports:

- ◆ Oil-based paint to their facility in Kent, WA
- ◆ Latex paint to GDB International in Fife, WA

Clean Harbors Environmental Services

Clean Harbors segregates paint upon receipt and packages program products into two separate streams – latex paint and oil-based paint. All bins are first delivered to their facility in Clackamas, OR, for consolidation. Following consolidation, Clean Harbors transports:

- ◆ Oil-based paint to their facility in Grantsville, UT; Kimball, NE; Dolton, IL; or Smithfield, KY
- ◆ Latex paint to GDB International in Fife, WA

ACTenviro

ACTenviro segregates paint upon receipt and packages program products into two separate streams – latex paint and oil-based paint. All bins are first delivered to their facility in Clackamas, OR, for consolidation. Following consolidation, ACTenviro transports:

- ◆ Oil-based paint to their facility in Albuquerque, NM
- ◆ Latex paint to Visions Paint in Sacramento, CA

GreenSheen Paint

GreenSheen segregates program products upon receipt into two streams – latex and oil-based paint. Latex paint is processed at its Sumner, WA, facility, and oil-based paint is picked up by Clean Earth and delivered to its Kent, WA, facility for processing.

Metro

Metro transports latex and oil-based paint from collection events to their Central and South HHW facilities. Following transport to the Metro HHW facilities, latex paint is picked up by GreenSheen for transport and processing at its Sumner, WA facility and oil-based paint is picked up by Clean Earth for transport to its Kent, WA facility for processing.

B2. Tracking and Documentation

All transporters record their activities using a bill of lading and/or a hazardous waste manifest and these documents are submitted to PaintCare with invoices. All shipping records are required by contract to be retained for a minimum of three years. PaintCare requires its transporters to be responsible for tracking, managing and reporting all associated data, including the date, type and weight of materials collected, and the fate of materials through each step of handling until final disposition.

C. PAINT PROCESSING

C1. Processing Hierarchy

PaintCare contracts for processing and proper end-of-life management of postconsumer paint collected in the program. The following hierarchy will be followed when prioritizing management of paint collected through the program. PaintCare requires in its contracts that all paint collected through the program is managed consistent with the following hierarchy, which conforms to Oregon’s waste management hierarchy, ORS 459.015(2)(a).:

Latex Paint

- ◆ Reuse
- ◆ Paint-to-paint recycling
- ◆ Beneficial use
- ◆ Biodegradation
- ◆ Disposal

Oil-Based Paint

- ◆ Reuse
- ◆ Paint-to-paint recycling
- ◆ Energy Recovery
- ◆ Incineration

The condition in which postconsumer paint is received by the program may limit the available management options, particularly for latex paint. If containers are not properly sealed during storage, latex paint can harden due to evaporation and may no longer be usable or recyclable. The method of storage and the timing of the decision to recycle unwanted paint are determined by the owner. The program encourages the proper storage and the return of unwanted postconsumer paint in a timely manner in an effort to reduce the age and improve the condition of the paint. The following provides a more detailed description of the latex and oil-based paint management options listed above.

C2. Latex Paint Management

Reuse. PaintCare promotes paint reuse via its partnerships with reuse sites. These sites are required to document their reuse activities to receive compensation for the volume distributed and are encouraged to obtain a participant waiver acknowledging that the suitability of the product cannot be guaranteed.

Paint-to-Paint Recycling. Depending on its condition, latex paint may be used to manufacture recycled-content latex paint. Recycled-content paint is sold through domestic and international markets, either as an end-consumer paint product or as a feedstock that is used in paint manufacturing.

Beneficial Use. Latex paint may go to beneficial use – as approved by federal, state and local authority – including use in fuel substitute or as alternative daily cover (ADC).

Biodegradation. Latex paint may be used for landfill biodegradation, a process that uses non-hazardous liquids to accelerate waste biodegradation and stabilization under a research permit issued by the US EPA.

Disposal. Use of a permitted landfill for disposal, including landfill disposal, is the least preferred management method for latex paint.

C3. Oil-Based Paint Management

Reuse. PaintCare promotes paint reuse via its partnerships with reuse sites. These sites are required to document their reuse activities to receive compensation for the volume distributed and are encouraged to obtain a participant waiver acknowledging that the suitability of the product cannot be guaranteed.

Paint-to-Paint Recycling. Oil-based paint may be used to manufacture recycled-content oil-based paint. Commercial oil-based paint recyclers typically manufacture recycled-content oil-based paint in a variety of colors that is sold internationally. As of the submission of this program plan, this method is only available in certain geographic areas in the United States but is included to allow for future possibility for the Oregon program.

Energy Recovery. Cement kilns use high BTU value industrial by-products and hazardous wastes, including oil-based paint, as an alternative fuel source. These kilns are fully permitted for the necessary federal, state, and local requirements for hazardous waste management and monitor air emissions and kiln ash for permit compliance. Combustion of the hazardous waste generates heat that is used in the operation of the kiln.

Incineration. Permitted hazardous waste incinerators commonly process oil-based paint, flammable liquids, and other hazardous wastes and industrial by-products as a substitute fuel source because it is readily available and has a high BTU value. A high BTU value aids in the thermal destruction of other hazardous waste and validates its use in this

capacity. These incinerators are fully permitted for the necessary federal, state, and local requirements for hazardous waste management and monitor air emissions and ash for permit compliance.

C4. Current Processors

Tillamook County (Latex Paint)

Tillamook County processes latex paint received through their HHW collection events and Manzanita Transfer Station. Latex paint is reprocessed into recycled-content paint and sold locally. As of the submission of this plan, the portion of the paint not able to be reprocessed locally is transported by Clean Earth and processed by GDB.

The quantity of paint reprocessed is recorded using a custom tracking form. Tillamook County provides PaintCare a certificate of recycling with each invoice it submits. All records tracked are required by contract to be retained for a minimum of three years.

GDB International (Latex Paint)

As of the submission of this plan, GDB is a subcontractor to ACTEnviro, Clean Earth and Clean Harbors who manufactures recycled-content paint products that are sold domestically and internationally.

GreenSheen Paint (Latex Paint)

As of the submission of this plan, latex paint is manufactured into recycled-content paint products that are sold domestically and internationally.

LRI Landfill (Latex Paint)

As of the submission of this plan, GDB International and GreenSheen Paint route non-recyclable latex paint to the LRI Landfill for disposal.

Visions Paint (Latex Paint)

As of the submission of this plan, Visions Paint is a subcontractor to ACTEnviro, who reprocesses paint into paint products that are sold domestically and internationally.

Lockwood Landfill (Latex Paint)

As of the submission of this plan, Visions Paint routes non-recyclable latex paint to the Lockwood Landfill for disposal.

Clean Earth (Oil-Based Paint)

Clean Earth currently manages oil-based paint at their Kent, WA, facility. After consolidation through a container shredding process, the paint is pumped into DOT approved containers and is hauled to Arcwood Environmental in Haskell, AR, for distribution to cement kilns for use as a fuel. Cement kilns used include:

- ◆ Buzzi Unicem in Cape Girardeau, MO
- ◆ Ash Grove Cement in Chanute, KS and Forman, AR
- ◆ Eagle Materials, Tulsa, OK

Consolidated fuels that do not meet blending parameters or exceed PCB limits are hauled to permitted fuel incinerators, including Clean Harbors' facility in Grantsville, UT.

PaintCare does not contract directly with cement kilns and incinerators. These entities are subcontractors or third-party vendors to Clean Earth. As stated above, PaintCare contracts mandate that processors are fully responsible for activities undertaken by subcontractors, including cement kilns and incinerators.

Clean Harbors Environmental Services (Oil-Based Paint)

Oil-based paint managed by Clean Harbors for the program is transported to and processed at the Clean Harbors owned and operated incineration facilities in Aragonite, UT and Kimball, NE or to their fuels blending facilities in Dolton, IL and Smithfield, KY which routes fuel to the following cement kilns:

- ◆ Buzzi Unicem in Cape Girardeau, MO
- ◆ Buzzi Unicem in Greencastle, IN

ACTenviro (Oil-Based Paint)

ACTenviro currently manages oil-based paint at their Albuquerque, NM, facility. After consolidation through a container shredding process, the paint is pumped into DOT approved containers and is hauled to Arcwood Environmental in Haskell, AR, for distribution to cement kilns for use as a fuel. Cement kilns used include:

- ◆ Buzzi Unicem in Cape Girardeau, MO
- ◆ Ash Grove Cement in Chanute, KS and Forman, AR
- ◆ Eagle Materials, Tulsa, OK

C5. Tracking and Documentation

All transporters record their activities using a bill of lading and/or a hazardous waste manifest and these documents are submitted to PaintCare with invoices. All processing and shipping records are required by contract to be retained for a minimum of three years. PaintCare requires its transportation and processing contractors to be responsible for tracking, managing and reporting all associated data, including the date, type and weight of materials collected, and the fate of materials through each step of handling until final disposition.

D. NON-PROGRAM PRODUCTS AND EMPTY CONTAINERS

D1. Non-Program Products

Although drop-off sites will be trained and instructed to screen out non-program products, a small number of containers of non-program products may enter the program and be screened out during the sorting process by PaintCare's transporters and processors. Non-program products, including HHW non-program products, will be managed appropriately in accordance with applicable law by PaintCare's service providers rather than returned to a drop-off site.

D2. Empty Paint Containers

Whenever possible, empty metal and plastic paint containers will be recycled. PaintCare will work with its service providers to identify and utilize opportunities as markets permit. Unrecyclable containers are disposed of as solid waste. PaintCare will provide an estimate of the total weight and disposition of all paint containers collected in its annual report, which is submitted to DEQ.

E. TRANSPORTATION AND PROCESSING COMPLIANCE MONITORING PROGRAM

PaintCare has established procedures for monitoring both transporters and processors that manage materials in connection with the PaintCare program. If PaintCare's monitoring efforts identify potential problems or concerns,

PaintCare will work with the relevant parties to address those issues. Each such situation will be addressed on a case-by-case basis depending on the nature of the issue and available solutions. These monitoring procedures have been devised to be objectively reasonable compared to industry standards.

PaintCare will monitor its transporters to help ensure they meet certain requirements. Current requirements include:

- ◆ The transporter must possess all permits and licenses required under applicable law for the services they will perform for PaintCare.
- ◆ The transporter must have a satisfactory carrier safety rating, as defined by the U.S. Department of Transportation.
- ◆ The transporter must have an emergency response plan in place for addressing spills and other emergencies that may occur in the course of performing services for PaintCare.

The transporter must carry appropriate liability insurance, including environmental insurance for any hauler that will transport hazardous materials in connection with the PaintCare program.

PaintCare requires its contracted transporters to verify that each processor they utilize to process materials in connection with the PaintCare program meets certain minimum eligibility criteria prior to use. Current criteria include:

All processors must possess valid permits for all activities to be performed by the processors in connection with the PaintCare program

- ◆ All processors must possess a safety program and emergency response procedures, provide appropriate staff training, and maintain records as mandated by OSHA or as otherwise required by applicable law.
- ◆ All processors must carry appropriate insurance, including environmental insurance for any processing facility that will process hazardous materials in connection with the PaintCare program.

PaintCare further requires that its contracted transporters ensure that each processor used to process materials in connection with the PaintCare program maintains compliance with PaintCare's eligibility criteria.

Finally, PaintCare has robust audit rights, mandated by contract, with regard to all transporters and processors. PaintCare will take reasonable steps to independently verify the criteria for transporters and processors are followed and the information reported to PaintCare by the transporters and processors.

F. INSURANCE AND FINANCIAL ASSURANCE

PaintCare requires all contractors – drop-off sites, transporters, processors, etc. – to carry insurance appropriate to the services provided for the PaintCare program. While the specific amount and terms may vary from contractor to contractor, they may include:

- ◆ Commercial General Liability Insurance
- ◆ Commercial Automobile Liability Insurance
- ◆ Workers' Compensation Insurance
- ◆ Environmental Pollution Liability Insurance
- ◆ Endorsements to name PaintCare as an additional insured on the required insurance coverage (other than Workers' Compensation)

Because contractors have widely different insurance policies (e.g., commercial insurance vs. self-insurance, etc.), PaintCare evaluates (often with the assistance of outside legal counsel) the insurance terms in each contract on a case-by-case basis to ensure that the contractor maintains insurance of the types and in the amounts PaintCare deems appropriate for the services the contractor provides to the PaintCare program. PaintCare itself also carries Pollution Liability, Commercial General Liability and Excess Umbrella Coverage to help protect the program from any liability PaintCare may incur.

Details of current insurance standards for contactors are provided in Appendix H.

G. LATEX PAINT RECYCLING RATE GOAL

Although PaintCare’s latex paint recycling rate has decreased since reaching 80% in 2020, the goal remains to exceed 80%. PaintCare’s contracted service providers are now required to achieve a minimum latex recycling rate of at least 80%. PaintCare will report on the recycling rate for latex paint in its annual reports submitted to DEQ.

Latex Paint Disposition Method	2023	2024	2025
Recycled	78%	72%	72%

6. Education and Outreach

STATUTORY CITATION

Section 459A.825(2)(a) A stewardship organization must provide retailers selling or offering for sale architectural paint with information on available collection opportunities for postconsumer architectural paint offered through the organization's architectural paint stewardship program.

Section 459A.827(2)(a) Specify educational and outreach activities and materials that promote the architectural paint stewardship program. Educational and outreach materials must include, but are not limited to, signage, written materials and templates of materials for reproduction by retailers to be provided to the consumer at the time of sale. The materials must:

- (A) Identify collection opportunities for postconsumer architectural paint;
- (B) Explain the architectural paint stewardship assessment described in this section; and
- (C) Promote:
 - (i) A reduction in the generation of postconsumer architectural paint; and
 - (ii) The reuse, recovery and recycling of postconsumer architectural paint.

Section 459A.827(2)(c) Establish and provide for the development and implementation of goals to reduce the generation of post-consumer architectural paint, including goals for:

- (A) Reducing the amount of post-consumer architectural paint that is generated in this state;
- (C) Increasing public awareness of the architectural paint stewardship program.

Section 459A.827(2)(d) Promote the reuse of post-consumer architectural paint.

SECTION OVERVIEW

This section discusses:

- ◆ Outreach methods
- ◆ Messages
- ◆ Target audiences
- ◆ PaintCare hotline
- ◆ Site locator tool
- ◆ Samples of outreach materials
- ◆ Postconsumer paint reduction goal
- ◆ Public awareness goal

A. METHODS

PaintCare is committed to continuing a robust and successful education and outreach strategy for the program using a variety of communication methods, including:

- ◆ Earned media (e.g., press releases/coverage)
- ◆ Traditional media (e.g., newspaper, radio, television)
- ◆ Print materials (e.g., brochures, fact sheets, site posters)
- ◆ Digital, online, and social media (e.g., webpage, banner ads, Facebook)
- ◆ Direct, face-to-face communications

PaintCare intends to reach all areas of the state with outreach activities. However, some activities may have limited availability in some areas of the state, while other methods may be available throughout the entire state. PaintCare reaches out to earned media outlets and plans to place traditional media advertising wherever they are located and available, subject to budget and capacity. PaintCare will distribute print materials to sites that request them anywhere in the state. PaintCare plans to provide digital media, such as its website and social media, in all areas of the state, subject to available budget and capacity. PaintCare conducts direct, face-to-face communications anywhere in the state where sites, events, and other opportunities to interact with people are located, subject to available budget and capacity.

Frequency of outreach activities may vary by outreach method, available budget, and available staff capacity. Information will be sent to earned media outlets for earned media coverage when program updates and milestones occur, when PaintCare events take place, and/or occasionally throughout each year. PaintCare usually places traditional media advertising as well as digital advertising during warmer weather months as budget allows, when more people purchase and use paint. PaintCare will distribute print materials on an ongoing basis as they are requested by paint retailers and others, and when staff distribute them during face-to-face interactions. PaintCare will provide digital media such as its website and social media accounts on an ongoing basis. PaintCare conducts direct, face-to-face communications on an ongoing basis as capacity allows.

B. MESSAGES

B1. Reduce, Reuse, Recycle

The Three R's—"Reduce, Reuse, Recycle"—have been used by environmental organizations and waste management programs for many years. To reduce the amount of postconsumer paint and to inform consumers how and where to recycle their unwanted paint, PaintCare developed a more instructive and paint-specific version of the Three Rs. The three primary components of PaintCare's "Paint Smarter" message is "Buy Right, Use It Up, Recycle the Rest" to say (1) purchase the right amount of paint for a job, (2) try to use up leftover paint when you can, and (3) if you still have unwanted paint, bring it to PaintCare for recycling.

Secondary messages include "Store Right" and "Pass It On." "Store Right" emphasizes extending the life of paint to avoid drying, freezing, and spoilage to increase the likelihood that paint can be used up later or can be made available for reuse or recycling later. "Pass It On" encourages the public to share leftover paint with friends, neighbors,

community groups, etc., to ensure that it gets used appropriately and safely, reducing waste without need for further intervention.

While all of PaintCare's key messages are of equal importance, "Recycle the Rest" is a clear call-to-action that is effective at getting the attention of paint consumers who find themselves with leftover paint. Therefore, it figures prominently in PaintCare's advertising and point-of-sale materials. Meanwhile "Buy Right" and "Use It Up" are especially effective for digital and online media, which are optimal channels for sharing DIY and home care tips. Nonetheless all three key messages can be used in any medium, and PaintCare continually seeks new ways to present them to its target audiences. "Buy Right," "Use It Up" and "Store Right" posters are in development for paint retail locations.

B2. Program Awareness

Additional messages are used to maintain and increase awareness of the program and answer these questions:

- ◆ What is PaintCare and why does the program exist?
- ◆ Why was the law passed (e.g., product stewardship, environmental benefits, cost savings to municipalities)?
- ◆ How much is the PaintCare fee and what is it for?
- ◆ Which products are accepted in the program and which products are not?

C. TARGET AUDIENCES

PaintCare's outreach and education strategies will focus appropriate messages to each of the following audiences:

- ◆ Households (residents)
- ◆ Businesses that generate paint (e.g., professional painters, contractors, property managers)
- ◆ Real estate agents
- ◆ Paint retailers
- ◆ HHW programs and solid waste facilities
- ◆ Non-English speakers

The following sections describe how the program may adjust the emphasis of messages in outreach materials based on target audience.

C1. Households

Buy right: Educate people on how to buy the right amount of paint by describing factors that determine the right amount of paint needed for a particular job other than by solely calculating the area (square footage) of the surface. Other factors that affect the amount of paint required for a job include surface texture, quality of paint and corresponding coverage rates, color, and whether a surface has been previously painted or primed. PaintCare promotes that consumers should consult with paint store staff rather than relying solely on calculations of square footage.

Use it up: In 2013, PaintCare hired a consulting firm to research ideas for using up leftover paint. The conclusion of this research was that there are five techniques to consider: (1) use it as primer or base coat, (2) paint something else, not just craft projects but anything, (3) paint an extra coat of paint even if it is not needed, (4) give it to someone else, and (5) tint paint to another color. Based on this conclusion, PaintCare promotes these five techniques as ways for households to use up leftover paint.

Recycle the rest: Emphasize how to find a drop-off site to recycle paint.

C2. Businesses that Generate Paint

- ◆ Promote reuse via donation to a local non-profit as a first option to consider before recycling.
- ◆ Emphasize “Recycle the Rest”.
- ◆ Promote the LVP service to businesses with large volumes of leftover paint encouraging them to request a direct pick-up rather than transport their paint to drop-off sites a little at a time.

C3. Real Estate Agents

Many new home buyers find paint left behind by previous owners. To help those either buying or selling a home, PaintCare will consider real estate agents in its messaging and outreach. Although the agents usually don't generate leftover paint themselves, they are in an excellent position to help educate home buyers, sellers, as well as professional painters who help get the homes ready to sell.

C4. Retailers

PaintCare has developed print materials for use by all paint retailers to educate store staff and to educate the general public (regardless of whether or not they are drop-off sites). Retailers are provided the following materials at no charge. Examples include:

- ◆ Brochures and mini cards that help the public find drop-off sites and explain the program.
- ◆ Signage that promotes general awareness of the program, explains the PaintCare fee, and how to find a drop-off site.
- ◆ Fact sheets formatted for easy printing and designed for a variety of audiences and subjects (e.g., general information, how to become a paint drop-off site, how to request a large volume pick-up).

As required by statute, it is the responsibility of PaintCare to provide retailers of paint, including those operating online, outreach and education content and materials that include available collection opportunities for the public. Materials are provided as printed copies via direct mail. Materials are available for order at any time. Retailers may use PaintCare's order form and return it by email, or they may request materials by telephone or via local program staff. PaintCare staff fulfills orders year-round. Drop-off sites also receive materials from PaintCare staff during site visits. Finally, electronic files of materials are always available from PaintCare's website for retailers who wish to print their own materials.

PaintCare maintains annual contact with all paint retailers in Oregon via an annual mailer, distributed by mail or email as elected by the retailer. The annual mailer includes the following information:

- ◆ Reminder of statutory obligation to provide information on paint stewardship to all customers at point of sale.
- ◆ Reminder of how to request new print materials, and how to access them online.
- ◆ Updates and samples of new print materials.
- ◆ Reminder of key messages, such as recommending the public consult with retail staff when planning for a paint project to encourage buying the appropriate quantity needed and reducing waste.

C5. HHW Programs and Solid Waste Facilities

Fact sheets for HHW programs and solid waste facilities are posted to PaintCare’s website and are updated annually. An interest form is included for those who are not already partnering with PaintCare.

C6. Non-English Speakers

PaintCare has translated some of its materials for non-English speakers, including households and painting professionals. As of the date of this program plan, the program brochure and fact sheets including Information for Painting Contractors, PaintCare Products, Information about the Large Volume Pickup Service, and About the PaintCare Fee are available in the following languages: Amharic, Arabic, Armenian, Chinese, Farsi, French, Hmong, Khmer, Korean, Lao, Polish, Portuguese, Russian, Spanish, Somali, Thai, Turkish, and Vietnamese. The mini card is currently available in Spanish, Russian, and Chinese.

These materials are all available for order at PaintCare’s website: www.paintcare.org

In addition to print materials, PaintCare will explore advertising on Spanish-language stations, online streaming audio services, and other media channels. PaintCare’s website is now entirely bilingual (Spanish). Visitors can select the Spanish or English button to toggle between languages on any page. PaintCare will explore the use of QR codes to direct readers of Spanish language outreach materials to the Spanish translation of www.paintcare.org.

D. PAINTCARE HOTLINE

PaintCare operates a weekday telephone hotline, (855) PAINT09, to assist the public with finding the nearest drop-off site and to answer questions about the program. Live Spanish translation by an interpreter is available on the hotline.

E. SITE LOCATOR TOOL

PaintCare is committed to providing accurate, up-to-date information regarding paint recycling options available to the public, which is provided by a nationwide database hosted on PaintCare’s website and optimized for viewing on any screen including mobile devices. This site locator tool provides a unique, paint-specific, easy-to-use search tool for locating the nearest drop-off site to take leftover paint. Search results note if a site can take up to 5, 20, or 100 gallons, is also an HHW program that can accept other items, and if the site offers reuse. Site-specific information explains who is eligible to use a specific site and what limitations apply to the site (e.g., municipal transfer stations normally serve only that municipality’s residents).

This tool is available on PaintCare’s website at www.paintcare.org. In non-PaintCare states the tool lists municipal HHW programs as locations where the public can bring leftover paint. In Oregon and other PaintCare states, it lists only PaintCare drop-off sites (including HHW programs that partner with PaintCare).



Site Locator on PaintCare's Website

F. EXAMPLES OF OUTREACH MATERIALS

Examples of the following outreach materials are provided in Appendix F:

- ◆ Program brochure
- ◆ General poster
- ◆ Drop-off site poster
- ◆ Mini card
- ◆ Painting contractor fact sheet
- ◆ Large volume pick-up service fact sheet

G. POSTCONSUMER PAINT REDUCTION GOAL

PaintCare has set a goal to reduce postconsumer paint by increasing consumer awareness of 10 best practices for buying, using, and storing paint. The goal is to increase reported awareness of those factors by an average of 5% across all 10 practices within 10 years. This goal is based on a 2023 baseline measurement survey of 1,201 respondents in the state.

Implementation Plan

PaintCare will measure consumer awareness of the 10 best practices once each year to determine progress toward the goal via a paint consumer survey. The survey will include at least 800 survey respondents. PaintCare will seek to survey a balanced sample of the Oregon population with all areas of the state and historically underrepresented persons represented proportionally.

After evaluating the survey results each year, PaintCare will consider adjusting outreach campaigns to improve annual measurement outcomes. This may include adjusting type, content, and frequency of messaging, effectiveness of audience targeting, and other considerations. Such adjustments will be based on the judgment of PaintCare's communications professionals on how to best achieve the goals set forth in this section.

Annual measurement data will be compared against the 2023 baseline study of Oregon paint consumers which found the following:

- ◆ 47% took measurements before painting to plan the right amount.
- ◆ 31% consulted with a salesperson when buying paint to plan the right amount.
- ◆ 21% followed instructions on the label to plan the right amount.
- ◆ 20% searched online for advice on planning the right amount.
- ◆ 13% used a web-based paint calculator tool for planning the right amount.
- ◆ 61% were aware that using a rubber mallet when sealing paint can lids helps avoid damage to the can.
- ◆ 57% were aware that cleaning the container's rim helps ensure a more airtight seal.
- ◆ 57% were aware that keeping paint away from freezing temperatures may preserve it longer.
- ◆ 52% were aware that storing paint away from dampness may preserve it longer.
- ◆ 51% were aware that using a paint can key or opener tool may help avoid damage to the can rim and lid.

An average of the percent changes for the preceding measurements will be calculated and will determine whether the goal of 5% increase on average across all measurements has been met.

After survey results in 2024 showed that the average percent change for this goal was -1, outreach methods were adjusted. To further strengthen efforts to meet the goal, communications funds were increased in 2025 in order to increase tactics such as earned media pitching, social media advertising, and digital advertising. PaintCare also added a quarterly email campaign to retail contacts to increase awareness among paint retail staff who help educate consumers.

Detailed Timeline

Timing	Activity
2024 and Ongoing	<ul style="list-style-type: none"> ◆ PaintCare conducts annual outreach campaign, including public education about source reduction best practices. . ◆ PaintCare conducts annual measurement survey and compares outcomes to baseline measurement. ◆ PaintCare reports on efforts to meet goal in quarterly updates to DEQ. ◆ PaintCare reports survey findings and outreach campaigns in annual report. ◆ PaintCare repeats annual measurement survey, adjusts annual outreach campaigns as needed, reports on survey findings and outreach campaigns in annual reports, and reports on efforts to meet goal in quarterly updates to DEQ.
2034	PaintCare reports to DEQ whether goal was reached.

In alignment with Senate Concurrent Resolution 17, audiences will include low-income, immigrant, Black, Native American, Indigenous, and People of Color communities that have been disparately impacted by environmental pollution and environmental justice hazards.

H. PUBLIC AWARENESS GOAL

PaintCare has set a goal to increase the proportion of Oregon paint consumers that are aware that paint can be recycled or reused, aware of the availability of paint drop-off opportunities in the state, and/or aware of PaintCare by an average of 10% across all three measurements within 10 years. The goal is based on a 2023 baseline awareness measurement survey of 1,201 respondents in the state.

Implementation Plan

PaintCare will measure public awareness levels once each year to determine progress toward the goal via a paint consumer survey. The survey will include at least 800 survey respondents. PaintCare will seek to survey a balanced sample of the Oregon population with all areas of the state and historically underrepresented persons represented proportionally.

After evaluating the survey results each year, PaintCare will consider adjusting outreach campaigns to improve annual measurement outcomes. This may include adjusting type, content, and frequency of messaging, effectiveness of audience targeting, and other considerations. Such adjustments will be based on the judgment of PaintCare’s communications professionals on how to best achieve the goals set forth in this section.

Annual measurement data will be compared against the 2023 baseline survey which found the following:

- ◆ 42% of paint consumers were aware that paint can be recycled.
- ◆ 51% of paint consumers were aware of paint drop-off opportunities in the state.
- ◆ 8% of paint consumers were aware of the organization named PaintCare that operates the paint stewardship program.

An average of the percent changes for the preceding measurements will be calculated and will determine whether the goal of 10% increase on average across all measurements has been met.

Survey results in 2025 showed that the average percent change for this goal was +3. To further strengthen efforts to meet the goal, communications funds were increased in 2025 in order to increase tactics such as earned media pitching, social media advertising, and digital advertising. PaintCare also added a quarterly email campaign to retail contacts to increase awareness among paint retail staff who help educate consumers.

Detailed Timeline

Timing	Activity
2024 and Ongoing	<ul style="list-style-type: none"> ◆ PaintCare conducts annual outreach campaign, including public education intended to increase awareness of paint recycling in Oregon. . ◆ PaintCare conducts annual measurement survey and compares outcomes to baseline measurement. ◆ PaintCare reports on efforts to meet goal in quarterly updates to DEQ. ◆ PaintCare reports survey findings and outreach campaigns in annual report. ◆ PaintCare repeats awareness measurement, adjusts outreach campaigns as needed, reports on survey findings and outreach campaigns in annual report, and reports on efforts to meet goal in quarterly updates to DEQ.
2034	PaintCare reports to DEQ whether goal was reached.

In alignment with Senate Concurrent Resolution 17, audiences will include low-income, immigrant, Black, Native American, Indigenous, and People of Color communities that have been disparately impacted by environmental pollution and environmental justice hazards.

7. Budget and PaintCare Fee

STATUTORY CITATION

Oregon Law, 2017 Edition, Chapter 459A – Reuse and Recycling

Architectural Paint Stewardship Program

Section 459A.827(4)(e) Include an anticipated annual operating budget for the program for the next four calendar years, beginning with the year in which the plan is submitted to the director, as described in subsection (5) of this section.

Section 459A.827(4)(f) Include a funding mechanism whereby each architectural paint producer remits to the stewardship organization payment of an architectural paint stewardship assessment for each container of architectural paint the producer sells in this state. The architectural paint stewardship assessment must be added to the cost of all architectural paint sold to Oregon retailers and distributors, and each Oregon retailer or distributor shall add the assessment to the purchase price of all architectural paint sold in this state. The architectural paint stewardship assessment may not be described as an Oregon recycling fee at the point of retail, and a fee may not be charged to the consumer at the point of collection of postconsumer architectural paint. To ensure that the funding mechanism is equitable and sustainable, a uniform architectural paint stewardship assessment must be established for all architectural paint sold in this state. The architectural paint stewardship assessment must be approved by the director as part of the plan and must be sufficient to recover, but not exceed, the costs of the architectural paint stewardship program.

Section 459A.827(5) The budget required under subsection (4) of this section shall include, but not be limited to, budget line items relating to:

- (a) The development and implementation of the educational and outreach activities and materials required under subsection (2)(a) of this section and the provision of information to retailers required under ORS 459A.825;
- (b) The collection, transportation and processing of postconsumer architectural paint as part of the program;
- (c) The administrative costs of the program to the stewardship program;
- (d) The anticipated amount of moneys that the stewardship organization will hold in unallocated reserve funds for the program;
- (e) The administrative fees paid the Department of Environmental Quality under ORS 459A.852; and
- (f) Any additional budgetary information requested by the director that is necessary for the director to approve the plan.

SECTION OVERVIEW

This section discusses:

- ◆ Funding mechanism
- ◆ Paint sales and Fee revenue
- ◆ Paint collection volume
- ◆ Budget discussion
- ◆ PaintCare fee structure

- ◆ PaintCare fee collection process
- ◆ Program cost effectiveness

A. FUNDING MECHANISM

As the representative stewardship organization, PaintCare manages all aspects of the Oregon program for participating manufacturers. Funding for program implementation comes from registered manufacturers to PaintCare in the form of the PaintCare fee. The following steps describe the application of the PaintCare fee:

- 1) Manufacturers add the PaintCare fee to containers of architectural paint sold in Oregon directly or through dealers (retailers and distributors).
- 5) Retailers and distributors pass the PaintCare fee described in step 1 to their customers by including it in the price of architectural paint they sell in Oregon.
- 6) When consumers buy architectural paint in Oregon, the PaintCare fee is included in the purchase price. This is how retailers (and distributors) recoup the PaintCare fee they paid when purchasing architectural paint from their suppliers. (If a customer returns paint, the fee is also returned since it is part of the purchase price.)
- 7) Within a designated timeframe (e.g., monthly, quarterly), manufacturers report sales and remit the PaintCare fees to PaintCare for architectural paint they sold in Oregon in the preceding reporting period. Manufacturers recoup the PaintCare fees they are paying to PaintCare because the fees were included in the price of their architectural paint when they sold it to their dealers.

B. PAINT SALES AND FEE REVENUE

	2022	2023	2024	2025
Gallons Sold	9,077,186	8,535,124	8,409,763	8,050,862
Fee Revenue	\$5,553,009	\$5,208,942	\$5,210,202	\$4,955,619

C. PAINT COLLECTION VOLUME

While paint collection activities were impacted by the COVID-19 pandemic in 2020, based on the stable nature of the collection infrastructure, PaintCare believes that volumes will track closely to the four-year average of approximately 660,000 gallons. Costs related to collection, transportation and processing are likely to rise due to anticipated rate increases for these services.

	Paint Collected (gallons)			
	2022	2023	2024	2025
Latex	578,536	495,495	494,152	492,223
Oil-Based	119,336	153,059	155,194	158,865
Total	697,872	648,554	649,346	651,088

D. BUDGET DISCUSSION

Based on anticipated collection volumes and paint sales as discussed above, PaintCare has developed a budget projection for years 2026-2030. The primary elements of the budget are discussed here.

D1. Revenue

Revenue is calculated using the current fee structure through December 31, 2026, and the revised fee structure, as shown in the subsection below, beginning January 1, 2027, and for subsequent years, along with the anticipated paint sales by container size.

Changes to paint sales volumes would alter actual revenue available when compared to the program budget and forecast provided.

D2. Expenses

Paint collection, transportation and processing (CTP). CTP activities are the most significant expenses of the program. Transportation costs include money paid to pick up bins of program products from drop-off sites and deliver them for processing. Processing costs include sorting; incentive payments for reuse; and paint processing, recycling, and proper disposal. Collection support is a smaller sub-category that includes paint collection bins, training materials for sites, site securement (e.g., fencing), and spill kits.

Changes to forecast paint collection volume and pricing related to CTP would alter actual expenses when compared to the program budget provided.

Communications. These expenses include advertising and promotional materials to increase awareness of the program, as well as information provided to retailers as required by statute. Communications is budgeted at \$500,000 in 2026 and is forecast to increase in future years to allow for work on measuring and influencing program goals.

State agency administrative fees. This expense is paid by PaintCare to DEQ for oversight of the paint stewardship program.

Personnel, professional services, and other.* These expenses include the cost of staff working directly to implement the Oregon program; legal costs for regulatory review and developing contracts; and other logistical, professional support, and office expenses.

Corporate Expenses.* Corporate expenses are those that are not specific to Oregon but support all current and future PaintCare programs. These costs include but are not limited to corporate staffing (e.g., PaintCare's president, director of operations, communications team); back-office support (e.g., information technology, legal, government affairs, and accounting); company-wide auditing, insurance, outside counsel, and other professional services; software licenses and maintenance of data management systems; occupancy; general communications; and other supplies and services that support all PaintCare programs.

Corporate expenses are allocated among all PaintCare programs based on their relative populations in the most recent census and begin to be assessed about six months before program start. At the time of plan submission, Oregon represents 3.9% of the combined population of the PaintCare programs. In future years, PaintCare may update the corporate allocation based on the population estimates published annually by the US Census Bureau.

(These expense categories are referred to collectively as "Administrative costs" in the Oregon law)*

D3. Unallocated Reserve Funds

As of December 31, 2025, the Oregon program's balance was \$1,824,829.

Unallocated reserve funds will be used to: maintain a reserve balance with a target not to exceed 35 percent of the total annual budget [per ORS 459A.835(1)], and fund efforts to achieve the program’s statutorily mandated goals for latex recycling, source reduction, and program awareness.

D4. Anticipated Program Budget

The projected budget for January 1, 2026 – December 31, 2030 is summarized in the following table, and includes the revised fee schedule, as provided in the subsection below, taking effect on January 1, 2027.

Revenue	2026	2027	2028	2029	2030
Assessment Fees	\$5,347,582	\$7,863,546	\$7,863,546	\$7,863,546	\$7,863,546
Total Revenue	5,347,582	7,863,546	7,863,546	7,863,546	7,863,546
Expenses					
Paint collection, transportation and processing (CTP)	5,028,699	5,246,958	5,404,366	5,836,716	5,953,451
Communications	500,000	650,000	655,000	655,000	655,000
Personnel, Professional Services, Other	338,677	352,625	367,487	383,050	399,347
State Agency Administrative Fees	50,000	40,000	40,000	40,000	40,000
Allocation of Corporate Activity	407,600	427,980	449,379	471,848	495,440
Total Expenses	6,324,976	6,717,562	6,916,232	7,386,613	7,543,237
Unallocated Reserve Funds	(977,394)	1,145,984	947,314	476,933	320,309
Checking Account Interest	25,000	25,000	25,000	25,000	25,000
Net Assets - Beginning of Year	1,824,829	872,435	2,043,419	3,015,733	3,517,666
Net Assets - End of Year	\$872,435	\$2,043,419	\$3,015,733	\$3,517,666	\$3,862,975

D5. Budgeting Practices

By December 31 each year, PaintCare will provide DEQ the budget approved by PaintCare’s Board of Directors for the next calendar year and a supplemental budget detail that will provide DEQ advance insight on program finances and planned activities.

On a quarterly basis, or other frequency agreed to by PaintCare and DEQ, the financial staff of PaintCare and DEQ will review year-to-date program finances.

No less than every two years, PaintCare will evaluate the fee structure using the best and most current relevant data and methods to update projections for revenue and expenditures. The evaluation will determine whether the new fee structure is generating sufficient, but not excessive revenue, and report the results to DEQ with its annual budget. If the fee structure is not achieving the desired goal, PaintCare will timely propose a fee change to DEQ. The fee evaluation and any proposed fee changes will include the information used and a description of the methods used to project both revenue and expenses.

E. PAINTCARE FEE

An updated PaintCare fee structure, as approved by DEQ, was implemented on October 1, 2018. As of the date of this plan, PaintCare is requesting a revised fee structure, and if approved by the DEQ, it will take effect on January 1, 2027.

Container Size	Fee	Proposed Fee
Half pint or smaller	\$ 0.00	\$0.00
Larger than half pint up to smaller than 1 gallon	\$ 0.45	\$0.65
1-2 gallon	\$ 0.95	\$1.45
Larger than 2 gallons up to 5 gallons	\$ 1.95	\$2.75

F. PAINTCARE FEE COLLECTION PROCESS

The Manufacturer Registration Coordinator will review the account record of reporting companies showing unfiled sales reports along with their related remitter agreements. The coordinator will then contact the individual(s) responsible for filing sales reports and/or update the contact information as necessary. Automated workflows within the reporting system enable PaintCare to remind companies to timely file sales reports. To address compliance, Finance & Accounting presently issues reminders at 30-day intervals, which have proven sufficient to date. Should such reminders prove unsuccessful, Finance & Accounting will ask senior leadership within PaintCare to address a non-responsive reporting company.

Reporting companies registered with PaintCare are required to provide complete and accurate sales reports. PaintCare will undertake reasonable steps to help ensure that reported amounts are accurate and appropriate based on the requirements of the paint stewardship law. If PaintCare identifies a potential discrepancy when reviewing reported amounts, it follows up with the reporting entity to resolve that discrepancy.

G. PROGRAM COST EFFECTIVENESS

As a measurement of the program's cost effectiveness. PaintCare, in addition to providing the cost per gallon, will also provide in its annual report the cost per gallon of paint collected by site type (i.e., retail/HHW program) and site location (i.e., urban/rural). PaintCare may use these metrics to discern which service types are most cost effective, track changes to them over time, and inform future program decisions.

8. Annual Reports and Financial Audit

STATUTORY CITATION

Oregon Law, 2017 Edition, Chapter 459A – Reuse and Recycling

Architectural Paint Stewardship Program

Section 459A.842(1) No later than April 1 of each year, a stewardship organization must submit an annual report to the Director of the Department of Environmental Quality describing the operation during the prior calendar year of an architectural paint stewardship program approved by the director under ORS 459A.832.

SECTION OVERVIEW

This section discusses:

- ◆ Content of the required annual report
- ◆ Content and process for the required annual financial audit
- ◆ Oregon's Material Recovery and Waste Generation Survey

A. ANNUAL REPORT

PaintCare will submit an annual report to DEQ by April 1 for the previous calendar year. Each annual report will include, at a minimum, the elements listed in ORS 459A.842(1).

Specifically as it relates to collection events, PaintCare will provide the areas, frequency, and the specific dates of the paint collection events conducted in the underserved areas and:

The names of locations where PaintCare made good faith efforts and was able to coordinate with the appropriate local government, collection service franchise holder, or other entities that provide waste/recycling collection to promote and pay for a collection event;

The names of locations where PaintCare was unable to coordinate with the appropriate local government, collection service franchise holder, or other entities that provide waste/recycling collection to promote and pay for a collection event and where PaintCare promoted and paid for a paint-only collection event; and

The names of locations where local representatives and/or PaintCare determined that holding a paint collection event would not be practicable or effective and an explanation of why and where DEQ agreed with PaintCare's explanation for why the events in these areas were waived.

B. FINANCIAL AUDIT

PaintCare undergoes an annual, independent financial audit of the organization as a whole. American Coatings Association conducts a competitive selection for the auditing firm and PaintCare hires the auditor to conduct an independent audit.

The independent audit is conducted in accordance with auditing standards generally accepted in the United States of America. Those standards require that the auditing firm plan and perform the audit to obtain reasonable assurance that financial statements are free of material misstatement. The audit also includes examination, on a test basis, of

evidence supporting the amounts and disclosures in the financial statements; evaluation of the accounting principles used, and any significant estimates made by management; and appraisal of the overall financial statement presentation. PaintCare will include the audited financial statements as part of the annual report.

C. OREGON'S MATERIAL RECOVERY AND WASTE GENERATION SURVEY

DEQ conducts an annual survey of all collection service providers and private recycling companies to gather data on postconsumer recycling. The program will provide DEQ with data from the PaintCare program and will coordinate with program service providers (including local government collection sites) to avoid duplication of reported data.

Appendix A

Registered Manufacturers and Brands

- 1 Ace Hardware Paint Division
- 2 Acrylic Technologies Inc.
- 3 Advanced Protective Products, Inc.
- 4 AFM Safecoat
- 5 All Deck
- 6 Amazon Environmental Inc.
- 7 Amazon Paint
- 8 American Formulating & Manufacturing
- 9 Ames Research Laboratories, Inc.
- 10 Amrize
- 11 Amteco, Inc.
- 12 Armstrong-Clark Company
- 13 Backdrop Inc
- 14 Basic Coatings
- 15 Behr Process LLC
- 16 Benjamin Moore & Co.
- 17 Betco Corporation LTD
- 18 Beyond Paint
- 19 Bioshield Paint
- 20 Bond Distributing, Ltd.
- 21 Brouns & Co LLC
- 22 C&M Coatings
- 23 California Products Corp.
- 24 CamCoat Inc.
- 25 CBD Group
- 26 Clare Paint, LLC
- 27 Clemons Concrete Coatings
- 28 Clinical Paints
- 29 Cloverdale Paint
- 30 Coating Development Group, Inc.
- 31 Coatings Alliance, LLC
- 32 Color Atelier
- 33 Color Baggage LLC
- 34 Complementary Coatings Corp.
- 35 Conklin Company, Inc.
- 36 Consolidated Coatings Corporation
- 37 Continental Products
- 38 Country Chic Paint Ltd.



- 39 CRC Industries, Inc.
- 40 Creative Oxygen Labs
- 41 CrystaLac Company
- 42 Custom Building Products, Inc.
- 43 Custom Paint Product Group
- 44 Cutek USA
- 45 Daich Coatings Corporation
- 46 Daly's Wood Finishes
- 47 Davis Paint Co.
- 48 Decotime, Inc.
- 49 Diamond Vogel, Inc.
- 50 Duckback Products / Division of Duckback Acquisition Corp
- 51 Dunn-Edwards Corporation
- 52 Eagle IFP Company
- 53 Eco Advancements, Inc.
- 54 Eco Safety Inc.
- 55 Eco Safety Products, Inc.
- 56 Ecobond LBP, LLC
- 57 ECOS Paints
- 58 Emiron Corporation
- 59 Evonik Degussa Corporation
- 60 Evonik Industries
- 61 Farrow & Ball Ltd
- 62 Farwest Paint Mfg. Company
- 63 Faux Effects International, Inc.
- 64 Fine Paints Of Europe
- 65 Forrest Paint Co
- 66 Franklin Paint Company, Inc.
- 67 FSC Coatings Inc
- 68 Gardner-Gibson
- 69 GDB International, Inc.
- 70 Gemini Coatings, Inc.
- 71 Gemini Industries, Inc.
- 72 General Finishes
- 73 Golden Artist Colors, Inc.
- 74 GPS Paints LLC
- 75 GreenSheen Eco-Friendly Paint
- 76 H. Behlen & Bro.
- 77 Hamilton Drywall Products



-
- 78 Hamilton Materials Northwest LLC
 - 79 Harrison Paints & Coatings, LLC
 - 80 Heartwood Corp
 - 81 Heirloom Traditions Paint
 - 82 HempShield Products LLC
 - 83 Henry Company LLC
 - 84 Heron Paint
 - 85 Homax Group Inc., The
 - 86 ICP Construction
 - 87 Imperial Paint Company, Inc.
 - 88 Imperial Paints LLC
 - 89 Insl-X Products
 - 90 James Alexander Specialty Paints LLC
 - 91 Lakestone Enterprises Inc.
 - 92 Lanco & Harris Corporation
 - 93 Laticrete International, Inc.
 - 94 Lauzon Distinctive Hardwood Flooring
 - 95 Liquid Rubber
 - 96 Loop Recycled Products Inc
 - 97 Lowe's Home Centers, LLC
 - 98 Lullaby Paints
 - 99 Martin Studios LLC
 - 100 Masterchem Industries LLC (Behr)
 - 101 Messmer's Inc.
 - 102 Metro Paint
 - 103 Mia Colore
 - 104 Miller Paint Company Inc
 - 105 Modern Masters, Inc.
 - 106 NCH Corporation
 - 107 NewLook International
 - 108 O'Leary Paint Co.
 - 109 Old Masters
 - 110 One Time
 - 111 Osmo USA
 - 112 Penofin
 - 113 Performance Coatings, Inc.
 - 114 Perma-Chink Systems, Inc.
 - 115 Premier Finishes Inc.
 - 116 Preserva Products, Ltd



- 117 ProCoat Products, Inc.
- 118 Protek Paint LTD
- 119 Pure and Original
- 120 Quikrete
- 121 Rainguard Brands LLC
- 122 Recolor Paints, LLC
- 123 Richard's Paint Manufacturing Co Inc.
- 124 Rodda Paint Company
- 125 Roman Decorating Products, LLC
- 126 RPM Industrial Coatings Group, Inc.
- 127 Rubio Monocoat USA, LLC
- 128 Rust-Oleum Corporation
- 129 Sage Restoration Inc.
- 130 SamaN
- 131 Sansin America Inc.
- 132 Sashco, Inc
- 133 SaverSystems, Inc.
- 134 Scotch Paint & Coatings, LLC
- 135 SeaLR, Inc.
- 136 Seymour of Sycamore
- 137 Sika Corporation
- 138 Sinak Corporation
- 139 Sto Corp.
- 140 Structures Wood Care, Inc.
- 141 Sun Frog Products, Inc.
- 142 Sunnyside Corporation
- 143 Sutherland Welles Ltd.
- 144 Sydney Harbour Paint Company
- 145 Tex-Cote LLC
- 146 Texturline Decorative Products
- 147 The Little Greene Paint Company
- 148 The Pittsburgh Paints Co.
- 149 The Sherwin-Williams Company
- 150 Timber Pro Coatings
- 151 TV Paints, LLC
- 152 UC Coatings LLC
- 153 United Gilsonite Laboratories (UGL)
- 154 United States Gypsum Company (USG)
- 155 UP Paint



Registered Manufacturers

Oregon Paint Stewardship Program as of 12/1/2025

- 156 Valspar Corporation
- 157 Van Sickle Paint Mfg.
- 158 Van Votz USA, LLC
- 159 Vanex, Inc.
- 160 Vasari Lime Plaster and Paint
- 161 Vasari Plaster and Stucco, LLC
- 162 Vermont Natural Coatings
- 163 Visions Paint Recycling
- 164 Visions Recycling Inc.
- 165 Ware Products LLC
- 166 Waterlox Coatings Corporation
- 167 Wood Iron Wood Finishes, Inc.
- 168 Wood Kote Products Inc.
- 169 Woodborn USA LLC
- 170 XIM Products Inc.

Abbott Paint	AquaBond™	Benjamin Moore Special Vinyl Latex
AcriMax	AquaCrackle®	BenMate Danish Tung Oil Finish
Acri-Shield Max	AquaCreme™	Beyond Paint All In One Paint
Acro HP	AquaExtender™	(various colors)
Acrylic Satin Sealer	Aqua Finishing Solutions®	Beyond Paint Countertop Paint
Acrylitex	AquaGard™	Beyond Paint Multi Purpose Sealer
Acrylitex Field Marking Paint	Aqua Lock Plus Primer/Sealer	Biocontrol Prime-n-Seal
Acrylitex Hi Hide PVA Primer	Aqua Lock Plus Primer/Sealer	Block Filler & Sealer
Acrylitex Mold Guard Primer	Aqua Mix Aqua Stain	Blue Athletic Field Marker
Acrylitex Qwik Prep	Aqua Mix Enrich-n-Seal	Blue Seal
Acrylitex Roll On Smooth Wall	Aqua Mix High Gloss Sealer	Brinkmann's
Acrylitex Smooth Wall	Aqua Mix Penetrating Sealer	Brouns & Co Linseed Paint
Acrylitex Tilt Up Primer	Aqua Mix ProSolv	Brouns & Co Oils
Acrylitex Topcoat	Aqua Mix Seal & Finish Low Sheen	Brouns & Co Primer
Acrylitex Vapor Prime	Aqua Mix Sealer's Choice Gold	Brouns & Co Wood Stain
Advance Interior Paint	Aqua Mix Stone Enhancer	Bruce Fresh Finish
AFM Safecoat	Aqua Mix UltraSolv	Bunker Hill DIKON Barn & Fence
Allbäck Linseed Oil Paint	Aqua Seal	C&M Coatings
Allbäck Linus Wall Paint	AquaSeal™	C2 Paint
All Coat Interior/Exterior	AquaStone®	C-500 SuperUrethane™
All Deck	AquaThane™	C-500™
AllPro Acrylic Masonry Waterproofer	AquaWax™	CAB/Acrylic Clear Topcoat
Allpro Commercial Grade Waterproofing Sealer	Architect Series	CAB/Acrylic White Topcoat
AllPro Concrete Floor & Paver Sealer	Armourshield	Cabinet Coat
Allpro Concrete Floor Sealer	Armstrong Stains	Cabinet Coat
Allpro Concrete Waterproofing Paint	Artistry	Cabot
AllPro Marine Spar Varnish	Aspire	Cabot "The Finish"
Allpro Masonry Waterproofing Sealer	Aura Bath & Spa Interior Paint	Cabot Australian Timber Oil
Allpro Multi-Surface Water Repellent	Aura Exterior Paint	Cabot Cabothane
AllPro Polyurethane Varnish	Aura Interior Paint	Cabot Clear solutions
AllPro QD Urethane Floor Varnish	Backdrop	Cabot OVT
AllPro Waterproofing Sealer	Barn & Fence Paint	Cabot Problem Solver
AllPro WB Acrylic Urethane Varnish	Barrier III	Cabot PROVT
All Purpose Stain Blocking	Basic Coatings	Calcimine Recoater
Alumify	Basic Coatings Hardwood Floor Refinisher Gloss	California Paints Alkyd Vapor Barrier Primer Sealer & Enamel Undercoater
Amazon Basic	Basic Coatings Hardwood Floor Refinisher Satin	California Paints AllFlor Porch & Floor Enamel
Amazon Select Paint	Behr	California Paints All Wall & Trim Primer, Sealer and Undercoater
American Builder	Behr Premium Plus	California Paints Aquaborn Ceramic Universal Primer
Ames Block & Wall, acrylic	Behr Premium Plus Ultra	California Paints ASAP Enamel Undercoater Primer & Sealer
Ames Block & Wall, rubber	Behr Premium Select	California Paints California Ceiling White
Ames Blue Max	Behr Pro-X	California Paints CalPro
Ames Paint & Prime	Benchmark	California Paints Diamond Ceiling White
Ames Reflective Paint	Ben Interior Paint	California Paints Drywall Primer
Ames Safe-T-Deck Granulated	Benjamin Moore Block Filler	California Paints Fres-Coat
Ames SafeT-Deck Smooth	Benjamin Moore Drywall Primer	California Paints Malibu
Ames Super Elasto Barrier	Benjamin Moore Element Guard	California Paints Muralo 268
Ames Super Primer	Benjamin Moore Fast Sanding Primer	
Amteco 3200 Satin Varn	Benjamin Moore High Build Exterior Texture	
Amteco Silicone (various colors)	Benjamin Moore Multi-Purpose Primer	
Amteco TWP (various colors)		
Amteco Water Based Satin Varn		
Amteco White Satin Varn		
Andersons		

California Paints Muralo 563	Color Decor	Deft Clear Wood Finishes
California Paints Nextech 2	Color Extra	Deft Lacquer Sanding Sealer
California Paints Preference	Color House Premium Ceiling Paint	Deft Polyurethanes
California Paints Prime Touch Primer and Sealer	Color Made Simple	Deft Wood Stains
California Paints ProPaint	ColorPlace	Defy Clear Wood Finish
California Paints Sand Finish	ColorSeal™	Defy Composite Deck Sealer
California Paints Texture Finish	Color Wheel	Defy Deck Stain for Hardwoods
California Paints Trouble Shooter	Colour Crete	Defy Epoxy Fortified Wood Stain
California Paints Ultra 2010	Comex Paint	Defy Extreme Wood Stain
California Paints Ultra Aquaborne Ceramic	Conco	Defy Marine Seal
California Paints Ultra Ceiling White	Contractor's Edge	Defy Original Synthetic Wood Stain
California Paints Ultra High Build Exterior Paint	Contractor Pro Exterior Paint	Designer Foil FX™
California Paints UltraPlate Cabinet & Trim Enamel	Contractor Pro Exterior Primer	Devine
California Paints Verde	Contractor Pro Interior & Exterior Masonry Primer	Diamond Collection
California Paints WipeOut	Contractor Pro Interior Paint	Diamond Vogel Acryl Prime
California Paints WipeOut II	Contractor Pro PVA Primer	Diamond Vogel Apex
Cedartone WB Penetrating Stain	Controlz Primers	Diamond Vogel Ascend
CeramicWise	Convoy - Non Skid Coatings	Diamond Vogel Assure
Chimney Rx Masonry Chimney Water Repellent	Coronado Texcrete	Diamond Vogel Color Plus
Chlorinated Rubber Swimming Pool Paint	Corotech Epoxy Primer	Diamond Vogel Diamond Prime
Clare Exterior	Corroseal	Diamond Vogel Dia-Pro
Clare Interior	Country Chic Paint	Diamond Vogel Double Hide
Clare Multipurpose Primer	Country Chic Paint - Tough Coat	Diamond Vogel Elevate
Clark+Kensington Exterior Paint + Primer	Cover & Go	Diamond Vogel Enamel Undercoat
Clark+Kensington Interior/Exterior Paint + Primer	CoverCoat	Diamond Vogel Evercryl
Clark+Kensington Interior Cabinet Door and Trim Paint	CoverCoat XL	Diamond Vogel Fil-Kote
Clark+Kensington Interior Paint + Primer	CrackleAdd™	Diamond Vogel Filler Finish
Clinical Paints	Crackle Lacquer Clear	Diamond Vogel Finium
ClovaCoat	Crackle™	Diamond Vogel Flor Cote
ClovaGuard	CRC® Rust Converter	Diamond Vogel Grain Stain
ClovaLine	Creme Activator™	Diamond Vogel Health-Kote
ClovaMastic	Cryli Cote Exterior Paint	Diamond Vogel Hide Plus
ClovaPrep	CrystaLac PolyOxide	Diamond Vogel Mil Max
ClovaPrime	CrystaLac Polyurethane	Diamond Vogel Nu Cling
ClovaShield	CrystaLac Super Premium	Diamond Vogel OptiKote
ClovaTherm	CrystalFin: Gloss , Semi-Gloss, Satin and Matte	Diamond Vogel Paramount
ClovaZinc	CrystalFin Floor Finish: Gloss and Satin	Diamond Vogel Permacryl Exterior
Color Atelier Bonding Primer	Curust	Diamond Vogel Permacryl Interior
Color Atelier Lime Paint	CUTEK Extreme	Diamond Vogel Permafil
Color Atelier Primer	DaiHard Epoxy Clear Coat	Diamond Vogel Permaflex
Color Atelier Sealer (all sheens)	DaiHard Garage Floor Epoxy Kit	Diamond Vogel Plastercryl
Color Atelier Varnish	Daly's Deck Stain	Diamond Vogel Posi-Prime
Color Changing Ceiling Paint	Daly's Log Oil	Diamond Vogel Pre Tex
Color Changing Ceiling Paint	Daly's Semi-Transparent Exterior Stain	Diamond Vogel Prime-O-Seal
	Daly's Waterborne Deck Stain	Diamond Vogel Pro Max
	Daly's Waterborne Stain	Diamond Vogel Pro Plate
	Daly's Wood Stain	Diamond Vogel Pro Plus
	Dead Flat Varnish™	Diamond Vogel Quick Dry
	Deckmaster Clear Sealer	Diamond Vogel Red Kote
	Deft	Diamond Vogel RTU
		Diamond Vogel Rural Red
		Diamond Vogel Rural White
		Diamond Vogel Satinamel
		Diamond Vogel Special Red

Diamond Vogel Super Build	Duckback - SuperDeck - Exotic Hardwood Stain	EasyCare Ultra Premium
Diamond Vogel Super Pro	Duckback - SuperDeck - Log Home Oil Finish	EasyCare Woodsman
Diamond Vogel Super Quick	Duckback - SuperDeck - Oil Based Stain	EasyCare Woodsman Revive
Diamond Vogel Super Varnish	Duckback - SuperDeck - Pressure Treated Stain	EasyCare X-O Rust
Diamond Vogel Sure-Block II	Duckback - SuperDeck - Semi Transparent Stain	Easy Color
Diamond Vogel SureFlo	Duckback - SuperDeck - Solid Color Stain	EasyGuard
Diamond Vogel Sure Grip	Duckback - SuperDeck - Transparent Stain	Eco Advance Concrete & Masonry Waterproof
Diamond Vogel Uni-Fill	Duckback - SuperDeck - Waterborne Stain	Eco Advance Wood Waterproof
Diamond Vogel Vantage Plus	Dunn's Paints	Ecobond LBP
Diamond Vogel Vantage Primer	Dunn-Edwards	Eco-Lac
Diamond Vogel Vers-Acryl	Duracourt - Sport Court Paint	EcoLogic
Diamond Vogel Vinyl Kote	DuraGard™	Economy
Diamond Vogel Weather Plate	DuraPrime	ECOS Paints
Diamond Vogel Zero Plus	DuraSeal Sanding Sealer™	Eco Spec WB Interior Paint
DIKON Barn & Fence (Bunker Hill)	DuraSheen™ with UV	Elastite Elastomeric Coating
DIKON Dairy Enamel	Dutch Boy	Elastite Elastomeric Roof Coating
DIP Color	Dutchboy Dimensions	Elastite Masonry Sealer
Do It Best	Dutchboy Dirt Fighter Interior	ElastoLock Damp-Proof Rubber Membrane Coating
Do-It-Best	Dutchboy Maxbond®	Element Guard Exterior Paint
Do It Best Best Look®	Dutchboy Refresh	Encase
Do It Best Color Solutions®	Dutch Standard (all products)	Enrich
Do-It Best Waterproof	Eagle Armor Seal	EPIC Ceiling White
Door, Trim & Cabinet Enamel	Eagle Chattahoochee Sealer	EPIC Interior Primer
Driveline	Eagle Concrete Polish	EPIC Premium Interior Paint and Primer
Drylok Clear Penetrating Sealers	Eagle Exterior Dye	Epoxy Swimming Pool Paint
Drylok Concrete Floor Paint (all colors)	Eagle Gloss Coat	Equinox
Drylok Concrete Protector	Eagle Interior Dye	Evolve
Drylok E1 Floor Paint (all colors)	Eagle Natural Seal	Excesior Coatings (all products)
Drylok Extreme	Eagle Paver Sealer	E-Z Kare
Drylok Floor Paints	Eagle Premium Coat	Fabulon
Drylok Latex Base Masonry Waterproof (all colors)	Eagle Satin Seal	Farrow & Ball Dead Flat
Drylok Natural Look Sealer	Eagle Solid Color Sealer	Farrow & Ball Estate Eggshell
Drylok Water Based 5% Silicone	Eagle Supreme Seal	Farrow & Ball Estate Emulsion
Drylok Waterproofers	Eagle Top Coat	Farrow & Ball Exterior Eggshell
Drylok Wet Look Sealer	EasyCare	Farrow & Ball Full Gloss
Drylok Wet Wall Bonding Primer	Easy Care	Farrow & Ball Interior /Exterior Wood Primer & Undercoat
Duckback	EasyCare 365	Farrow & Ball Interior Wood Primer & Undercoat
Duckback - All Purpose Waterproof	EasyCare Cabinet Trim & Door Paint	Farrow & Ball Masonry & Plaster Stabilising Primer
Duckback - Composite Deck Sealer	EasyCare Ceiling Paint	Farrow & Ball Masonry Paint
Duckback - Mason's Select - Concrete Clear Sealers	EasyCare Everyday	Farrow & Ball Metal Primer & Undercoat
Duckback - Mason's Select - Epoxacryl Solid Color Concrete Stain	EasyCare Limitless	Farrow & Ball Modern Eggshell
Duckback - Mason's Select - Transparent Concrete Stain	EasyCare Platinum	Farrow & Ball Modern Emulsion
Duckback - Premium Translucent Finish	EasyCare Platinum WeatherALL Extreme	Farrow & Ball Wall Ceiling Primer & Undercoat
Duckback - SuperDeck - Clear Wood Finish	EasyCare Porch & Floor	Farrow & Ball Wood Floor Primer &Undercoat
Duckback - SuperDeck - Deck & Dock Elastomeric	EasyCare Ready To Use Colors	

Farrow & Ball Wood Knot & Resin Blocking Primer	French Lac	General Finishes Enduro-Var II
Faux Effects®	Fresh Start All-Purpose Primer	General Finishes Enduro-Var Polyurethane
Faux Effects International™	Fresh Start Deck & Siding Primer	General Finishes Exterior 450
Faux Effects World®	Fresh Start Hight-Hiding All-Purpose Primer	General Finishes Exterior 450 Clear Finish & Stain
FauxStone™ Pull-Off	Fresh Start Undercoater & Primer/Sealer	General Finishes Exterior 450 Stains
FauxTex™	FXThinner™	General Finishes Gel Stains
FEI™	GacoDeck (A56, DT, & DK)	General Finishes Gel Topcoats
Field Marking Paint	Galvanized & Aluminum Primer	General Finishes GF Milk Paints
Field Marking Paint	Gardner-Gibson Black Jack (white elastomeric coatings only)	General Finishes High Performance Poly
Final Touch	Gardner-Gibson Dynamite	General Finishes Industrial Dye Stains & Concentrates
Fine Paints of Europe ECO	Gardner-Gibson Eterna Kote	General Finishes Oil Base Wood Stains
Fine Paints of Europe Eurolux	Gardner-Gibson Gardner	General Finishes Original Seal-A-Cell CLEAR
Fine Paints of Europe Eurothane	Gardner-Gibson Shur-Stik	General Finishes Outdoor Oil
Fine Paints of Europe Hollandlac	Gardner-Gibson Sta-Kool	General Finishes Pigmented Poly
Finishing Paste™	Gemini	General Finishes PolyAcrylic
Fixall (all products)	Gemini Coatings Artisan Effects	General Finishes Pre-Cat Urethane
FixAll Acrylic Floor Sealer	Gemini Coatings Craftsman Collection	General Finishes Pre-Stain Wood Conditioner
FixAll Acrylic Stain Killer	Gemini Coatings Gem Clear	General Finishes Pro Image
FixAll Alkyd Stain Killer	Gemini Coatings Gem Coat	General Finishes RTM Stains
FixAll Aquaborne Ceramithane	Gemini Coatings Gem Cryl	General Finishes Sanding Sealer
FixAll Clear Waterproofing Sealer	Gemini Coatings Gem Dye	General Finishes Sealer
FixAll Dry Fall	Gemini Coatings Gem Glo	General Finishes Stain Blocker
FixAll Everlife Fast Dry Alkyd Enamel	Gemini Coatings Gem Stain	General Finishes Water Base Dye Stains
FixAll Everlife Urethane Enamel	Gemini Coatings Gemini	General Finishes Water Base Lacquer
FixAll Everlife Waterborne Enamel	Gemini Coatings Gemini Tone Stain	General Finishes Water Base Wood Stains
FixAll Everlife Weatherproof Aluminum Enamel	Gemini Coatings Gem Pro	Geocel
FixAll Exposed Concrete Sealer	Gemini Coatings Gem Tone	Glidden Diamond
FixAll Fix-Rite	Gemini Coatings Gem Var	Glidden Door and Trim
FixAll Fix Rust Primer	Gemini Coatings Gulf Synthetics - PermaBond	Glidden Essentials
FixAll Grabber Bonding Primer	Gemini Coatings Master's Magic	Glidden Everyday
FixAll Latex Block Filler	Gemini Coatings Storm Shield	Glidden EZ Track
FixAll PVA Drywall Primer	Gemini Coatings Titanium Series	Glidden Fundamentals
FixAll RustPlate Primer	Gemini Coatings Total Wood Preservative	Glidden Grab-N-Go
FixAll Semi-Transparent Interior Stain	Gemini Coatings TWP	Glidden Gripper
FixAll Shop Coat Primer	Gemini Coatings WFS	Glidden Gripper
FixAll Skid Grip	Gemini Coatings Wood Finishers Supply	Glidden High Endurance
FixAll Stain & Odor Barrier	Gemini Evo	Glidden High Endurance Plus
FixAll Stopz	Gemini Rudd	Glidden High Performance
FixAll Ultimate Universal Primer	Gemini Zero Rust	Glidden Kitchen and Bath
FixAll WearAll	General Finishes Arm-R-Seal Urethane Topcoat	Glidden Max-Flex
Flood Easy Seal	General Finishes Black & White Undercoat	Glidden Metallic Tones
Floor & Patio Enamel	General Finishes Brushable White Enamel	Glidden Multi-Pro
Floor & Trim Interior/Exterior Enamel	General Finishes Clear Poly Topcoat	Glidden Porch & Floor
Fluorescent Orange Field Marker	General Finishes Enduro	Glidden Premium
Formby's	General Finishes Enduro-Var	
Formworx		
Forrest Paint		
Franklin Paint - Halftime		
Franklin Paint - Winning Streak		
Frazee		
Fred Myers		

Glidden PVA Drywall Primer	Homestead	Kitchen & Bath
Glidden Quick Cover	Horizon	Kitchen & Bath Interior Paint
Glidden Spred	HP Max	Kolor Kote
GlosThane Finish	Imperial Alkyd Solid Stain	Kool Seal
Golden Paintworks	Imperial Dry Brite HS Sealer	Krylon
GPM	Imperial Ducklac	Krylon Commercial
Grass Green Athletic Marker	Imperial Enamel Undercoat	Kwal
GreenSheen® (all products)	Imperial Exterior 100% Acrylic	Lanco Aqua Proof Roof Primer
Guardian	Imperial Exterior Latex	Lanco Color Collection Wall & Trim Paint
Guardian Contractor Grade	Imperial HB Pre-Cat Lacquer	Lanco Coolguard Roof Coating
Guardian Professional Quality	Imperial High Solids Tuff	Lanco Dura-Life Clear Sealer
H&C	Imperial Int/Ext Aluminum Enamel	Lanco Natural Look Clear Sealer
H&K Paints All Coat	Imperial Interior Lolustre Latex	Lanco Seal Rubber Roof Coating
Hamilton Drywall Products Prep Coat Plus	Imperial Interior Oil Wiping Stain	Lanco Siliconizer Roof Coating
Hamilton Drywall Products Prep Tex Hammerite	Imperial Interior Ultrapro Latex	Lanco Titanium Paint & Primer
Harrison Paint (all products)	Imperial Machinery Enamel	Lanco Wet Look Clear Sealer
HD® Designs	Imperial Marproof Lacquer	Laticrete Blue 92 Anti-Fracture Membrane
Heavy Bodied Glazing Stain (Various colors)	Imperial Master Painter Enamel	Laticrete Fracture Ban SC
Heirloom Traditions Paint	Imperial Norsekote Latex	Laticrete Hydro Ban Waterproofing & Crack Isolation Membrane
Hemp Shield	Imperial Polar Latex	Laticrete Hydro Barrier Plus
Hemp Shield Log Home Stain and Sealer	Imperial Polyurethane Varnish	Laticrete Prime N Bond
Hemp Shield Wood Deck Sealer	Imperial Porch & Deck Enamel	Laticrete Primer Plus
Henry/Bakor	Imperial Recharge	Laticrete StoneTech® Professional Enhancer
Henry Acryprime Recoat Primer	Imperial Rust-Inhibitive Primers	Laticrete StoneTech® Professional Enhancer Pro™ Sealer
Henry Aquatac Primer	Imperial Silguard Sealer	Laticrete StoneTech® Professional Grout Release
Henry Enviro-White Roof Coating	Imperial WB Edge Seal	Laticrete StoneTech® Professional Heavy Duty Exterior Sealer
Henry Grey Elastomeric Roof Coating	Imperial Industrial Enamel	Laticrete StoneTech® Professional Heavy Duty Sealer
Henry Light Tan Roof Coating	Insl-X Off Broadway	Laticrete StoneTech® Professional High Gloss Finishing Sealer
Henry Premium Elastomeric Base Coating	Insl-X Tru-Flex Concrete Bond Coat	Laticrete StoneTech® Professional High Gloss Lacquer
Henry Premium Non-Fibered Aluminum	Insl-X Tru-Flex Cushion Coat	Laticrete StoneTech® Professional Impregnator Pro® Sealer
Henry Solorflx Tan Elastomeric	Insl-X Tru-Flex Latex Field Marking Paint	Laticrete StoneTech® Professional Maximum BulletProof® Sealer
Heron Linseed Oil Paint	Insl-X Tru-Flex Line Marking Paint	Laticrete StoneTech® Professional Natural Stone Countertop Sealer
HGTV Home	Insl-X Tru-Flex Neutral Filler Coat	Laticrete StoneTech® Professional Paver Sealer & Enhancer
HGTV Weathershield by Sherwin Williams	Insl-X Tru-Flex Smooth Colored Finish Coat	Laticrete StoneTech® Professional Salt Water Resistant Sealer
Hi Build Acrylic Deck Coating	Insl-X Tru-Flex Textured Colored Finish Coat	Laticrete StoneTech® Professional Sealer
Hi-Build Ultra Clear Coat	James Alexander Specialty Paints	Laticrete StoneTech® Professional Semi Gloss Finishing Sealer
High Build Interior Primer	James Alexander Specialty Paints Botanical Paint	
High Build Peel Bonding Primer	James Alexander Specialty Paints Lime-Prep Primer	
High Build Peel Bonding Primer	James Alexander Specialty Paints Sealer	
High Performance Stain	James Alexander Specialty Paints Venetian Plaster	
Homax Premixed Popcorn Ceiling Texture	James Alexander Specialty Paints Water Based Limewash	
Homax Premixed Wall Texture	Jel'd Stain	
Homax Roll-On Texture	Kilz	
Homax Tile Guard	Kilz Casual Colors	
Homax Wet Look Cure Seal	Kilz Pro-X	
	Kilz True Tone	

Laticrete StoneTech Quartz & Porcelain Tile Sealer	Majic Floor Paint	Melamine
Laura Ashley	Majic House & Deck Stain	Messmer's Decking Stain
Lauzon wood Clear Finish	Majic Industrial Aluminum	MetaKote
Lauzon wood stain	Majic Kitchen & Bath Paint	Metal Ready Universal
Lead Block	Majic Latex Enamel	MetroPaint
Level 5 Wall Prep	Majic Lifestyle	Mica Glow Flakes™
Lifeline Accents	Majic No Hunting Purple	Mica Glow Powder™
Lifeline Acrylic	Majic NWP	Miller 45 Minute Primer
Lifeline Advance	Majic Oil-Base Floor Enamel	Miller Acriclear
Lifeline Endure	Majic Polyurethane Wood Coating	Miller Acri-Glaze
LifeLine Exterior	Majic Premium Paint & Primer	Miller Acrilite
Lifeline Interior	Majic Pride	Miller Acrimetal
Lifeline Ultra-2	Majic Primer & Paint	Miller Acrinamel
Lifeline Ultra-7	Majic Professional	Miller Acro Pure
Lime Paint & Wash™	Majic Rust Kill Coating	Miller Acrylic Satin
Lime Slag™	Majic Stain Blocking Primer Sealer	Miller Acrylic Undercoat
Liquid Rubber Cool Foot Deck Coating	Majic Town & Country	Miller Aluminum&Metal primer
Liquid Rubber Multi Purpose Primer	Majic Tractor, Truck & Implement Enamel	Miller Aluminum Paint
Liquid Rubber Polyurethane Deck Coating	Majic Waterproofing Sealer	Miller Aqua
Little Greene Absolute	Majic Water Sealer	Miller Clear Varnish
Little Greene Intelligent	Majic Wood Varnish	Miller Drifall Stalite
Little Greene Intelligent All Surface Primer (ASP)	Marine Enamel	Miller Edge Seal
Logwood Oil	Martin Senour Paints	Miller Enamel Undercoat
Long End Seal	Marvins	Miller Equipment Enamel
Loop Premium Recycled Paint	MasonrySaver #25 Floor Finish	Miller Evolution
Lullaby Paints	MasonrySaver Acrylic Waterproofing Sealer	Miller Floor&Porch Enamel
LusterStone®	MasonrySaver All-Purpose HD Water Repellent	Miller Gym Coat
Magnolia Home Paint by Kilz	MasonrySaver Decorative Concrete Sealer	Miller HB Opaque Stain
Maintenance Enamel	MasonrySaver Garage Floor Sealer	Miller Kril
Maintenance One	MasonrySaver Paver Sealer	Miller Metal Primer
Majic	MasonrySaver VOV Compliant Solvent Base Water Repellent	Miller Millerseal
Majic All Purpose	MasonrySaver Water Repellent for Brick	Miller Millerseal
Majic Barn & Fence Paint	MasonrySaver Water Repellent for Split-Face Block	Miller Modern Wood Stain
Majic Barn Paint	Masterchem	Miller NW Weathergard'
Majic Barricade Primer & Paint	Master Gel® Finish Clear	Miller Penetrating Conditioner
Majic Barricade Primer & Sealer	Master Guard Oil and Spot Primer	Miller Performance
Majic Basement Paint	Master Guard Sealer	Miller Polyurethane Varnish
Majic Buggy Enamel	Master Guard Wood Sealer	Miller Premium
Majic Camouflage Paint	Master Painter	Miller Premium Enamel
Majic Clear Coat Gloss Lacquer	Max Block	Miller Pure Paint
Majic Concrete Sealer	Max Block	Miller Rust Control Primer
Majic Diamond Hard Acrylic Enamel	MaxLife	Miller Spar Enamel
Majic Diamond Hard Direct-To-Metal Paint	McCloskey	Miller Spar Varnish
Majic Diamond Hard Kidproof Wall Paint	McCloskey Man-O-War	Miller Speed Enamel
Majic Diamond Hard Repurpose	McCloskey Multi-Use	Miller Stain Blocking Primer
Majic Easy Spread	McCloskey Special Effects	Miller Super Color
Majic Exterior/Interior Paint	McCloskey Stains	Miller Super Seal
Majic Fence Paint		Miller Tuff Tread
Majic Field Marking Paint		Miller Vapor-Lok
		Minwax Color Wash
		Minwax Lacquer (all types)
		Minwax Polycrylic
		Minwax PolyShades
		Minwax Polyurethane (all types)

Minwax Stain (all types)	O'Leary Pro Hide	Optimus
Minwax Tung Oil	O'Leary Pro Prime	Orgill
Minwax Urethane	O'Leary Pro Tech	Osmo Anti-Slip Decking Oil
Minwax Varnish	O'Leary Pro Touch	Osmo Decking Oil
Minwax Wipe-On Poly	O'Leary Solar Ceramic	Osmo Natural Woodstain Oil Effect
Minwax Wood Effects	O'Leary Solar Max	Osmo One Coat Only
Minwax Wood Finish	O'Leary Sungard	Osmo Polyx-Oil
Miracle Sealants 511 Anti-Slip	O'Leary Supreme	Osmo Polyx-Oil Raw
Miracle Sealants 511 Glass Tile & Shower Door Sealer	O'Leary Wash N Wear	Osmo Spray-Polyx
Miracle Sealants 511 H2O Plus	O'Villa®	Osmo Top Oil
Miracle Sealants 511 Impregnator	O'Villa® Wax	Osmo UV-Protection Oil
Miracle Sealants 511 Porcelain & Ceramic Tile Sealer	Odds N Ends	Osmo Wood Wax Finish
Miracle Sealants 511 Porous Plus	Old Masters Brushing Lacquer	Oxygen
Miracle Sealants 511 Quartz Counter Top Sealer	Old Masters Exterior Water-based Spar Urethane	P-80
Miracle Sealants 511 Seal & Enhance	Old Masters Fast Dry Stain	Painter's Select
Miracle Sealants High Gloss Finish Sealer	Old Masters Gel Stain	Painter's Select Basics
Miracle Sealants Matte Finish Sealer	Old Masters Graining Base	Painter's Select Clean & Fresh
Miracle Sealants Mira Matte	Old Masters H2O Wood Stain	Painter's Select PRO BEST
Miracle Sealants Tile, Stone & Grout Sealer	Old Masters Oil Based Gel Polyurethane	Painter's Select PRO GOOD
Miralite	Old Masters Oil Based Polyurethane	Painter's Select Specialty Palette Deco™
ML Campbell	Old Masters Oil Based Quick-Dry Varnish	Pantone
Modern Masters	Old Masters Oil Based Sanding Sealer	Parks Pro Finisher
MultApply Acrylic Enamel	Old Masters Oil Based Spar Marine Varnish	Penofin Wood Finishes
MultiMaster	Old Masters Oil Based Super Varnish	Performance Plus
Multi-Surface Waterproof	Old Masters Penetrating Sealer	Per-Ma-Lite Marking Paint
Muresco Ceiling Paint	Old Masters Penetrating Stain	pH Surfacer
NewLook International DriveHard	Old Masters Tung Oil Varnish	Pittsburgh Paints & Stains Acrylic Shield
NewLook International Endura Concrete Sealer	Old Masters Water-based Clear Finish	Pittsburgh Paints & Stains Anti-Scuff
NewLook International Endura Enhancer	Old Masters Water-based Polyurethane	Pittsburgh Paints & Stains Break-Through
NewLook International Endura Faux Fusion	Old Masters Water-based Sanding Sealer	Pittsburgh Paints & Stains Builder Performance
NewLook International Endura Solid Stain	Old Masters Wiping Stain	Pittsburgh Paints & Stains Flood
NewLook International Original NewLook Stains	Old Masters Wood Conditioner	Pittsburgh Paints & Stains Flood Pro
NewLook International Proteshield	Old Masters Woodgrain Filler	Pittsburgh Paints & Stains Manor Hall
NewLook International SharkSeal	Olympic Ascent	Pittsburgh Paints & Stains Metallic Tones
NewLook International SmartColor	Olympic Elite	Pittsburgh Paints & Stains Mopako
NewLook International SmartSeal	Olympic Maximum	Pittsburgh Paints & Stains Multi-Pro
NewLook International Wall Stain	Olympic Paint	Pittsburgh Paints & Stains Paramount
Norco	Olympic Pool Paint	Pittsburgh Paints & Stains Perma-Crete
NuDeck	Olympic Rescue It!	Pittsburgh Paints & Stains Perm-Crete
O'Leary Ceramic Coat	Olympic Stain	Pittsburgh Paints & Stains Pitt-Glaze
O'Leary Dual Coat	Olympic Summit	Pittsburgh Paints & Stains Pitt-Tech Plus EP DTM
O'Leary Heavy Duty	Olympic Triumph	Pittsburgh Paints & Stains Premier
O'Leary Micro Spec	Olympic Waterguard	Pittsburgh Paints & Stains Pure Performance
	Olympic Wood Protector	
	One Time Wood Preservative (various colors)	

Pittsburgh Paints & Stains Seal Grip	Pratt & Lambert RedSeal® Zero VOC	Qualasole™
Pittsburgh Paints & Stains Speed Cryl	Pratt & Lambert STAINShield®	QuartzStone™
Pittsburgh Paints & Stains Speedhide (except Dry Fog)	Precision DTM 1600 Waterborne Urethane Primer	Quick Dry Sanding Sealer
Pittsburgh Paints & Stains Speedhide Pro EV Zero	Precision PC6 Waterborne Clear Coat (all sheens)	Quik Hide
Pittsburgh Paints & Stains Sun Proof	Precision PC6 Waterborne Urethane (all colors and sheens)	Quikrete Concrete & Masonry High Gloss Sealer
Pittsburgh Paints & Stains Timeless	Prelude	Quikrete Concrete & Masonry Waterproofing Sealer
Pittsburgh Paints & Stains Ultra-hide 150	Premier Aluminum Roof Coating Fibered	Quikrete Masonry Waterproofer
Pittsburgh Paints & Stains Ultralast	Premier Finishes Tuff-Kote High Performance Restoration Primer	Quikrete Penetrating Concrete Stain
Pittsburgh Paints & Stains Wall Supreme	Premier Finishes Tuff-Kote Interior HP Restoration SemiGloss	Quikrete Textured Acrylic Concrete
Pittsburgh Paints & Stains Weather King	Premium	Quikrete Translucent Concrete Stain
Pittsburgh Paints & Stains Wonder Hide	Premium Classic	Radcon (various colors)
Pittsburgh Paints & Stains Wonder Pro	Premium Decor	Rainguard Advanced Waterproofer 10 year
Pittsburgh Paints & Stains Wonder- Pro	Preserva Wood	Rainguard Blok-Lok Water Repellent Concentrate
Pittsburgh Paints & Stains Wonder Shield	Pre-Stain Clear Wood Stain	Rainguard Blok-Lok Water Repellent Ready to Use
Pittsburgh Paints & Stains Wonder Tones	Prestige	Rainguard Clear-Seal 1 part High Gloss Acrylic Urethane Sealer
Pittsburgh Paints & Stains ZoneMark	Prime All Multi-Surface Primer Sealer	Rainguard Clear-Seal 1 part Low Gloss Acrylic Urethane Sealer
Pittsburgh Paints and Stains	Prime All Primer Sealer	Rainguard Color-Lok Solid Color Silicone Stain ATB
Pittsburgh Paints and Stains Revolution	Prime Choice (all products)	Rainguard Color-Lok Solid Color Silicone Stain DTB
Pitt-Tech Plus EP	Prime Lock Plus	Rainguard Color-Lok Solid Color Silicone Stain WTB
PlasterTex®	Prime Lock Plus	Rainguard Floor-Lok Sealer Concentrate
Plastic Kote	Prime Lock Plus	Rainguard Micro-Seal Water Repellent Concentrate
Plasti-Kote	Prime-n-Seal	Rainguard Micro-Seal Water Repellent Ready to Use
PolyCoat	Prime Solution	Rainguard Plugger Acrylic Sealer 10% Solids
PolyWhey	Prime Time	Rainguard Plugger Acrylic Sealer 25% Solids
PolyWhey Exterior (various colors)	Prime Time Plus	Rainguard Satin-Lok Water Base Medium Gloss Repellent
PolyWhey Floor	Pro Best	Rainguard Super Stucco Primer Sealer Concentrate
PolyWhey MVP Sport Floor Finish	ProBond	Rainguard Vandl-GuardFinish Coat Graffiti Barrier
PolyWhey MVP Sport Floor Sealer	ProCoat	Rainguard Vandl-GuardFIVE Permanent Anti-Graffiti Coating
PolyWhey Series 1000 Infusion Wood Modifier	ProCoustic	Rainguard Vandl-GuardONE Permanent Anti-Graffiti Coating
PolyWhey Series 2000 Stain Base	Professional Coatings	Rainguard Vandl-Guard Permanent Anti-Graffiti Coating
PolyWhey Series 3500 Wood Floor finish	Profin:Gloss and Satin	Rainguard Vandl-GuardTEN Permanent Anti-Graffiti Coating
PolyWhey Series 3500 Wood Floor Sealer	Pro Fresh	
PolyWhey Wood Cleaner	Pro Good	
Pore-O-Pac™ Grain Filler (various colors)	Pro Grade	
Pore-O-Pac™ Grain Filler Reducer	Pro Jex	
Pratt & Lambert®	Pro Lacquer	
Pratt & Lambert Accolade®	Proluxe	
Pratt & Lambert RedSeal®	Protector	
	Protectosil	
	Protectosil Aqua-Trete	
	ProWise	
	Puma	
	Puma-XL	
	Qualalacq™ Lacquer Gloss	
	Qualalacq™ Lacquer Reducer	
	Qualalacq™ Lacquer Satin	
	Qualalacq™ Sanding Sealer	
	Qualarenu™ #1	

Rainguard Vandl-Top Sacrificial Anti-Graffiti Coating	Richard's Paint Rich Tex	RollerRock Rollable Stone Coating
Rainguard Waterproofer 7 year	Richard's Paint Rich Wall	Roman ECO-988 Pigmented Primer
Rainguard Wet Look Sealer Wood &Masonry	Richard's Paint Richwood	Roman Golden Harvest PRO-988
Rapid Roof HV	Richard's Paint Roof Shield	Roman PRO-909 Vinyl Prep
Rapid Roof III	Richard's Paint Rust Sheild	Roman PRO-935 R-35
Reactive Series™	Richard's Paint Shields All	Roman PRO-977 Ultra Prime
Ready Seal (all products)	Richard's Paint Signature Ceramic	Roman Pro-999 Rx-35
Ready to Spray Athletic White	Richard's Paint Signature Series	Roofers Choice
ReColor™ (All Products)	Richard's Paint Signature Series Plus	Room & Board by Valspar
Recover Recycled Paint Products	Richard's Paint Step Guard	Rosco Chroma Key
Red Athletic Field Marker	Richard's Paint Thor	Rosco Color Coat
Reduced Odor Oil-Based Primer	Richard's Paint Timber Tuff	Rosco Crystal Gel Clear Coating
Reduced Odor Primer	Richard's Paint Viper	Rosco DigiComp HD
Redwood Stain Interior/Exterior	Richard's Paint Wall Guard	Rosco Fluorescent
Regal Select Exterior MoorGard Paint	Rodda Accent Primer	Rosco FoamCoat
Regal Select Exterior MoorGlo Paint	Rodda AC Line	Rosco Off Broadway Artists Paint & Metallic Finishes
Regal Select Exterior MoorLife Paint	Rodda All Purpose Equipment Enamel	Rosco Premier Clear
Regal Select Interior Paint	Rodda Aqua Master	Rosco Supersaturated
Renaissance	Rodda Cat-A-Lac	Rosco Tough Prime
Renaissance	Rodda Color Base	Rosco TV
Reserve	Rodda Control Primer	Rosco Video Paint CK
Resist-X	Rodda Crystal Clear	Royal Drywall Interior Primer
Restoration Hardware	Rodda EZEE Coat	Royal Exterior House & Trim Primer
Restore-X	Rodda Fast Dry Floor Finish	Royal Exterior Paint & Primer
Richard's Paint Barricade	Rodda First Coat	Royal House Paint & Primer
Richard's Paint Bondcrete	Rodda Horizon	Royal Interior & Exterior Sealing & Blocking Primer
Richard's Paint Deck Guard	Rodda Interior Performance	Royal Interior Artistic Finishes Glazing Liquid
Richard's Paint Deck Pro	Rodda Lasyn	Royal Interior Paint & Primer
Richard's Paint Driveway and Floor Coating	Rodda Mar Resist	Royal Porch + Floor Enamel
Richard's Paint EnduraTread	Rodda Master Painter	RPM Water Based Grain Filler (various colors)
Richard's Paint Eternity	Rodda Metal Master	RPM Wood -15 Minute Wood Stain (various colors)
Richard's Paint Excel	Rodda Modern Wood Stain	RPM Wood-8x Wipe On Water Base Urethane Satin
Richard's Paint FlexDeck	Rodda Multi Master	RPM Wood -Polyurethane Satin
Richard's Paint Floor-Tite	Rodda MultiPrime	RPM Wood- Vinyl Sealer
Richard's Paint Garage Shield	Rodda pHlextite	RPM Wood Waterborne Urethane Finish Satin
Richard's Paint H2O Fusion	Rodda Ply-Coat	RsCrete®
Richard's Paint Holzon	Rodda PMC 300	RsPlaster®
Richard's Paint Holzout	Rodda Porsalite	RsSandStone®
Richard's Paint Holztite	Rodda Porsalite	RsSandStone Flake™
Richard's Paint Painter's Pride	Rodda Roseal	RsTravertino®
Richard's Paint Paverseal	Rodda Rural Manor	Rubber Based Swimming Pool Paint
Richard's Paint Pliolite	Rodda Scotseal	Rubberizeit Dura-Rubber
Richard's Paint Pool Guard	Rodda Speed Primer	Rubberizeit Primer
Richard's Paint PPS	Rodda SR Ultra	Rubio Monocoat WoodCream
Richard's Paint Python	Rodda Super Roflex	Rust-A-Void
Richard's Paint Rich Air Zero VOC	Rodda Surfbond	RUST DESTROYER
Richard's Paint Rich Classic	Rodda Terra	RUST DESTROYER FAST DRY
Richard's Paint Rich Flex	Rodda Tuff Deck	
Richard's Paint Rich Pro	Rodda Ultimate II	
Richard's Paint Rich Shield	Rodda Unique II	
	Rodda Vapor Block	
	Rodda Vapor Shield	
	Rodda Weather Performance	
	Rodda Wood Master	

RUST DESTROYER HIGH HEAT	Saman water based stain	Seal-Krete Heavy Duty Waterproof
Rustex	Saman water based varnish	Seal-Krete Lock-Down Epoxy
RUST KNOCKOUT	SandStone™	Bonding Floor Primer
Rustoleum 900 Clear Coat	Sansin Boracol 20-2	Seal-Krete Multi-Surface Water
Rustoleum Advanced Technology	Sansin Classic	Repellent
UMA	Sansin DEC	Seal-Krete Original Waterproofing
Rustoleum American Accents	Sansin ENS	Sealer
Rustoleum BIN	Sansin Foundation RTU	Seal-Krete Stucco Guard
Rustoleum Bulls Eye	Sansin MDF Primer	Seal N Shine
Rustoleum Colorfast	Sansin Precision Coat	Seal-Once Exotic Premium Wood
Rustoleum Decorative Painter's	Sansin Purity Interior	Sealer
Products	Sansin Roof Tec	Seal-Once Marine Premium Wood
Rustoleum Elastomeric Roof Coating	Sansin SDF	Sealer
Rustoleum Epoxy Shield	Sansin Timber Tec	Seal-Once Multi-Surface Concentrate
Rustoleum Flash Bond 400	Sashco Capture® Log Stain	Seal-Once NANO + POLY Concrete
Rustoleum Home	Sashco Cascade® Clear Coat	& Masonry Sealer
Rustoleum MasterClear Supreme	Sashco Symphony® Interior Clear	Seal-Once NANO + POLY Premium
Rustoleum Metallic Paint Collection	Coat	Wood Sealer
Rustoleum Multispec	Sashco Transformation Stain® Deck	Seal-Once NANO Penetrating Wood
Rustoleum OKON	& Fence	Sealer
Rustoleum Painter's Touch	Sashco Transformation Stain® Log	Seal-Once Negative Pressure
Rustoleum Peel-Bond	and Timber	Waterproof
Rustoleum Perma White	Sashco Transformation Stain®	Seal-Once POLY Premium Wood
Rustoleum Plastic And Vinyl NT	Siding & Trim	Sealer
Rustoleum Prime Start	Satin Impervo	Seal-Once Seal Ends Once
Rustoleum Simply Home	Satin Thane Finish	Sears
Rustoleum Stop Rust	Scotch Acry-Flex	Serena&Lily
Rustoleum Studio Color	Scotch Acry-Sheen	Setcoat®
Rustoleum Sure Color	Scotch Draw-Tite	Severe Weather Contractor Finish
Rustoleum Theme Paint	Scotch Elast-A-Crylic	Shading/Glazing Stain (various
Rustoleum Trim Magic	Scotch Elast-O-Bond	colors)
Rustoleum Varathane	Scotch Ever-Gloss	Shake Shield
Rustoleum Watco Danish Oil	Scotch Kid-Proof	Sharkskin
Rustoleum Watco Exterior Wood	Scotch Latex Enamel Undercoat	Sharkskin
Finish	Scotch PVA Sealer	Sheetrock® brand Ceiling Texture
Rustoleum Watco Lacquer + Color	Scotch Selz	Paint
Tint	Scuff-X Interior Paint	Sheetrock® brand First Coat Primer
Rustoleum Watco Lacquer Clear	SeaFin AquaSpar Gloss and Satin	Sheetrock® brand TUFF-HIDE
Wood Finish	SeaFin Filler/Stain	Primer-Surfacer
Rustoleum Watco Teak Oil + Stain	SeaFin Ship n'Shore Sealer	SHEETROCK PRIMR FIRSTCOAT
Rustoleum Watco Tung Oil	SeaFin Super Spar Varnish	Sherwin Williams
Rustoleum Watco Wipe-On Poly	Seal-Krete Clear-Seal	Sherwin Williams A-100
Rustoleum Wolman	Seal-Krete Concrete Colors Low	Sherwin Williams All Surface Enamel
Rustoleum Zehrunge	Lustre Sealer	Sherwin Williams Blok-Tite™
Rustoleum Zinsser	Seal-Krete Concrete Colors Semi-	Sherwin Williams Bright Life
Rust Stop Indoor/Outdoor Enamel	Transparent Stain	Sherwin Williams Builders
Rust Stop Indoor/Outdoor Primer	Seal-Krete DampLock Concrete	Masterpiece
SafeChoice	Waterproofing Paint	Sherwin Williams Builders Solution
Safecoat	Seal-Krete Epoxy-Seal Concrete	Int.
Safecoat Naturals	Paint	Sherwin Williams Captivate
Safeguard 4200 Elastomeric Roof	Seal-Krete Epoxy-Seal Low VOC	Sherwin Williams Cashmere Interior
Coating	Paint	Sherwin Williams Classic 99 Int
Saman hybrid based varnish	Seal-Krete Floor-Tex	Sherwin Williams Classic Cote
Saman hybrid stain	Seal-Krete GraniteFX	

Sherwin Williams ColorAccents Interior Alkyd	Sherwin Williams Pro-Hide® Silver	Solar-Lux™ Waterborne Wiping Stains (various colors)
Sherwin Williams ColorPlace®	Sherwin Williams Pro Industrial Enamel Urethane	Solar Max
Sherwin Williams ConFlex XL	Sherwin Williams Pro Kote	Solar Wise
Sherwin Williams DeckScapes Ext	Sherwin Williams ProLine Supreme	SoSlow®
Sherwin Williams Design Accents	Sherwin Williams ProMar 200	Spar Restoration Varnish
Sherwin Williams Design Basics Interior	Sherwin Williams ProMar 400	Spatter Add™
Sherwin Williams Drywall Primer	Sherwin Williams ProMar 700	Spatter Gel™
Sherwin Williams Dura Clad	Sherwin Williams Property Solution	Speed Enamel
Sherwin Williams DuraCraft Acrylic Latex	Sherwin Williams Red Devil	Speed Primer
Sherwin Williams Duraseal	Sherwin Williams Resilience	Sprayable Latex Block Filler
Sherwin Williams Duration	Sherwin Williams Rich Lux	SpreadRock Textured Stone Coating
Sherwin Williams Duron	Sherwin Williams Rust-O-Lastic	SpreadStone Textured Stone Coating
Sherwin Williams EasyLiving®	Sherwin Williams Sea Shore	Stain & Seal™
Sherwin Williams EcoSelect® Zero VOC	Sherwin Williams Shellac Primer	StainMaster
Sherwin Williams Emerald	Sherwin Williams Sher-Crete	Stanley Steemer
Sherwin Williams Eminence®	Sherwin Williams SherStripe	Start Right
Sherwin Williams Enviropure	Sherwin Williams Signature Select	Stays Clear Polyurethane
Sherwin Williams EverLast	Sherwin Williams Skylight®	StencilFX™
Sherwin Williams Faux Impressions®	Sherwin Williams Solo 100% Acrylic	Stix Bonding Primer
Sherwin Williams Flex Bon	Sherwin Williams SuperBond	Stix Bonding Primer
Sherwin Williams Fresh Kote	Sherwin Williams SuperPaint	StoClear Coat Sealer
Sherwin Williams Harmony	Sherwin Williams Terminator™	StoColor Acryl Flat
Sherwin Williams Impressions	Sherwin Williams Twist & Try	StoColor Acryl Plus
Sherwin Williams Infinity®	Sherwin Williams UltraCrete	StoColor Coat
Sherwin Williams Latitude	Sherwin Williams Ultra Deluxe	StoColor Coat Sand
Sherwin Williams Lok-Tite	Sherwin Williams Ultra Guard	StoColor Dryonic
Sherwin Williams Loxon	Sherwin Williams WithSTAND®	StoColor DTM
Sherwin Williams Luxury Living	Sherwin Williams Wood Classics	StoColor Lastic
Sherwin Williams Maintenance Pro	Sherwin Williams WoodScapes	StoColor Lastic Sand
Sherwin Williams Masterline	ShopCoat	StoColor Lotusan
Sherwin Williams Master Painters	Show Kote	StoColor Lotusan Plus
Sherwin Williams Master Touch	Sikagard® 510	StoColor Metallic Base
Sherwin Williams Maxflex™	Sikagard® 550W Elastocolor	StoColor Metallic Topcoat
Sherwin Williams Maxwood®	Sikagard® 552W Primer	StoColor Silcolastic
Sherwin Williams Modac	Sikagard® 570	StoColor Texture Coarse
Sherwin Williams Optima Formula 360	Sikagard® Elastic Base Coat Smooth	StoColor Texture Fine
Sherwin Williams Painters Edge	Sikagard® Elastic Base Coat Textured	StoColor Texture Medium
Sherwin Williams PalGard®	Silox Seal "A" Side	StoColor Wood Stain
Sherwin Williams Platinum	Silox Seal	StoPrime BlockSurfacer
Sherwin Williams Ply-Mastic	Simply Glaze	StoPrime Conditioner
Sherwin Williams Ply-Thane	Sinak HS-30	StoPrime DTM
Sherwin Williams Ply-Tile	Sinak Matter 20	StoPrime Hot
Sherwin Williams Porcelain®	Sirca	StoPrime Sand
Sherwin Williams PrepRite	Skylight	StoPrime Smooth
Sherwin Williams ProBlock	Smoke Stop	StoPrime UV
Sherwin Williams ProClassic	Snow Roof	Storm Systems (all products)
Sherwin Williams ProGreen 200	SofTex™	StoTique
Sherwin Williams Pro-Hide® Gold	Solar-Lux™ Stain (various colors)	Stratus XT
Sherwin Williams Pro-Hide® Green	Solar-Lux™ Waterborne Dye Stain (various colors)	Structures Wood Care NatureColor®
	Solar-Lux™ Waterborne Glaze (various colors)	Structures Wood Care NatureOne®
		Stucco, Masonry & Brick Exterior Paint

StucoLux™	Tack Coat	Timberlox
StucoLux™ Fine Polishing	Take One Scenic Paint	Timber Pro UV Crystal Urethane
Sunfast	TechWise	Timber Pro UV Deck & Fence Formula
Sun Frog Wood Sealer, Finish & Stain	Temproof 1200 Stove paint	Timber Pro UV Internal Concrete Sealer
Sunnyside Waterproof	Terrazzo High Performance Concrete Coating	Timber Pro UV Internal Wood Stabilizer
Sunnyside Wood Protectant	Tex Cote®	Timber Pro UV Log & Siding Formula
Super Acrylic II	Tex-Cote 300	Timber Pro UV Masonry Top Sealer
Super Hide Interior Paint	Tex-Cote 600	Tintable Primer/Sealer
Super II	Tex-Cote Clear-Seal™	Tough Shield Porch & Floor
Super Kote 3000 Interior Paint	Tex-Cote Color Cote™	Tough Shield Porch & Floor
Super Kote 5000 Interior Paint	Tex-Cote Color Tex®	Tough Walls Interior Paint
Super Kote 5000 Zero Interior Paint	Tex-Cote Concrete/Masonry Primer	Towerthon
Sure Shine	Tex-Cote Cool-Tec®	TrueTint Stone™
Sure Step Anti-Slip Coating	Tex-Cote Cool-Tex®	Tru-flex Concrete Bond Coat
Sure Step Anti-Slip Coating	Tex-Cote Coolwall®	Tru-flex Cushion Coat
Sutherland Welles Ltd. Marine Spar Varnish	Tex-Cote Fade Block Roof with Kynar	Tru-flex Finish Coat
Sutherland Welles Ltd. Murdoch's Line 500 Floor Finish	Tex-Cote Fade Block Super-Cote	Tru-flex Line Marking Paint
Sutherland Welles Ltd. Murdoch's Line Hard Oil	Tex-Cote Flex-On®	Tru-flex Neutral Filler Coat
Sutherland Welles Ltd. Murdoch's Line Hard Sealer	Tex-Cote Graffiti Gard®	Tru Seal
Sutherland Welles Ltd. Murdoch's Line Table Top	Tex-Cote Hi-Build Textured Primer	TRU-SEAL
Sutherland Welles Ltd. Wiping Varnish (Sealer, Low, Medium, High Lustre)	Tex-Cote Hi-Reflective Primer	TruStripe
Sydney Harbour Alchemy Liquid Gold	Tex-Cote Metal-Prime™	TruStripe All-Star
Sydney Harbour Aqua Enamel	Tex-Cote Rainstopper®	TuffCrete Concrete Stain
Sydney Harbour Clearcoat	Tex-Cote Re-Cote Primer	TuffCrete Concrete Stain
Sydney Harbour Duchess Satin	Tex-Cote Reflect-Tec®	TuffCrete Waterproofing Stain
Sydney Harbour Eggshell Acrylic	Tex-Cote Stone-Tex®	Two Minute Repair Liquid
Sydney Harbour Industrial Lustre	Tex-Cote Stone-Bond Primer	TWP Mildew Sealer
Sydney Harbour Instant Rust Clear Sealer	Tex-Cote Tex-Glaze	Ultra Flagship
Sydney Harbour Interno Lime Wash	Tex-Cote Tex-Tura®	Ultra Spec 500 Interior Paint
Sydney Harbour Limeproof Undercoat Sealer	Tex-Cote Top-Cote™	Ultra Spec 500 Interior Primer
Sydney Harbour Liquid Copper & Patina Green	Tex-Cote Trim-Cote®	Ultra Spec Exterior Stain
Sydney Harbour Liquid Iron & Instant Rust	Tex-Cote Tuff-Guard 99	Ultra Spec EXT Exterior Paint
Sydney Harbour Liquid Tin	Tex-Cote Ty-Cote™	Ultra Spec Masonry Filler Finish
Sydney Harbour Low Sheen Acrylic	Tex-Cote Ultra-Tex™	Ultra Spec Masonry High Build Block Filler
Sydney Harbour Matt Wall Sealer	Tex-Cote Wash-Guard	Ultra Spec Masonry Primer
Sydney Harbour Original Lime Wash	Tex-Cote Wood Primer 27 W	Ultra Spec Masonry Sealer
Sydney Harbour Palm Beach Black	Tex-Cote XL70®	Ultra Spec Masonry Waterproof Coating
Sydney Harbour Stone Paint	Texcrete Water Repellent	Uniflex
Sydney Harbour Ultra Flat Acrylic	Texture Coat™	Up Paint
Sydney Harbour Universal Primer	Textured Primer	Ura-Floor Gloss WB Urethane
Sydney Harbour Wood Wash	TextureFil™	USG™ Plaster Bonder
	The Faux Store®	USG™ Plaster Sealer
	The Paint Drop™	UV Plus
	Thompson's WaterSeal	UV Plus for Hardwoods
	TileLab Gloss Sealer & Finish	Valspar
	TileLab Matte Sealer & Finish	Valspar Anti-Rust
	TileLab Sealer/Cleaner/Resealer Combo Pack	Valspar Ceiling Paint
	TileLab Stone Enhancer	Valspar Climate Zone
	TileLab SurfaceGard	Valspar Color Style
	Timberflex	
	Timberflex Pro	

Valspar Decorator	WaterBlock Masonry Waterproofer	Zar Interior Polyurethane (all Gloss Levels)
Valspar Duramax	WaterBlock Masonry Waterproofer	Zar Interior Stains
Valspar Elan	Waterborne Ceiling Paint	Zar Polyurethanes
Valspar Integrity	Waterborne Swimming Pool Paint	Zar Ultra Exterior Polyurethane (all gloss Levels)
Valspar Medallion	Waterlox H2OLox	Zar Ultra Interior Polyurethane (all Gloss Levels)
Valspar Medallion Primers	Waterlox Original	Zar Ultra Max OMU (all gloss Levels)
Valspar Prep-Step Primers	Waterlox TrueTone	Zar Wood Stains (all colors)
Valspar Pro 2000 Interior Contractor Finish	Waterlox Urethane	Zinsser SmartCoat
Valspar Professional	Waterlox UTOS	Zone Marking Paint
Valspar Professional Bonding Primer	Waterlox VOC Compliant	
Valspar Professional Exterior	Weather All	
Valspar Professional Exterior Primer	WeatherOne CoverCoat	
Valspar Professional Interior	WeatherOne Stain	
Valspar Professional New Construction Primer	WeatherSeal	
Valspar Professional PVA Primer	Weather Wise	
Valspar Restoration Series	White Athletic Field Marker	
Valspar Signature Colors	White Pickling Stain	
Valspar Tractor & Implement	Wood Iron Deck, Fence & Siding Stain	
Valspar Ultra	Wood Iron Doors & More Finish	
Valspar Ultra Premium	Wood Iron Exterior Oil Finish	
Valspar Weathercoat	Wood Iron Generations Water-Based Stain	
Value	Wood Iron Top Coat Finish	
Van Sickle Barn and Outbuilding Paints	Woodlux Deck + Siding Exterior Stain	
Van Sickle Exterior Latex (Economy, Premium or Super Premium)	Woodlux Waterproofing Exterior Stain + Sealer	
Van Sickle Exterior Stains	Woodlux Waterproofing Stain + Sealer	
Van Sickle Floor Enamel	Wood Royal Exterior Deck & Siding Stain	
Van Sickle Interior Latex (Economy, Premium or Super Premium)	Wood Royal Exterior Deck & Siding Toner	
Van Sickle Multi Purpose Enamel	Wood Royal Exterior Deck Stain	
Van Votz Hi-Tech Waterproofer	Wood Royal Exterior Siding and Trim Stain	
Vapor Barrier Primer/Sealer	Wood Shield	
Varnish Plus™	Woodsman	
Vasari Lime Paint	Woodtone Series (various colors)	
Vasari Mineral Primer	Woodturners Finish	
VenetianGem®	X-O Rust	
Venetian Gem Bellissimo®	Yellow Athletic Field Marker	
Venetian Gem™ Basecoat	ZAP Primers	
Visions Accents	Zar Classic (all Gloss Levels)	
Visions Workhorse Direct to Metal	Zar Clear Wood Sealer	
Visions Workhorse Durable Stain	Zar Deck&Siding Stains Solid and Semi-Transparent (all colors)	
Visions Workhorse Envirotex	Zar Exterior Polyurethane (Gloss/Satin)	
Visions Workhorse Graffiti Cover Up	Zar Exterior Stains	
Visions Workhorse High Performance Primer	Zar Exterior Water Base Polyurethane (Gloss/Satin)	
Visions Workhorse Interior/Exterior		
Visions Workhorse Interior Low VOC		
Wall Kote		
Wall Pro		
Wall-Up		
Walmart		

Appendix B

Definition of Program Products and Sample Product Notices

DEFINITION OF ARCHITECTURAL PAINT PRODUCTS

for the Purposes of the Assessment



Architectural paint is defined under the Paint Stewardship Program as:

Interior and exterior architectural coatings sold in containers of five gallons or less.

Architectural paint does not include:

Industrial maintenance (IM), original equipment manufacturer (OEM) or specialty coatings.

To distinguish between what is an architectural coating for the purpose of the assessment and what coatings should not be assessed the fee, PaintCare uses definitions and terminology from the U.S. Environmental Protection Agency, California Air Resources Board, and other state and local Architectural and Industrial Maintenance (AIM) rules. To determine the products on which the fee is assessed and the products on which the fee is not assessed, follow these steps:

- A. Start with the type of coating. If the coating is an architectural coating, go to B. If the coating is not an architectural coating, it is not assessed a fee.
- B. If the coating meets the definition of architectural coatings (see below), does not meet the definition of Industrial Maintenance Coatings (also below), and is not specifically excluded, it is assessed a fee.

I. Architectural Coatings

Architectural coating means a coating recommended for application to stationary structures and their appurtenances, portable buildings, pavements, curbs, fields and lawns. This definition excludes adhesives, aerosol coatings and coatings recommended by the manufacturer or importer solely for shop applications or solely for application to non-stationary structures, such as airplanes, ships, boats, and railcars.

II. Industrial Maintenance Coatings

Industrial Maintenance (IM) coating means a high-performance architectural coating, including primers, sealers, undercoaters, intermediate coats, and topcoats formulated and recommended for application to substrates exposed to one or more of the following extreme environmental conditions in an industrial, commercial, or institutional setting:

1. Immersion in water, wastewater, or chemical solutions (aqueous and non-aqueous solutions), or chronic exposure of interior surfaces to moisture condensation;
2. Acute or chronic exposure to corrosive, caustic, or acidic agents, or to chemicals, chemical fumes, or chemical mixtures or solutions;
3. Repeated exposure to temperatures above 120 °C (250 °F);
4. Repeated (frequent) heavy abrasion, including mechanical wear and repeated (frequent) scrubbing with industrial solvents, cleansers, or scouring agents; or
5. Exterior exposure of metal structures and structural components.

One of the primary ways AIM rules distinguish IM coatings from other architectural coatings is the manufacturer's recommendation for restricted usage. IM coatings must be labeled under the rules as:

1. "For industrial use only."
2. "For professional use only."
3. "Not for residential use" or "Not intended for residential use."

Thus, if the product is not intended for and not labeled as an IM coating, it should be deemed a covered architectural coating and the fee should be assessed, unless it is specifically excluded (see next page).

III. Original Equipment Manufacturer (OEM) Coatings

Shop application means that a coating is applied to a product or a component of a product in a factory, shop, or other structure as part of a manufacturing, production, finishing or repairing process (e.g., original equipment manufacturing coatings).

Since OEM (shop application) coatings may be intended but not labeled for industrial or professional use, and may be sold in containers of 5 gallons or less, if a company can clearly document that the coating was sold exclusively for OEM use, the fee should not be assessed. However, if this coating can be sold to a consumer or contractor for other than shop application and/or the use cannot be distinguished via the method of sale, the fee should be assessed.

IV. Specialty Coatings

Specialty or Special Purpose Coatings, include arts and crafts, and automotive refinish coatings. These products are included as non-assessed products on the list below. The fee should not be assessed for these coatings.

Assessed Products (maximum container size of 5 gallons)

- Interior and exterior architectural paints: latex, acrylic, water-based, alkyd, oil-based, enamel (including textured coatings)
- Deck coatings, floor paints (including elastomeric)
- Primers, sealers, undercoaters
- Stains
- Shellacs, lacquers, varnishes, urethanes (single component)
- Waterproofing concrete/masonry/wood sealers and repellents (not tar or bitumen-based)
- Metal coatings, rust preventatives
- Field and lawn paints

Non-Assessed Products (regardless of container size)

- Paint thinners, mineral spirits, solvents
- Aerosol coatings
- Auto and marine paints
- Art and craft paints
- Caulking compounds, epoxies, glues, adhesives
- Paint additives, colorants, tints, resins
- Wood preservatives (containing pesticides)
- Roof patch and repair
- Asphalt, tar and bitumen-based products
- 2-component coatings
- Deck cleaners
- Traffic and road marking paints
- Industrial Maintenance (IM) coatings
- Original Equipment Manufacturer (OEM) (shop application) paints and finishes

Drywall Primer-Surfacers

Updated — June 2012



Purpose

The purpose of this notice is to clarify that “Drywall Primer-Surfacers” are covered by the PaintCare program. As part of the program, manufacturers of these products must register with PaintCare and collect and remit the Assessment (PaintCare fee) as with other architectural paints in states with active paint stewardship programs.

Background

In order to assist companies with determining what coatings were architectural coatings subject to the PaintCare fee and what coatings were not, PaintCare developed a fact sheet detailing what factors should be taken into consideration when making these determinations. In addition, the fact sheet listed examples of PaintCare products and examples of non-PaintCare products (products that should not be assessed the fee). PaintCare, however, relies on individual manufacturers to determine what products are part of the program and what products are not, depending on their specific product lines. In some cases, PaintCare helps with this determination based on individual calls with manufacturers. In the case of Drywall Primer-Surfacers, based on these calls, it has come to our attention that some manufacturers were assessing the fee believing they were program products and some were not assessing the fee believing that they were non-program products. It appears that confusion arose when trying to distinguish drywall primer from drywall compound.

In order to ensure that all manufacturers are on a level playing field and the PaintCare fee is indeed placed on all products subject to the assessment, PaintCare herein clarifies that Drywall Primer-Surfacer is considered a PaintCare product and the PaintCare fee must be assessed and remitted by all manufacturers of Drywall Primer-Surfacers. The reason for including this category under the architectural coatings that are subject to the program is as follows:

- The Drywall Primer-Surfacer products are primers. Primers are considered architectural coatings.
- MSDS sheets, either in their title and or elsewhere in the product description, for these products indicate that they are paint or primers.
- MSDS sheets indicate that they contain some type of binder or resin.
- Marketing information published by manufacturers for their own products indicate that they are vapor barriers or coatings.
- Information published by manufacturers for their own products indicate that they are vinyl, acrylic, and/or latex-based.
- Competitors have reported that they make and sell equivalent products that are not excluded by PaintCare.
- Consumers with leftover/unwanted Drywall Primer-Surfacers may bring them to a PaintCare collection site for proper recycling/disposal.

Action

Starting August 1, 2012, manufacturers of “Drywall Primer-Surfacers” need to ensure that these products are registered with PaintCare and add the PaintCare fee to the wholesale price of these products to all distributors and retailers. Manufacturers are not required to pay the fee on past sales because the fees were not charged to distributors, retailers, or consumers.

More Information

For more information about the PaintCare program and the responsibilities of manufacturers, please visit www.paintcare.org or contact:

Taujuana Davis
Registration Coordinator for Manufacturers
tdavis@paint.org
(202) 232-2733

PaintCare
901 New York Ave NW Suite 300 West
Washington, DC 20001
www.paintcare.org

Pool, Floor, and Roof Coatings Labeled “For Professional Use Only”

Updated — June 2013



Purpose

The purpose of this notice is to clarify that the following three categories of products are excluded from the PaintCare program when they are labeled for professional use: (1) Swimming Pool Paints, (2) Wood Floor Sealers, and (3) Elastomeric and Other Non-Asphalt Roof Coatings. Manufacturers of these products are not required to register with PaintCare, and they are not required to collect and remit the Assessment (PaintCare fee) in states with active paint stewardship programs operated by PaintCare.

Background

In order to assist companies with determining what products are architectural coatings subject to the PaintCare fee for states with the PaintCare program, and what products are not, PaintCare developed a definition of architectural paint detailing what factors should be taken into consideration when making these determinations. In addition, the definition lists examples of PaintCare products and examples of non-PaintCare products (products that should not be assessed the fee). PaintCare relies on individual manufacturers to determine which, if any, of their products are part of the program. In some cases, PaintCare helps with this determination based on individual calls with manufacturers. In the case of products used primarily by professional floor finishers, swimming pool contractors and roofers - based on inquiries from industry representatives and manufacturers of these products - it has come to our attention that manufacturers of these products desire clarification on whether or not they are considered architectural coatings for the purposes of active and future state PaintCare programs.

In order to ensure that all manufacturers are on a level playing field and the PaintCare fee is placed on all products subject to the assessment, PaintCare herein clarifies that swimming pool paints, wood floor sealers and finishes, and roof coatings, if labeled for professional use, are not considered PaintCare products and the PaintCare fee is not required to be assessed and remitted by manufacturers of these products. Excluding these products from the definition of architectural coatings is based on the following:

Originally PaintCare's definition excluded products that are both (1) Industrial Maintenance Coatings and (2) labeled "for professional use only." [Other acceptable phrases are (a) for industrial use only, (b) not for residential use, and (c) not intended for residential use.]

Some manufacturers label these products for professional use. Others do not label them for professional use. There is no prohibition on a manufacturer from labeling a product for professional use. Therefore, if a manufacturer chooses to change the product label on a product that they consider IM in order to also comply with the second criteria above (in the first bullet), they may do so in order have these products excluded from the PaintCare program. The manufacturer may change their regular container label or use an additional sticker.

Roof coatings containing asphalt (as well as tar or bitumen) are excluded from the PaintCare program regardless of their labeling. This notice clarifies that other non-asphalt roof coatings are excluded only when they are labeled for professional use.

An important purpose of the paint stewardship programs is to collect and recycle unused paint, stains, and coatings that are normally managed through government-sponsored household hazardous waste (HHW) programs. Wood floor sealers and finishes, pool paints, and roof coatings, labeled for professional use are not known to be a problem at HHW programs.

Conclusion

Wood floor sealers and finishes, pool paints, and roof coatings that are labeled for professional use using one of the phrases indicated above are categorically exempt from PaintCare. PaintCare reserves the right to change this policy. If PaintCare finds that manufacturers change their labels for the sole purpose of evading the assessment and/or on house paint or other products that are clearly not for professional use, the professional use labeling will not exclude such products.

More Information

For more information about the PaintCare program and the responsibilities of manufacturers, please visit www.paintcare.org or contact:

Taujuana Davis
Registration Coordinator for Manufacturers
tdavis@paint.org
(202) 232-2733

PaintCare
901 New York Ave NW Suite 300 West
Washington, DC 20001
www.paintcare.org

Furniture Polishes, Waxes, and Oils

Updated — September 2020



Purpose

The purpose of this notice is to clarify that furniture polishes, waxes, and oils, such as linseed, tung, and lemon oil, that are marketed for use solely on furniture (or other items that are not stationary structures or their appurtenances) are excluded from the PaintCare program. Manufacturers of these products are not required to register them with PaintCare and are not required to collect and remit the assessment (PaintCare fee) in states with paint stewardship programs operated by PaintCare.

Background

Furniture polishes, waxes, and oils are used to clean, condition, and protect wood. These products are not considered architectural coatings if the manufacturer's product information, marketing, or container label indicate that they are intended to be used on furniture only.

The definition of architectural coatings excludes coatings recommended solely for application to items that are not stationary structures or their appurtenances (e.g., railings, cabinets, etc.); therefore, if a polish, wax, or oil is for use only on furniture according to the manufacturer's product information, marketing, or container label, it is excluded from the PaintCare program.

The manufacturer's claims or statements of potential use for a product determine whether the product is architectural and consequently, is a PaintCare program product. When the manufacturer's product information, marketing, or container label indicate that a product is designed for use on architectural surfaces (including but not limited to doors, window trim, wood paneling, and other wood trim), the product is an architectural coating. In such cases, products are part of the PaintCare program. Such products should be registered, and the PaintCare fee should be applied to them.

It is common for a manufacturer's product information, marketing, or container label to make claims or statements of multiple potential uses. When a product is designed for use on both furniture and architectural surfaces, it is an architectural coating.

USE	COVERED BY PAINTCARE
Furniture Only	No
Architectural Only	Yes
Both Furniture and Architectural	Yes

Conclusion

Polishes, waxes, and oils, such as linseed, tung, and lemon oil, that are for use on only furniture, based on the manufacturer's product information, marketing, or container label, are excluded from the PaintCare program and, therefore, fees should not be applied.

More Information

For more information about the PaintCare program and the responsibilities of manufacturers and retailers, please visit www.paintcare.org or contact:

Taujuana Davis
Registration Coordinator for Manufacturers
tdavis@paint.org
(202) 232-2733

PaintCare
901 New York Ave NW Suite 300 West
Washington, DC 20001
www.paintcare.org

Appendix C

PaintCare Board of Directors

PaintCare Board of Directors

November 2025

<u>Director</u>	<u>Company</u>
John Vanderpool	True Value
Meika Vogel	Diamond Vogel Paint
Monte Lewis	Dunn-Edwards
Steve Revnew	Sherwin-Williams
Mark Wilgen	RPM/Rust-Oleum
Zhilian Zhou	The Pittsburgh Paints Company
Brian LaGuardia	ICP Group
Kimberly Ezdebski	Benjamin Moore
Jason Lawrence	Rodda-Miller Paint
Pat Gieske	Seymour
Greg Williams	Behr

Appendix D

Drop-Off Sites

OREGON PAINTCARE SITES AS OF 4/22/2026



Below is a list of 192 PaintCare drop-off sites in your county in Oregon.

Paint is accepted during regular business hours. Call ahead for hours and to make sure the store can accept the amount and type of paint you would like to recycle. These sites accept latex and oil-based house paint, stains and varnish in containers up to 5 gallons in size. The sites do not accept aerosols (spray paint or other spray products), containers without original labels, or containers that are leaking or empty. If you have paint that is completely dried out (rock hard) you can put it in your regular trash or take it to a drop off site.

Sites highlighted in blue are household hazardous waste programs that also accept other "non-paintcare products" such as paint thinner and pesticides. These sites have eligibility restrictions and limited hours for residents and businesses. Please contact the sites for details.

Site Name	Address	City	Zip	Phone	Limit in Gallons
Habitat ReStore Albany	1225 SE 6th Ave	Albany	97321	(541) 924-1450	20
Sherwin-Williams	2945 SE Santiam Hwy	Albany	97322	(541) 926-0141	5
Habitat ReStore Bend Area	224 NE Thurston Ave	Bend	97701	(541) 312-6709	20
Habitat ReStore Benton	4840 SW Philomath Blvd	Corvallis	97330	(541) 752-6637	20
Cascade Home Center	40 S 5th St	Cottage Grove	97424	(541) 942-1301	15
City Lumber Do It Best	2142 Commercial St	Astoria	97103	(503) 325-4511	15
Waste Connections	1601 Railroad Ave	Saint Helens	97051	(503) 366-2613	10
Coos County Beaver Hill Disposal Site	55722 Hwy 101	Coos Bay	97420	(541) 396-7310	80
Crook County HHW and Landfill	110 SW Landfill Rd	Prineville	97754	(541) 447-2398	80
Knott Landfill HHW Facility	61050 SE 27th St	Bend	97702	(541) 317-3163	10
Drakes Paint and Supply	2929 N Pacific Hwy	Medford	97501	(541) 773-3335	5
Estacada Ace Hardware	310 SE Main St	Estacada	97023	(503) 630-3769	5
Forrest Paint Retail Store	990 McKinley St	Eugene	97402	(541) 868-1222	20
PPG Paints	310 NE Beacon St	Grants Pass	97526	(541) 479-2546	5
Gold Beach Lumber	28680 Hunter Creek Loop	Gold Beach	97444	(541) 247-6617	5
Sherwin-Williams	1072 Rogue River Hwy	Grants Pass	97527	(541) 474-5985	10
Heartwood Resources	3495 Old Hwy 99 S	Roseburg	97471	(541) 679-1777	80
Swell City Decor	1737 W Cascade Ave	Hood River	97031	(541) 386-1222	200
Jerrys Home Improvement Center	2600 Hwy 99 N	Eugene	97402	(541) 689-1911	15
Jerrys Home Improvement Center	2525 Olympic St	Springfield	97477	(541) 736-7000	15

Site Name	Address	City	Zip	Phone	Limit in Gallons
John Day Ace Hardware	161 E Main St	John Day	97845	(541) 575-0632	5
Dicks Color Center	909 SE Salmon St	Portland	97214	(503) 236-6919	5
Kinney Bros and Keele True Value Hardware	460 SW 4th Ave	Ontario	97914	(541) 889-7629	80
Sherwin-Williams	4525 S 6th St	Klamath Falls	97603	(541) 884-7704	5
La Grande Ace Hardware	2212 Island Ave	La Grande	97850	(541) 605-0152	100
Lane County HHW	3100 E 17th Ave	Eugene	97403	(541) 682-4120	20
La Pine Ace Hardware and Building Supply	51615 Huntington Rd	La Pine	97739	(541) 536-2161	5
Habitat ReStore Lebanon	566 S Main St	Lebanon	97355	(541) 451-1234	5
Lincoln County Dahl Sanitary Service	5441 W Hwy 20	Toledo	97391	(541) 336-2151	5
Lincoln County Dahl Sanitary Service	235 SW Dahl Ave	Waldport	97394	(541) 563-3888	20
Lincoln County North Lincoln Sanitary Service	1726 SE Hwy 101	Lincoln City	97367	(541) 994-5555	5
Thompsons Sanitary Service	7450 NE Avery St	Newport	97365	(541) 265-7249	20
Sisters Ace Hardware	373 E Hood Ave	Sisters	97759	(541) 549-8011	5
North Marion Recycling and Transfer Station	17827 Whitney Ln NE	Woodburn	97071	(503) 588-5169	5
Habitat ReStore McMinnville	1040 SE 1st St	McMinnville	97128	(503) 434-6810	25
Sherwin-Williams	570 OR 99W	McMinnville	97128	(503) 472-6770	20
Sherwin-Williams	2560 Crater Lake Hwy	Medford	97504	(541) 770-5850	10
Metro Central HHW Facility	6161 NW 61st Ave	Portland	97201	(503) 234-3000	35
Metro South HHW Facility	2001 Washington St	Oregon City	97045	(503) 234-3000	35
Miller Paint	2205 Ashland St	Ashland	97520	(541) 482-4002	5
Miller Paint	10210 SE Hwy 212	Clackamas	97015	(503) 607-0156	10
Miller Paint	544 N State St	Lake Oswego	97034	(971) 204-0007	5
Miller Paint	803 S Central Ave	Medford	97501	(541) 773-8295	20
Millers Home Center	3815 Pocahontas Rd	Baker City	97814	(541) 523-6404	20
Molalla Ace Hardware	107 Robbins St	Molalla	97038	(503) 829-2022	20

Site Name	Address	City	Zip	Phone	Limit in Gallons
North Morrow County Transfer Station	69900 Frontage Ln	Boardman	97818	(541) 989-9500	200
South Morrow County Transfer Station	57185 Hwy 74	Lexington	97839	(541) 989-9500	100
Sherwin-Williams	121 NE Harney St	Newport	97365	(541) 574-0774	5
Habitat ReStore Woodburn (North Willamette)	245 Young St	Woodburn	97071	(503) 902-0645	20
Parkrose Hardware	10625 NE Sandy Blvd	Portland	97220	(503) 256-3103	5
Parr Lumber	1 S Broadway Ave	Burns	97720	(541) 573-5211	80
Parr Lumber	601 N Main St	Prineville	97754	(541) 447-7217	5
Parr Lumber	1231 Disk Dr	Medford	97501	(541) 734-7277	20
Sherwin-Williams	115 SE Emigrant Ave	Pendleton	97801	(541) 276-3463	5
Habitat ReStore Portland	10445 SE Cherry Blossom Dr	Portland	97216	(503) 283-6247	50
Powell Paint Center	5205 SE Powell Blvd	Portland	97206	(503) 775-3642	5
Sherwin-Williams	2835 SW 17th Pl	Redmond	97756	(541) 923-2224	5
Rodda Paint	321 SE Taylor St	Portland	97214	(503) 233-6016	5
Rodda Paint	63007 Layton Ave	Bend	97701	(541) 330-0370	5
Habitat ReStore Rogue Valley	2233 S Pacific Hwy	Medford	97501	(541) 773-9095	10
Sherwin-Williams	2246 NW Roosevelt St	Portland	97210	(503) 222-5665	5
Sherwin-Williams	287 NW Garden Valley Blvd	Roseburg	97470	(541) 673-2696	5
Sherwin-Williams	1805 Lancaster Dr NE	Salem	97305	(503) 399-0911	5
Sherwin-Williams	4596 Commercial St SE	Salem	97302	(503) 362-3729	5
Sherwin-Williams	20515 Cooley Rd	Bend	97701	(541) 312-8546	5
Sherwin-Williams	2495 NW 9th St	Corvallis	97330	(541) 757-1619	5
Sherwin-Williams	4669 River Rd N	Keizer	97303	(503) 304-8898	5
Sherwin-Williams	1054 Green Acres Rd	Eugene	97408	(541) 485-7080	5
Sherwin-Williams	3527 Hwy 101 N	Gearhart	97138	(503) 738-6751	5
Suburban Ace Hardware	3470 SW 185th Ave	Aloha	97006	(503) 649-5555	5
Sherwin-Williams	19390 SW 90th Ct	Tualatin	97062	(503) 691-0500	5
Thatchers Ace Hardware	2200 Resort St	Baker City	97814	(541) 523-3371	5

Site Name	Address	City	Zip	Phone	Limit in Gallons
Tillamook County HHW	1315 Ekloff Rd	Tillamook	97141	(503) 815-3975	20
Tommys Paint Pot	1000 Conger St	Eugene	97402	(541) 683-5851	15
Tri County HHW Hood River	3440 Guignard Dr	Hood River	97031	(541) 506-2632	200
Tri County HHW The Dalles	1317 W 1st St	The Dalles	97058	(541) 506-2632	200
Vernonia Hardware and Supply	1026 Bridge St	Vernonia	97064	(503) 429-5651	20
Habitat ReStore Washington County	13475 SW Millikan Way	Beaverton	97005	(503) 906-3823	25
Sherwin-Williams	125 NE Franklin Ave	Bend	97701	(541) 389-2536	5
Cascade Home Center	104 S Mill St	Creswell	97426	(541) 895-4166	20
Habitat ReStore Mid Willamette Valley	1249 13th St SE	Salem	97302	(503) 485-4845	20
Welches Mountain Building Supply	67250 E Hwy 26	Welches	97067	(503) 622-3000	200
Rodda Paint	8614 SW Hall Blvd	Beaverton	97008	(503) 644-6188	20
Smittys Ace Hardware	1845 N 1st St	Hermiston	97838	(541) 567-6816	10
Ashland General Hardware	249 A St	Ashland	97520	(541) 482-3476	5
Canby Ace Hardware	1061 SW 1st Ave	Canby	97013	(503) 263-2500	10
Diamond Home Improvement	1881 NE 7th St	Grants Pass	97526	(541) 471-4300	5
Kel Cee Ace Hardware	1350 Hwy 101 S	Reedsport	97467	(541) 271-2741	5
Ace Hardware	155 S Columbia River Hwy	Saint Helens	97051	(503) 366-1363	10
Wallowa County Ace Hardware	101 W North St	Enterprise	97828	(541) 426-3622	5
Hood River Supply	1945 12th St	Hood River	97031	(541) 386-2757	5
Hood River Supply	3831 Eagle Loop	Odell	97031	(541) 354-3000	5
Diamond Home Improvement	2380 S 6th St	Klamath Falls	97601	(541) 885-3535	5
A-Boy Supply	7365 SW Barbur Blvd	Portland	97219	(503) 245-0714	5
St Johns Ace Hardware	7825 N Lombard St	Portland	97203	(503) 206-8633	10
Parr Lumber	415 1st Ave E	Albany	97321	(541) 926-1525	20
Sherwin-Williams	12480 SW Center St	Beaverton	97005	(503) 643-4139	5

Site Name	Address	City	Zip	Phone	Limit in Gallons
Miller Paint	2121 NE Division St	Bend	97701	(541) 382-4171	5
Miller Paint	1405 NW 9th St	Corvallis	97330	(541) 758-4458	15
Rodda Paint	2477 W 11th Ave	Eugene	97402	(541) 344-2520	5
Sherwin-Williams	3390 W 11th Ave	Eugene	97402	(541) 345-5130	5
Miller Paint	1620 D Allen Creek Rd	Grants Pass	97527	(541) 244-1723	20
Gold Beach Lumber	16016 Hwy 101 S	Brookings	97415	(541) 469-6617	5
Parr Lumber	21700 NW Wagon Dr	Hillsboro	97124	(503) 531-7277	5
Sherwin-Williams	348 SE 10th Ave	Hillsboro	97123	(503) 640-2772	20
La Grande Paint & Glass	601 Adams Ave	La Grande	97850	(541) 963-8671	20
Madras Paint & Glass	1076 SW Hwy 97	Madras	97741	(541) 475-2166	20
Sherwin-Williams	1617 S Beaver creek Rd	Oregon City	97045	(503) 650-3346	5
Pacific City True Value Hardware	34995 River Ave	Pacific City	97135	(503) 965-6295	5
Rodda Paint	10309 SE 82nd Ave	Happy Valley	97086	(503) 788-0797	5
Sherwin-Williams	11475 SE 82nd Ave	Clackamas	97086	(503) 659-6712	5
Sherwin-Williams	13555 NW Cornell Rd	Portland	97229	(503) 646-7064	5
Sherwin-Williams	9745 SE Division St	Portland	97266	(503) 760-8233	5
Sherwin-Williams	30 NE Broadway St	Portland	97232	(503) 288-6477	5
Sherwin-Williams	18090 SE McLoughlin Blvd	Milwaukie	97267	(503) 659-2091	5
Sherwin-Williams	18179 NE Halsey St	Portland	97230	(503) 666-1258	20
Miller Paint	641 NW Fir Ave	Redmond	97756	(541) 548-7707	5
Sherwin-Williams	1520 18th St	Springfield	97477	(541) 747-8592	5
Sherwin-Williams	521 Mount Hood St	The Dalles	97058	(541) 296-4196	5
Rodda Paint	1211 Court St	Medford	97501	(541) 772-9711	5
Rodda Paint	701 SW Armco Ave	Hillsboro	97123	(503) 648-6857	10
Rodda Paint	3589 Fairview Industrial Dr SE	Salem	97302	(503) 585-7900	5
Rodda Paint	8365 SW Tonka Rd	Tualatin	97062	(503) 692-6699	10
Dicks Color Center	980 Lancaster Dr NE	Salem	97301	(503) 371-7027	15
Parr Lumber	200 N Elliott Rd	Newberg	97132	(503) 554-7277	5
PPG Paints	1830 W 7th Ave	Eugene	97402	(541) 342-1148	20

Site Name	Address	City	Zip	Phone	Limit in Gallons
PPG Paints	2720 Crater Lake Hwy	Medford	97504	(541) 772-7107	20
Sherwin-Williams	1289 SE 1st Ave	Ontario	97914	(541) 889-1153	5
Sherwin-Williams	1361 Center Dr	Medford	97501	(541) 779-0223	5
Sherwin-Williams	1440 N Lombard St	Portland	97217	(503) 289-1058	10
Sherwin-Williams	15659 Boones Ferry Rd	Lake Oswego	97035	(503) 908-0959	5
Sherwin-Williams	2220 Ashland St	Ashland	97520	(541) 488-6238	5
Sherwin-Williams	2508 Portland Rd	Newberg	97132	(503) 537-2078	5
Sherwin-Williams	2866 Willamette St	Eugene	97405	(541) 686-6768	5
Sherwin-Williams	58741 Columbia River Hwy	Saint Helens	97051	(503) 366-2712	10
Habitat ReStore Canby North Willamette Valley	411 S Redwood St	Canby	97013	(503) 263-6691	25
Sherwin-Williams	5128 SE Woodstock Blvd	Portland	97206	(503) 771-3031	5
Habitat ReStore Florence	2016 Hwy 101	Florence	97439	(541) 997-5834	10
Habitat ReStore Forest Grove	3731 Pacific Ave	Forest Grove	97116	(503) 357-1201	10
MSK Building Supply	102 S Old Pacific Hwy	Myrtle Creek	97457	(541) 863-3127	20
Ranch & Home	85342 Hwy 11	Milton-Freewater	97862	(541) 938-4200	15
Gold Beach Lumber	1935 Oregon St	Port Orford	97465	(541) 366-2222	5
PPG Paints	955 SE Wilson Ave	Bend	97702	(541) 382-4020	20
Parr Lumber	4050 Salem Industrial Dr NE	Salem	97301	(503) 390-9193	5
Habitat ReStore Springfield Eugene	1210 Oak Patch Rd	Eugene	97402	(541) 344-4809	20
Sherwin-Williams	20673 SW Roy Rogers Rd	Sherwood	97140	(503) 625-7850	5
Curry Community Cares	616 Memory Ln	Brookings	97415	(541) 412-7166	20
Habitat ReStore La Pine Sunriver	52684 Hwy 97	La Pine	97739	(541) 536-3234	20
Habitat ReStore Coos Bay	776 S 2nd St	Coos Bay	97420	(541) 756-1600	20
Habitat ReStore Sisters	254 W Adams Ave	Sisters	97759	(541) 549-1621	5
Knott Landfill Recycling and Transfer Facility	61050 SE 27th St	Bend	97701	(541) 317-3163	10
Lane County TS/Recycle Center	3100 E 17th Ave	Eugene	97403	(541) 682-3111	20

Site Name	Address	City	Zip	Phone	Limit in Gallons
Habitat ReStore Columbia Gorge	1001 W 6th St	The Dalles	97058	(541) 296-4486	20
Elgin Solid Waste Transfer Station	75718 Hemlock St	Elgin	97827	(541) 437-2253	20
Habitat ReStore Gresham	610 NE 181st Ave	Gresham	97230	(503) 575-7336	25
Fossil Transfer Station	17487 Black Butte Rd	Fossil	97830	(541) 350-7921	25
Mitchell Transfer Station	Mile Post 24.5 Hwy 207	Mitchell	97750	(541) 350-7921	25
Spray Transfer Station	Kahler Basin Rd	Spray	97874	(541) 350-7921	25
Parr Lumber	1291 South A St	Springfield	97477	(541) 345-7277	20
Thomas Creek Road Landfill	23980 Thomas Creek Rd	Lakeview	97630	(541) 417-1255	25
Clark Lumber Hardware	11234 SW Tonquin Rd	Sherwood	97140	(503) 692-0200	15
Broadway Ace Hardware	228 NE Broadway St	Portland	97232	(971) 266-8479	10
Hillsboro Ace Hardware	881 NE 25th Ave	Hillsboro	97124	(503) 596-2453	5
Hyland Hills Hardware	14284 SW Allen Blvd	Beaverton	97005	(503) 268-1616	5
Marion County HHW Facility	3250 Deer Park Dr SE	Salem	97317	(503) 588-5036	10
Sherwin Williams	277 NE 223rd Ave	Gresham	97030	(503) 912-3107	5
Manzanita Transfer Station	34995 Necarney City Rd	Manzanita	97130	(503) 368-7764	20
Sherwin-Williams	61137 S Hwy 97	Bend	97702	(541) 330-1714	5
Rodda Paint	2229 Lancaster Dr NE	Salem	97305	(503) 779-7848	5
Millers Home Center	3109 May Ln	La Grande	97850	(541) 963-2613	5
Sherwin-Williams	1390 N 1st St	Hermiston	97838	(541) 567-2360	5
Cascade Home Center	711 Chetco Ave	Brookings	97415	(541) 469-3139	15
Parkrose Hardware	1855 Blankenship Rd	West Linn	97068	(503) 305-9865	10
Sherwin-Williams	3306 Gateway St	Springfield	97477	(541) 746-9903	5
Habitat ReStore Newport	134 E Olive St	Newport	97365	(541) 264-8585	5
Sherwin-Williams	2460 NE Griffin Oaks St	Hillsboro	97124	(503) 615-0497	15
Clatsop County HHW Center	1780 Williamsport Rd	Astoria	97103	(503) 325-9302	200
Sherwin-Williams	14652 SE 82nd Dr	Clackamas	97015	(503) 656-1137	5
Sherwin-Williams	2332 Powell Blvd	Gresham	97080	(503) 666-3891	20

Site Name	Address	City	Zip	Phone	Limit in Gallons
Cascade Home Center	1650 SE Uglow Ave	Dallas	97338	(503) 623-2327	10
Forrest Technical Coatings	3335 NW Saint Helens Rd	Portland	97210	(503) 228-0207	10
Gorge Rebuilt-it Center	995 Tucker Rd	Hood River	97031	(541) 645-5191	10
Habitat ReStore Lincoln City	1221 NW Hwy 101	Lincoln City	97367	(541) 264-8585	5
Sherwin-Williams	4507 Liberty Rd S	Salem	97302	(971) 718-5632	5
Sherwin-Williams	1120 NW 21st Ave	Portland	97209	(503) 222-1200	20
Sherwin-Williams	2620 NE Hwy 20	Bend	97701	(541) 678-6774	5
Negus Transfer Station	2400 NE Maple Ave	Redmond	97756	(541) 548-7232	10
Corvallis Ace Hardware	2445 NW Kings Blvd	Corvallis	97330	(541) 230-7444	5
Milwaukie Ace Hardware	10890 SE Oak St	Milwaukie	97222	(503) 488-5888	10
Habitat Restore Tigard	16160 SW Upper Boones Ferry Rd	Tigard	97224	(971) 279-6003	15
ACTEnviro Transfer Station	11305 SE Jennifer St	Clackamas	97015	(971) 279-6780	1000
Habitat ReStore Redmond	2744 NW 7th St	Redmond	97756	(541) 548-1406	5

Appendix E

PaintCare Site Guidelines



Drop Off Site Guidelines

This document contains detailed information on PaintCare's program guidelines and operations procedures. In combination with the state-specific guidelines, it is designed to be used by new staff for self-training and for site refresher training without PaintCare staff.

Note: The supplemental training slides included in the training binder summarize only the most important information from these Drop-Off Site Guidelines. The slides are used during training by PaintCare staff and can also be used to supplement refresher training.

Adherence to these guidelines is critical for drop-off sites participating in the program. Exceptions to these guidelines can be made only with PaintCare's express written permission. If your site is unable to comply with any of these guidelines, please contact your PaintCare representative so that we may try to find a solution that works for your site but still achieves compliance with applicable legal and operational requirements for the program.

Contents

Section 1. Training and Safety	2
Section 2. General Guidelines	3
Section 3. Collection Bins and Storage Area	4
Section 4. Identifying and Accepting PaintCare Products	6
Section 5. Participant Paint Volume	11
Section 6. Working with Transporters	12
Section 7. Spill Response	13
Section 8. Inspections and Records	14
Section 9. Direct Reuse	15

Section 1. Training and Safety

Training

For the safety of the program and your staff, all employees handling PaintCare products must receive training in product identification, acceptance, handling, packaging, inspection, and emergency response procedures before collecting PaintCare products or engaging in any PaintCare program activities.

Training helps ensure that employees:

- Conduct PaintCare products collection activities in a safe manner that protects workers and the environment
- Are equipped for and understand hazards associated with PaintCare products

Training plans and records should be maintained for each employee. Record staff training using the log included in the training binder.

Safety

Store personal protective equipment (PPE) and spill response equipment in an accessible location adjacent to the collection bins. Ensure those materials are protected from impacts of weather.

The drop-off site must be equipped with appropriate emergency response equipment including a fire extinguisher, spill kit, and PPE. Monthly inspections of equipment are recommended.

PaintCare products collection activities need to follow general safety practices including proper lifting techniques.

Post emergency procedures and emergency contact numbers including police, fire department, and emergency services by a phone and in close proximity to the collection bins, if possible.

If applicable, develop and maintain an emergency action plan as required by OSHA.

If required by federal, state, or local law, familiarize police, fire departments, and emergency response teams with the layout of your facility, properties of PaintCare products handled at your facility, and evacuation routes.

Section 2. General Guidelines

PaintCare Provides Your Site:

- Training binder with recordkeeping logs/forms
- Signage identifying your site as a PaintCare drop-off site
- Printed educational materials for the public

PaintCare's Transporter Provides Your Site:

- Paint collection bins and liners for cardboard/single-use collection bins
- Labels and/or markings for paint collection bins
- Spill kits (excluding HHW programs)

General Guidelines for Drop-Off Sites

Each PaintCare drop-off site has unique logistical and operational considerations. Each drop-off site must make its own decisions and use its best judgment to operate in the safest manner possible in accordance with applicable law. To ensure the highest standards of safety for you and your staff, drop-off sites must:

- Have appropriate signage that informs the public of the hours of operation
- Accept PaintCare products from participants during your regular advertised or posted operating hours
- Display PaintCare signage to identify you as a drop-off site; signage should be posted in a highly visible area, at the entrance of your site
- Assist and supervise participants when they visit to drop off PaintCare products. Site staff should greet participants and must verify eligibility of the participant and their leftover paint products as PaintCare products
- **IMPORTANT:** Never allow a participant to open a PaintCare product container
- Have adequate space, staffing, and training to collect and store PaintCare products
- Provide a secure space for empty and full collection bins
- Place all PaintCare products immediately in collection bins approved for use by PaintCare and its transporters
- Pack only PaintCare products into collection bins
- Schedule shipments of PaintCare products from your drop-off site
- Maintain all records relating to the program
- Train staff to be familiar with the requirements and practices of this guide

Section 3. Collection Bins and Storage Area

Storage Area and Collection Bin Placement

Establish a dedicated storage area for collection bins and PaintCare products.

Place collection bins on an impermeable surface (i.e., paved asphalt, concrete, or other surface) at all times.

Place collection bins away from ignition sources, storm drains, and floor drains.

Ensure there is adequate ventilation if bins are stored indoors.

If stored outdoors, protect collection bins from the elements (e.g., precipitation, temperature extremes, rain, and snow). Keep collection bins under cover to prevent exposure to precipitation to protect against temperature extremes. If you store collection bins outdoors, you may need approval from your local fire or hazardous materials oversight agency.

Comply with any local fire codes or other regulations that might pertain to your storage of collection bins at your site.

Maintain enough space around collection bins to inspect for leakage and emergency access.

Use good housekeeping standards; keep paint storage areas clean and orderly.

Setting Up, Packing and Maintaining Collection Bins

Collection bins must be set up, used, and closed according to the manufacturer's instructions. PaintCare's transporters should set up the collection bins that they provide, unless otherwise requested by the drop-off site staff.

Ensure liners are inserted in cardboard collection bins. The liners provide secondary containment to contain liquids in the event a can leaks while in storage or transit. Reusable plastic bins that are leak-proof by design do not need liners.

Collection bins must be structurally sound. If you see any evidence of damage to bins (or liners) that may cause a leak or spill, notify PaintCare immediately.

Mark the collection bin with the date the first PaintCare product is placed in it.

Place PaintCare products in bins immediately upon receipt. Keep collection bins closed except when adding PaintCare products.

Pack 5-gallon buckets on the bottom layer of the collection bins for stability.

Pack all PaintCare products (cans, buckets) upright and as tight as possible in the collection bins to protect contents from shifting and leaking in transit.

Do not open containers to verify product.

Do not overfill collection bins; allow enough space for a lid to fit securely.

Do not take PaintCare product out of the bin.

Security

Never allow "self-serve," public access to the collection bins.

The collection bin storage area must be secured and locked when not attended.

Only drop-off site staff should have access to the collection bins and storage area until the collection bins are ready for pick-up by PaintCare's transporter.

Section 4. Identifying and Accepting PaintCare Products

What are PaintCare Products

PaintCare drop-off sites should accept only PaintCare products (architectural paint products) for management under the PaintCare program. Only those PaintCare products accepted from individuals residing in the state and businesses/organizations located in the state can be managed under the PaintCare program.

Listed below are the primary examples of architectural paint products accepted by the PaintCare program and paint or paint-related products not accepted by the PaintCare program.

Generally, PaintCare products include latex and oil-based house paint, stains, and clear coatings (varnish, shellac, etc.). The program excludes anything that is:

- In an aerosol spray can
- Intended and labeled “for industrial use only”
- Mostly used in the manufacture of equipment
- On the list of specifically excluded products for some other reason

PaintCare products are classified as either latex (water-based) or oil-based (alkyd) and the classification is important in order to decide how the product should be handled and processed. Knowing how to tell the difference between latex- and oil-based products is also important in determining which types of businesses/organizations can use the PaintCare program (if your site accepts paint from this audience).

PaintCare Products and Non-PaintCare Products

Acceptable products (PaintCare products)

- Interior and exterior paints: latex, acrylic, water-based, alkyd, oil-based, enamel (including textured coatings)
- Deck coatings and floor paints (including elastomeric)
- Primers, sealers, undercoaters
- Stains
- Shellacs, lacquers, varnishes, urethanes (single component)
- Waterproofing concrete/masonry/wood sealers and repellents (not tar or bitumen-based)
- Metal coatings, rust preventatives
- Field and lawn paints

Unacceptable products (Non-PaintCare products)

- Paint thinner, mineral spirits, solvents
- Aerosol coatings
- Auto and marine paints
- Art and craft paints
- Caulking compounds, epoxies, glues, adhesives
- Paint additives, colorants, tints, resins
- Wood preservatives (containing pesticides)
- Roof patch and repair
- Asphalt, tar, and bitumen-based products
- 2-component coatings
- Deck cleaners
- Traffic and road marking paints
- Industrial Maintenance (IM) coatings
- Original Equipment Manufacturer (OEM) (shop application) paints and finishes

For more information, please see www.paintcare.org/products

If non-PaintCare products end up in a drop-off site's bin, such products will not be returned to the drop-off site and will be managed by PaintCare's transporter. Transporters identify non-PaintCare products and report all instances to PaintCare. PaintCare staff will notify the site of any contamination in the bins. If the problem persists, additional training may be provided.

Acceptable Containers vs. Unacceptable Containers

Before accepting products from participants for management under the PaintCare program, drop-off site staff must (1) check the condition of the container for acceptance in the program, and (2) check the product label to verify that it contains a PaintCare product.

Acceptable

- The PaintCare product must be in its original container
- The container is labeled as containing one of the designated PaintCare products listed above
- The container must be in good condition and not leaking
- The container must be 5 gallons in size or smaller
- The container contains dry latex paint

Not Acceptable

- The container is not original (e.g., paint was transferred into a jar)
- The container does not have an original label
- The container is leaking or has no lid
- The container is larger than 5 gallons
- The container is empty

However, drop-off sites permitted to accept household hazardous waste may accept unlabeled and leaking containers by following the procedures described below.

Unlabeled and Leaking Containers

A drop-off site permitted to accept household hazardous waste may, at its discretion, choose to accept unlabeled and/or leaking containers if it follows the protocols below and otherwise complies with all applicable laws:

Unlabeled Containers

A drop-off site may accept containers that do not have an original label if a staff person appropriately trained in identifying unknown wastes (1) identifies the material in the container as a PaintCare product, and (2) applies a label identifying the contents to the container before placing it in a collection bin.

Leaking Containers

A drop-off site may accept a leaking container or a container with no lid if an appropriately trained drop-off site staff person (1) verifies that the container contains a PaintCare product, (2) places the contents of the leaking/open container into an appropriate substitute container (which can include bulking such PaintCare products into 55-gallon drums), and (3) applies an appropriate label to the substitute container.

Refusing an Unacceptable Product or Container

Do not accept non-PaintCare products from any participant unless they are received as part of normal site operations and are not placed in PaintCare collection bins.

When refusing a material at a drop-off site, drop-off site staff must explain why the material cannot be accepted (e.g., material is not a PaintCare product, cannot accept material from non-exempt generator, etc.). If a participant tries to drop off products that your location cannot manage, refer the participant to an appropriate alternative resource, such as their local household hazardous waste disposal program, garbage transporter, environmental health agency, or public works department. Local contact information is provided at the front of the training binder.

Paint Volume Acceptance Rules

The program accepts PaintCare products from households and businesses/organizations.

Households. Households may drop off any volume of PaintCare product, subject to the volume limit set by the site.

Businesses/Organizations. Non-households may also drop off any volume of latex PaintCare product, subject to the volume limit set by the site. Non-households may only drop off oil-based PaintCare products if they comply with federal and state hazardous waste generator rules that, among other criteria, require that the business/organization (1) generates no more than 100 kilograms (about 25 gallons or 220 pounds) of hazardous waste per calendar month, and (2) does not accumulate more than 1,000 kg (about 250 gallons or 2,200 pounds) of hazardous waste at any time. Painting contractors and commercial property owners typically meet these criteria. For more information about these criteria, please visit www.paintcare.org/vsqq

Each business or organization is responsible for determining its own generator status under applicable law.

When a business/organization has oil-based PaintCare products to drop off at your site, it must sign the Paint Drop-Off Log or form included in the training binder to verify that it qualifies to use the program for oil-based paint. The log/form includes an explanation of the requirements. If a business/organization has only latex paint, it does not need to sign the log/form.

Once a business/organization signs the Paint Drop-Off Log or form, you may accept oil-based paint from that business/organization. (HHW sites and other waste collection programs may need a permit and/or to meet additional legal requirements in order to collect oil-based paint from businesses.) To help ensure legal compliance, unless you're specifically permitted to accept more, you should not accept more than 25 gallons of oil-based paint per calendar month from a qualifying business. Paint Drop-Off Log or forms may be reviewed by PaintCare or government agencies and compared with a list of registered hazardous waste generators to verify that only qualified businesses/organizations are using the program for their oil-based paint.

Transporter/Recycler Drop-Off Sites

Maintaining Paint Drop-Off Logs for All Participants

Drop-off sites operated by a PaintCare-contracted transporter and/or recycler must keep and maintain separate drop-off logs to record both latex and oil-based paint volumes from both businesses/organizations and households. While PaintCare offers template logs, an alternative may be used if approved by PaintCare.

Section 5. Participant Paint Volume

How Much Paint to Accept from Participants

While the PaintCare program intends to collect as many PaintCare products as possible, we recognize that your drop-off site may have storage limitations. PaintCare drop-off sites, in agreement with PaintCare, may limit the amount of PaintCare products they accept per participant, however, drop-off sites must accept up to 5 gallons at a minimum per participant.

What if Bins are Full?

If your collection bins are completely full, inform the participant that you are temporarily unable to accept PaintCare products and redirect them to the nearest alternative PaintCare drop-off site. Refer them to the site locator at www.paintcare.org or the **PaintCare hotline at 855-724-6809**, or ask them to come back at a later date. Contact the PaintCare transporter immediately to have collection bins picked up and replaced.

If a participant has a significant amount of PaintCare products that your location cannot manage, ask the participant to contact PaintCare directly for additional assistance. PaintCare may direct the participant to another drop-off site or offer our Large Volume Pickup service.

Large Volume Pickup (LVP) Service

PaintCare offers a free pick-up service to painting contractors, property managers, households, and others with a large quantity of leftover PaintCare products. Typically, a minimum of 100 gallons (by container size) is required to qualify for the LVP service.

To refer a participant to the LVP service:

- Provide the participant a LVP fact sheet
- Ask the participant to request a pick-up using the online LVP form
- The LVP fact sheet and online form are available at www.paintcare.org (select the “Request a Pickup” button on the homepage)
- For additional questions, refer the participant to PaintCare for assistance

Section 6. Working with Transporters

PaintCare contracts with transporters for the delivery of supplies, delivery of empty collection bins, and pick-up of full collection bins.

Scheduling the Transporter to Pick Up Collection Bins

When you anticipate your collection bins will be full within your site's pick-up timeframe (generally 5 business days in urban areas, 10 business days in rural areas), call your transporter to schedule a pickup, or use their online order system if they have one. The name and contact information of your transporter is provided at the front of the training binder.

When establishing an appointment for pick-up, please indicate:

- Your site is a PaintCare drop-off site
- Name of drop-off site and address
- Your name
- Your phone number
- Number of full collection bins to be picked up
- Number of empty collection bins needed for replacement

Preparing Collection Bins for Pickup

On the scheduled pickup day, collection bins and the loading area must be readily accessible to the transporter for quick and efficient loading. Complete the following steps:

- Identify which bins are full and ready for pickup
- Make sure the path between your bins and the transporter's vehicle is clear and at least 4 feet wide to accommodate movement of bins
- Sign and keep copies of any shipping documents for your records

The transporter is responsible for labeling, loading/off-loading collection bins, and preparing shipping documents.

Section 7. Spill Response

Spills

The information in this section will assist with spills from damaged or leaking program containers. It is important that all drop-off site staff understand corrective actions to minimize exposure to people and the environment.

Reporting

Report spills as required by law, summarized in the state-specific guidelines. Contact PaintCare within 24 hours of making such a report.

Spill Response Procedures

Always follow all applicable spill response procedures set forth in your operating permit or as otherwise required by applicable law.

If a spill is small enough to be managed by drop-off site staff, follow these steps:

- Isolate the area and restrict access to the spill
- Ensure personal safety, put on protective gear (glasses and gloves) provided in the spill kit
- Stop the movement of paint by placing the leaking container upright or in a position where the least amount will spill, and place leaking container in plastic bags provided in spill kit, or into the spill kit container
- Contain the spill by placing absorbent pads or granular absorbent around and on the spill – if outdoors, place barriers around storm drains to prevent a release to the environment
- Collect the contaminated absorbent and place it in plastic bag(s) or spill kit container, along with the leaking container and contaminated PPE, seal the bag(s), label it and place in the collection bin
- Remove any clothing that may be contaminated, wash thoroughly to remove spilled material from your hands or body
- Document the date, location, and amount and type of material spilled
- Replace any used spill control supplies as soon as possible

Section 8. Inspections and Records

Inspections and Record Keeping

Drop-off site staff are responsible for regularly inspecting collection bins and spill kits to ensure that such materials are in proper working order and include any necessary labeling. Please report any damaged bins or other problems to PaintCare immediately so PaintCare may arrange for prompt replacement or repair.

Maintain the following records for a minimum of 3 years:

- Internal and external inspection records (if applicable)
- Paint Drop-Off Log or forms (copy provided in the training binder)
- Paint Waivers (copy provided in the training binder; only for sites that do reuse)
- Employee training logs (copy provided in the training binder)
- Shipping documents and/or other documentation required by applicable law for outgoing shipments of PaintCare products

Section 9. Direct Reuse

Direct reuse is an additional service permitted for certain site types, e.g., HHW programs, material reuse stores, and solid waste management facilities. PaintCare may compensate sites for this service. Please see the terms of your PaintCare agreement or contact PaintCare if you need assistance determining if direct reuse is an authorized additional service at your site.

Requirements for Direct Reuse

PaintCare encourages reuse of leftover paint through direct reuse. Reuse sites return good quality unused paint to the local community at low or no cost.

Products offered for reuse to the public must be in their original container, have an original label, and be in good physical and aesthetic condition. Contents must be liquid and relatively new. The container must be closed securely before placing it in the reuse storage area. Containers must never be opened by customers at the drop-off site. Reuse products must be displayed by drop-off site in an area separate from the PaintCare collection bins.

An individual customer may not take more than twenty-five (25) gallons of reuse product per day. If you have a customer that would like to take more paint, let your PaintCare contact know in advance.

Paint Waiver

Customers taking reuse paint from a drop-off site must sign the Paint Waiver included in the training binder (or an approved equivalent thereof). The waiver explains that the material is taken “as-is” with no guarantee of quality or contents and the customer accepts the risks and liability for the materials.

The customer must read the waiver, fill in the date and name fields, and sign their name. Site staff must verify what has been taken by the customer, record on the log the gallons of latex and gallons of oil-based products taken, and add their initials.

When a paint waiver is full or when a site wants to invoice PaintCare, the latex and oil-based columns should be totaled at the bottom of the form. PaintCare does not require the submission of the waiver to PaintCare, but they must be kept by the site for at least three years and made available for review by PaintCare staff upon request.

Drop-off sites may use their own version of the waiver, but it must be approved by PaintCare in advance.

Invoicing Procedures

Drop-off sites should invoice for reuse on a monthly basis by filling out and submitting the Invoice for Direct Reuse at paintcare.org/invoices. This is an online form and is submitted directly on PaintCare’s website. If you’re unable to submit an online form, contact your PaintCare contact.

Training Log for Drop-Off Site Staff



Training for drop-off site personnel is based on the PaintCare drop-off site guidelines and other materials provided to drop-off sites as part of their training requirement. Training includes information on the following:

- Training and safety
- General guidelines
- Collection bins and storage area
- Identifying and accepting PaintCare products
- Participant paint volume
- Working with transporters
- Spill response
- Inspections and records

DATE

TRAINEE NAME AND SIGNATURE

TRAINER INITIALS

DATE	TRAINEE NAME AND SIGNATURE	TRAINER INITIALS

Training Log for Reuse Drop-Off Site Staff



Training for drop-off site personnel is based on the PaintCare drop-off site guidelines and other materials provided to drop-off sites as part of their training requirement. Training includes information on the following:

- Training and safety
- General guidelines
- Collection bins and storage area
- Identifying and accepting PaintCare products
- Participant paint volume
- Working with transporters
- Spill response
- Inspections and records
- Reuse

DATE

TRAINEE NAME AND SIGNATURE

TRAINER INITIALS

DATE	TRAINEE NAME AND SIGNATURE	TRAINER INITIALS

PAINTCARE PROGRAM: PAINT WAIVER

By signing below, I waive, release and hold harmless the Drop-Off Site, PaintCare Inc., PaintCare Inc.'s sole member and related companies, and all of their agents, employees, member companies, officers, directors, successors, and assigns from any liability, claim, injury, losses, damages, or cause of action of any kind whatsoever, whether based on contract, tort, statute, common law, or strict liability, which are claimed in any way to result from, arise out of, or are connected with the handling, receipt, use, storage, treatment, disposal (including spilling and leaking) or release of materials obtained through the PaintCare Program. For all materials that I obtain from the PaintCare Program, I accept with full understanding and appreciation of the actual or potential dangers stemming from the proper or improper use. I accept all risk related to my handling receipt, use, storage, treatment, disposal (including spilling and leaking) or release of such materials. I acknowledge PaintCare may contact me to verify information provided on the form and/or to solicit feedback on my experience using the PaintCare program.

All materials that I obtain from the PaintCare Program, I accept as-is, with no warranties. I recognize that neither PaintCare nor the Drop-Off Site warrant that any materials obtained from the Drop-Off Site are merchantable or fit for any particular use. PaintCare and this Drop-Off Site are not responsible for any liability or damages stemming from the use of any material obtained from this Drop-Off Site.

DATE	PRINT NAME	SIGNATURE	LATEX* (GALLONS)	OIL-BASED* (GALLONS)	STAFF INITIALS
TOTALS					

*Estimate the actual gallons of liquid, not container volume (e.g., 4 one-gallon cans that are half full equals 2 gallons).

Appendix F

Examples of Education and Outreach Materials



800 MILLION GALLONS

of architectural paint are estimated to be sold in the U.S. each year.

DID YOU KNOW
ABOUT 10%
GOES UNUSED
& CAN BE **REUSED OR RECYCLED?**

WHAT PRODUCTS ARE COVERED?

PaintCare sites accept house paint as well as primers, stains, sealers, and clear coatings, such as shellac and varnish.

All products must be in their original, labeled containers (no larger than five gallons) and must be covered with a secure lid. Certain products are not accepted.

Please call drop-off sites ahead of time to confirm business hours and whether they can accept the type and amount of paint you intend to recycle.

Review the list of accepted products:
paintcare.org/products



Scan for more information about the PaintCare program.
paintcare.org



XX-BREN-1125

Recycle Leftover Paint



A PROGRAM TO MANAGE LEFTOVER PAINT

PaintCare makes it easy and free to recycle! Created by paint companies, the nonprofit program provides conveniently located drop-off sites—such as paint and hardware stores—in states that pass paint stewardship laws.

The program provides tips for avoiding waste in the first place, storing paint carefully, and using it up.

WHAT SHOULD I DO WITH LEFTOVER PAINT?

Find your nearest year-round drop-off site by using our online locator at paintcare.org, or call us at (855) PAINT09. There is no cost for dropping off paint and our sites accept up to 5 gallons per visit (some take more). Store paint carefully to ensure it stays fresh and can be reused or recycled into new paint! There's no longer any reason to dry out paint and throw it away.

Get tips: paintcare.org/paint-smarter

DO YOU HAVE A PICKUP SERVICE FOR LARGE VOLUMES OF PAINT?

If you have at least 100 gallons of paint to recycle at your business or home, we offer a free large volume pickup service at your location.

Request a pickup: paintcare.org/pickup

WHAT HAPPENS TO THE PAINT?

PaintCare manages leftover paint responsibly through reuse, recycling, or proper disposal. Most latex paint collected in the program is sent to recycling processors and made into new paint and most oil-based paint is used as fuel.

WHO CAN USE THE PROGRAM?

Households and businesses in states where PaintCare operates can use the program. Depending on where you live, limits may apply to businesses for oil-based paint.

Learn more: paintcare.org/business-limits



WHAT IS THE PAINTCARE FEE?

PaintCare is funded by a fee added to the price of each container of new paint sold in states that have paint stewardship laws. It is applied to the same products that are accepted at PaintCare drop-off sites, and there is no additional cost when dropping off paint.

FEE RANGES VARY BY CONTAINER SIZE AND BY STATE:

Small containers

e.g., pints & quarts | \$0.30–\$0.65

Mid-sized containers

e.g., 1–2 gallons | \$0.65–\$1.45

Larger sizes

e.g., up to 5 gallons | \$1.50–\$2.75

The PaintCare fee is not a tax; it does not go to the state. The PaintCare fee is not a deposit; you do not get it back when you drop off paint.

Find all fees: paintcare.org/fee

Recycle Leftover Paint with PaintCare



PAINTCARE PRODUCTS

PaintCare accepts house paint as well as primers, stains, sealers, and clear coatings, such as shellac and varnish.

All products must be in their original, labeled containers (no larger than five gallons) and must be covered with a secure lid. Certain products are not accepted.



Scan here for a full list of accepted products or visit paintcare.org/products

THE PAINTCARE FEE

PaintCare is funded by a fee added to the price of paint sold in states with paint stewardship laws.

It is applied to the same products that are accepted at PaintCare drop-off sites, and there is no additional cost when dropping off paint. The PaintCare fee is not a tax or a deposit.



Scan here to find the PaintCare fee in your state or visit paintcare.org/fee

CONVENIENT DROP-OFF SITES

PaintCare drop-off sites accept up to 5 gallons per visit, some take more.

Find your neighborhood drop-off site at paintcare.org/drop-off-sites

LARGE VOLUME PICKUP

PaintCare offers a free large volume pickup service to households and businesses with 100+ gallons of paint to recycle.

Request a pickup at paintcare.org/pickup



Recycle Paint Here!

HOUSE PAINT | PRIMERS | STAINS | SEALERS | CLEAR COATINGS

Paint is accepted during business hours only.
Staff will check all products before accepting.



Scan for a full list of accepted products
or visit paintcare.org/products

Drop Off Leftover Paint for Recycling

PaintCare® makes it easy
to recycle leftover paint at
convenient locations like your
local paint or hardware store.



Scan code or visit:
paintcare.org/drop-off-sites
to find your local drop-off site.

Visit paintcare.org/paint-smarter
to get tips on how to buy the right
amount of paint, use up what's
left, and recycle the rest.

In states with paint stewardship laws,
PaintCare operates recycling programs
on behalf of paint companies.

PaintCare Mini Card

Information for PAINTING CONTRACTORS



PaintCare is a nonprofit organization created by paint companies to help consumers manage leftover paint responsibly. We provide drop-off sites and pickups where households and businesses can clear out leftover paint free of charge for recycling, reuse, and other management.



Convenient Drop-Off Sites

Contractors and their clients can bring paint to PaintCare's drop-off sites year-round. Most sites accept up to 5 gallons per visit; some take more. Find the nearest drop-off sites at www.paintcare.org/drop-off-sites.

Fee and Funding

Paint stewardship laws require a fee to be added by manufacturers to the wholesale price of all paint covered products sold in the states where PaintCare operates. The fee funds PaintCare program operations including paint collection and recycling, consumer education, and program administration.

Fee ranges vary by container size and by state. To find the fee ranges applicable to the products you are purchasing, please visit www.paintcare.org/fee.

The PaintCare fee is only added to the products collected by the program. Visit www.paintcare.org/products for the complete list of accepted and unaccepted products.



Free Pickup Service for Large Volumes

Painting contractors with at least 100 gallons of leftover paint may qualify for a free pickup. Learn more and request an appointment at www.paintcare.org/pickup.



Small containers
(e.g., pints & quarts)
\$0.30–\$0.65



Mid-size containers
(1–2 gallons)
\$0.65–\$1.45



Larger sizes
(up to 5 gallons)
\$1.50–\$2.75

Recommendations for Contractors

When estimating jobs, contractors should take the PaintCare fee into account by checking with suppliers to make sure their quotes for paint products include the fee. PaintCare suggests that painting contractors pass on the fee to customers in order to recoup the cost. Tell customers that quotes include the fee which funds the recycling program they can use.



With the exception of businesses in Illinois, to use the PaintCare program for oil-based paint, a business must qualify as an exempt generator under federal and any analogous state hazardous waste generator rules. Please visit www.paintcare.org/business-limits for more information on exempt generator rules. If your business does not qualify as an exempt generator, it will not be able to use the program for oil-based paint, but it can still use the program for latex products. (Non-exempt generators may use the pickup service in New York. Contact PaintCare for details.)

For more information, visit www.paintcare.org.

LARGE VOLUME PICKUP (LVP) SERVICE

Free Pickups for 100+ Gallons of Leftover Paint



In states where PaintCare operates, households, businesses, and others who have accumulated a large volume of paint may be eligible for PaintCare's free large volume pickup service (LVP) for 100 or more gallons, measured by container size, not liquid volume.

How to Request an LVP



1 Sort and count your paint

Tally the number of each container size and the type of products you have, sorted into two categories:

- Water-based paints and stains
- Oil-based paints and stains and any other program products (sealers and clear top-coat products, such as varnish and shellac)



2 Fill out the request form

Fill out the LVP request form at www.paintcare.org/pickup. Call PaintCare at (855) PAINT09 if you need assistance using the web form.



3 Schedule your pickup

PaintCare staff will either approve your site for a pickup or inform you of the best place to take your paint if you do not meet the requirements. If approved, we will connect you with our licensed transporter to schedule a pickup. It may be several weeks before your pickup occurs.



4 Prepare for your pickup

Sort your products into the two categories as noted above and store them in an area that has easy access for the transporter. The path should be at least four feet wide to accommodate movement of the paint collection bins.

On the day of your pickup, the transporter is responsible for packing the paint into the bins. Once your paint is properly packed and loaded onto the transporter's truck, you will sign a shipping document and receive a copy for your records. Your paint will then be taken to an authorized facility for processing.

To view a full list of accepted products, please visit www.paintcare.org/products. For non-PaintCare products, households should reach out to their local Household Hazardous Waste facility and businesses should contact a licensed hazardous waste transportation company.



Drums and Bulked Paint Are Not Accepted

PaintCare only accepts paint in containers that are 5 gallons or smaller in size. Leave paint in original cans with original labels; do not combine or bulk paint from small cans into larger ones.



With the exception of businesses in Illinois, to use the PaintCare program for oil-based paint, a business must qualify as an exempt generator under federal and any analogous state hazardous waste generator rules. Please visit www.paintcare.org/business-limits for more information on exempt generator rules. If your business does not qualify as an exempt generator, it will not be able to use the program for oil-based paint, but it can still use the program for latex products. (Non-exempt generators may use the pickup service in New York. Contact PaintCare for details.)

For more information, visit www.paintcare.org.

Appendix G

Environmental Regulatory Requirements

Environmental Regulatory Requirements

Hazardous Waste Management Requirements for PaintCare Service Providers

Oil-based paint will be managed under the Program as an ignitable hazardous waste according to applicable hazardous waste management requirements under state and federal law. Any inadvertent Non-Program Products collected that are determined to be hazardous waste by a transporter or processor must also be managed under these applicable codes.

Latex paint generally does not exhibit a hazardous waste characteristic and will be managed as a non-hazardous solid waste to the extent permitted by applicable law.

Households

Household waste, including HHW, is generally exempt from federal hazardous waste regulations under RCRA Subtitle C. Therefore, HHW is not regulated under RCRA as a hazardous waste (see 40 CFR 261.4(b)(1)). To be defined as “household” waste and thus be exempt from federal hazardous waste regulations, the waste must be derived from households (including single and multiple residences, hotels and motels, bunkhouses, ranger stations, crew quarters, campgrounds, picnic grounds and day-use recreation areas).

Non-Households

Non-households (businesses, government organizations, non-profits, etc.) are subject to federal and state hazardous waste management regulations depending on the amount of waste generated and accumulated. Non-household latex paint can be accepted since it is not a hazardous waste. In addition, entities generating and accumulating small amounts of hazardous waste can be “conditionally exempt” from hazardous waste management regulations. As of the date of this program plan, drop-off sites will accept oil-based paint from these sources only if they meet applicable exemption criteria under state and federal law. Such criteria notably require that the generator:

- generate 220 pounds or less of hazardous waste each calendar month,
- generate 2.2 pounds or less of acute hazardous waste each calendar month, and
- Accumulate no more than 2,200 pounds of hazardous waste on site at any one time.

Businesses and organizations that meet the above conditions are generally exempt from most state and federal hazardous waste regulation. Such entities are frequently called Very Small Quantity Generators (VSQGs). Such generators are responsible for ensuring that their waste is managed in compliance with applicable state and federal requirements.

The Program will provide appropriate training to PaintCare drop-off sites to help ensure that hazardous Program Products are accepted only as permitted pursuant to applicable state and federal law. All PaintCare drop-off sites are required to comply with all applicable law in connection with their collection of Program Products and other materials, including obtaining any permits necessary to engage in such activities.

For more information on determining what a hazardous waste is refer to the DEQ’s waste determination fact sheet at: <https://www.oregon.gov/deq/FilterDocs/DetWasteHaz.pdf>.

Spill Reporting

Persons managing post-consumer paint are subject to state and federal spill reporting requirements. These laws typically require such persons to immediately clean up any spill of hazardous material and report releases of hazardous materials into the environment they are responsible for.

Under the Program management requirements, participants are required to comply with all applicable law relating to the reporting of any spills of post-consumer paint. In Oregon, this may include reporting any spill of post-consumer paint that enters or threatens to enter waters of the state (including streams and storm drains) and any spill of 10 gallons or more that is not cleaned up immediately.

For additional information regarding spill reporting requirements, refer to:

<https://www.oregon.gov/deq/hazards-and-cleanup/er/pages/how-to-report-a-spill.aspx>

Appendix H

Service Providers and PaintCare Insurance Coverage

Service Providers and PaintCare Insurance Coverage

Contractor Insurance

PaintCare requires all contractors – drop-off sites, transporters, processors, etc. – to carry insurance appropriate to the services provided for the PaintCare Program. While the specific amount and terms may vary from contractor to contractor, all contractors must have coverage that the Program deems adequate to address environmental risk and liability for the activities undertaken by the applicable contractor. PaintCare typically requires the following minimum insurance requirements in contracts for services:

Commercial General Liability Insurance

Collection Sites: Require limits of at least \$1 million per occurrence.

Transport/Processing Contractors: Require limits not less than \$1 million per occurrence and \$2 million in the aggregate.

Commercial Automobile Liability Insurance

Collection Sites: As required by law; for sites that may engage in transportation of Program Products under the Program, require commercial automobile liability insurance (owned, non-owned or hired) with limits not less than \$1 million combined single limit for each occurrence.

Transport/Processing Contractors: Require commercial automobile liability insurance (owned, non-owned or hired) with limits not less than \$1 million combined single limit for each occurrence.

Environmental Pollution Liability Insurance

Collection Sites: for sites where non-paint HHW is present, require limits not less than \$2 million each occurrence and \$3 million in the aggregate.

Processing Facilities Managing Hazardous Program Products: Require limits not less than \$2 million for each occurrence and \$3 million in the aggregate.

In addition, endorsements to name PaintCare as an additional insured on the required insurance coverage is typically required of collection sites where non-paint HHW is present and of any transport/processing contractors.

Because service providers have widely different insurance policies (e.g., commercial insurance vs. self-insurance, etc.), PaintCare evaluates, with the assistance of outside legal counsel and PaintCare insurance brokers when appropriate, the insurance terms in the contract on a case-by-case basis to ensure that the contract requires the contractor to maintain insurance of the types and in the amounts it deems adequate to address environmental risk and liability. In Oregon, this includes alternative self-insurance requirements for several municipal governments and incorporation of City/County Insurance Services limits for municipal governments insured through that company.

PaintCare Insurance

In addition to the required contractor insurance, PaintCare carries its own additional insurance with the following minimum limits:

- Commercial General Liability – minimum of \$1 million per incident/\$1 million aggregate
- Commercial Automobile Liability – minimum of \$1 million combined single limit
- Pollution Liability – minimum of \$2 million per incident/\$5 million aggregate

PaintCare intends to rely on its contractors' insurance for activities undertaken by contractors whenever possible.